




Contents lists available at ScienceDirect

Atomic Data and Nuclear Data Tables

journal homepage: www.elsevier.com/locate/adt

CUMULATED SUBJECT INDEX 1965–2008

ATOMIC DATA AND NUCLEAR DATA TABLES Vols. 12–94

ATOMIC DATA (AD) Vols. 1–5 NUCLEAR DATA TABLES (NDT) Vols. A1–A11

Categories Used in Subject Index

- | | |
|--|---|
| (2) Absorption Coefficients | (37) Fundamental Constants |
| (3) Alpha Decay | (38) Gamma-Ray Conversion |
| (4) Angular-Momentum Coefficients | (39) Gamma-Ray Energies |
| (5) Angular-Correlation or Angular-Distribution Coefficients | (40) Gamma-Ray Transition Probabilities |
| (5a1) Atomic Collisions | (41) Half-Lives |
| (5a2) Atomic Levels | (42) Harmonic Oscillator |
| (6) Atomic Masses | (43) Hartree (Dirac)–Fock Values |
| (6a) Atomic Potentials | (44) Hartree (Dirac)–Fock–Slater Values |
| (7) Atomic Properties | (45) Hartree–Fock–Roothaan Values |
| (8) Atomic Spectra | (46) Heavy-Ion Collisions |
| (9) Atomic Transition Probabilities and Lifetimes | (47) Hydrogen Molecule |
| (10) Attenuation | (48) Hyperfine Fields |
| (11) Auger Transitions | (48a) Hyperfine Interactions |
| (11a) Autoionizing States | (49) Infrared |
| (12) $B(E2)$ and $B(E3)$ Data | (50) Inner-Shell Ionization |
| (13) Beryllium Wavefunction | (51) Internal-Conversion Coefficients |
| (14) Beta Decay | (52) Ionization Energies or Potentials |
| (15) Binding Energies, Atomic | (53) Isobaric Analog States |
| (16) Binding Energies, Nuclear | (53a) Isoelectronic Sequences |
| (17) Bremsstrahlung | (54) Isomer Shifts, Isotope Shifts |
| (19) Capture Gammas | (54a) Lamb Shift |
| (20) Charged-Particle Cross Sections and Reactions | (55) Lifetimes |
| (21) Charge States of Ions | (56) Masses and Mass Differences |
| (22) Compton Profiles | (57) $M1$ and $M2$ Transitions |
| (23) Coster–Kronig Transitions | (57a) Many-Body Perturbation Calculations |
| (24) Cross Sections | (58) Matrix Elements |
| (25) Delayed Emission | (60) Mixing Ratios |
| (25a) Dielectronic Satellites | (61) Molecular Data |
| (26) Dirac–Fock | (62) Muonic (Mesic) Atoms |
| (26a) Dosimetry | (64) Neutron Cross Sections, Scattering Lengths |
| (27) d -Shell | (65) Neutron-Producing Reactions |
| (27a) $E0$ and $E2$ Transitions | (66) Nuclear Bands |
| (28) Electromagnetic Cascades | (67) Nuclear Charge and Moment Distributions |
| (28a) Electron Capture and Loss | (68) Nuclear Decay Schemes |
| (29) Electron Collision Cross Sections and Rate Coefficients | (69) Nuclear Masses |
| (30) Electron Momentum Transfer | (70) Nuclear Models, Optical Model |
| (31) Electron Production of Secondary Electrons | (71) Nuclear Moments |
| (32) Electron Scattering | (72) Nuclear Radii |
| (32a) f -Shell | (73) Nuclear Spectroscopic Factors |
| (34) Fission | (74) Nuclear Stiness |
| (35) Fission-Product Gammas and Half-Lives | (75) Nuclear Transition Probabilities |
| (35a) Form Factors | |
| (36) Fractional Parentage and Factorization | |

- (75a) Opacities
(75b) Optical Model
- (75c) Particle–Solid Interactions
(76) Penetration through Matter
(77) Photon Cross Sections
(77a) Photon-Producing Reactions
(77b) Photoionization
(79) Plasmas
(80) Polarizabilities
(81) Positron Annihilation and Scattering
(82) Proton and Pion Beams
(83) Proton Cross Sections
(84) Protons on Helium
- (85) Q-Values
- (85a) Radioactivity
(86) Range
(87) Reaction Rates
(87a) Roothaan–Hartree–Fock Values
(88) Rotation, Rotation–Vibration
- (88a) Satellites
(88b) Scattering
(89) Screening Constants
- (90) S-Function Plethysms
(91) Shore and Fano Parameters
(92) Slater Radial Integrals
(92a) Sputtering
(92b) Statistical Spectroscopy
(92c) Stark Effect
(93) Stopping Power and Range
(94) Structure Amplitudes
(95) SU_3
(95a) Synchrotron Radiation
- (96) Thermonuclear Data
(97) Transport
- (99) Velocity Parameters
- (99a) Wavelengths
- (100) Xenon⁺ Ion
(101) X Rays
- (102) Miscellaneous
- (103) Editorials

- Absorption Coefficients* (2)
See *Photon Cross Sections* (77)
- Alpha Decay* (3)
Catalogue of Recommended Alpha Energy and Intensity Values, A. Rytz **12**, 479 (1973)
New Catalogue of Recommended Alpha Energy and Intensity Values, A. Rytz **23**, 507 (1979)
Recommended Energy and Intensity Values of Alpha Particles from Radioactive Decay, A. Rytz **47**, 205 (1991)
Half-Lives of Favored Alpha Decays from Nuclear Ground States, B. Buck, A. C. Merchant, and S. M. Perez **54**, 53 (1993)
Nuclear Properties for Astrophysical and Radioactive-Ion Beam Applications, P. Möller, J. R. Nix, and K.-L. Kratz **66**, 131 (1997)
The generalized liquid drop model alpha-decay formula: Predictability analysis and superheavy element alpha half-lives, N. Dasgupta-Schubert and M. A. Reyes **93**, 907 (2007)
Nuclear half-lives for α -radioactivity of elements with $100 \leq Z \leq 130$, P. R. Chowdhury, C. Samanta, and D. N. Basu **94**, 781 (2008)
- Angular-Momentum Coefficients* (4)
Clebsch-Gordan Coefficients for Nuclear Transition Probabilities for Even-A Deformed Nuclei, T. Yamazaki **NDT A1**, 453 (1966)
An Introduction to X-Coefficients and a Tabulation of Their Values, P. L. Csonka, T. Haratani, and M. J. Moravcsik **NDT A9**, 235 (1971)
LS–jj transformation matrices for a shell of equivalent electrons, G. Gai-galas, T. Žalandauskas, and Z. Rudzikas **84**, 99 (2003)
- Angular-Correlation or Angular-Distribution Coefficients* (5)
See also *Mixing Ratios* (60)
Directory to Tables and Reviews of Angular-Momentum and Angular-Correlation Coefficients, K. Way and F. W. Hurley **NDT A1**, 473 (1966)
Tables of Coefficients for Angular Distribution of Gamma Rays from Aligned Nuclei, T. Yamazaki **NDT A3**, 1 (1967)
Tables of Coefficients for Angular Correlations of Radiative Transitions from Aligned Nuclei, D. D. Watson and G. I. Harris **NDT A3**, 25 (1967)
Internal Conversion Tables. Part II: Directional and Polarization Particle Parameters for $Z = 30$ to $Z = 103$, R. S. Hager and E. C. Seltzer **NDT A4**, 397 (1968)
Internal Conversion Tables. Part III: Coefficients for the Analysis of Penetration Effects in Internal Conversion and $E0$ Internal Conversion, R. S. Hager and E. C. Seltzer **NDT A6**, 1 (1969)
A Tabulation of Gamma-Gamma Directional-Correlation Coefficients, H. W. Taylor, B. Singh, F. S. Prato, and R. McPherson **NDT A9**, 1 (1971)
Table of Angular-Distribution Coefficients for (Gamma, Particle) and (Particle, Gamma) Reactions, R. W. Carr and J. E. E. Baglin **NDT A10**, 143 (1971)
A Tabulation of Gamma–Gamma Directional-Correlation Coefficients for States of High Angular Momenta, P. E. Haustein, H. W. Taylor, R. McPherson, and R. Fairchild **NDT A10**, 321 (1972)
Directional Correlations of Gamma Radiations Emitted from Nuclear States Oriented by Nuclear Reactions or Cryogenic Methods, K. S. Krane, R. M. Steffen, and R. M. Wheeler **NDT A11**, 351 (1973)
Orientation Parameters for Low-Temperature Nuclear Orientation, K. S. Krane **NDT A11**, 407 (1973)
Tables of Attenuation Coefficients for Angular Distribution of Gamma Rays from Partially Aligned Nuclei, E. der Mateosian and A. W. Sunyar **13**, 391 (1974)
Tables of Angular-Distribution Coefficients for Gamma Rays of Mixed Multipolarities Emitted by Aligned Nuclei, E. der Mateosian and A. W. Sunyar **13**, 407 (1974)
Extended Table of Angular-Distribution Coefficients for (Gamma, Particle) and (Particle, Gamma) Reactions, R. E. Maute, D. P. D’Amato, and S. L. Blatt **13**, 499 (1974)
Table of Differential Polarization Coefficients for (Gamma, Particle) Reactions, R. M. Laszewski and R. J. Holt **19**, 305 (1977)
Correction to the Table of Differential Polarization Coefficients for (Gamma, Particle) Reactions, J. E. Monahan, R. J. Holt, and R. M. Laszewski **23**, 97 (1979)

- Corrections to Literature Expressions for Angular Distributions of Gamma Reactions Initiated by Polarized Particles, R. G. Seyler and H. R. Weller **23**, 99 (1979)
- Tables of $S_{nN}^{k_1 k_2}$ and s_{kn} for γ -Ray-Perturbed Angular Correlations with Quadrupole Interactions, E. Dafni, R. Bienstock, M. H. Rafailovich, and G. D. Sprouse **23**, 315 (1979)
- Tables of Linear-Polarization Mixing Coefficients, T. Aoki, K. Furuno, Y. Tagishi, S. Ohya, and J.-Z. Ruan **23**, 349 (1979)
- Gamma-Ray Linear Polarization Distribution, J. Rikovska and N. J. Stone **37**, 53 (1987)
- Nuclear Spin–Lattice Relaxation Attenuation Coefficients for Use in On-Line Nuclear Orientation Experiments, T. L. Shaw and N. J. Stone **42**, 339 (1989)
- Perturbed Angular Correlations in Polarized Nuclei with Axially Symmetric Quadrupole Interactions: $S_{nN}^{k_1 k_2}$ and $a_{k_1 k_2}^N$ Coefficients, H. Watanabe **47**, 33 (1991)
- Angular Distribution Coefficients for (γ , χ) Reactions with Linearly Polarized Photons, H. R. Weller, J. Langenbrunner, R. M. Chasteler, E. L. Tomusiak, J. Asai, R. G. Seyler, and D. R. Lehman **50**, 29 (1992), Erratum **58**, 317 (1994)
- Angular Distribution Coefficients for (γ , χ) Reactions with Circularly Polarized Photons and Polarized Targets and a Correction to Previous Tables, H. R. Weller, R. M. Chasteler, B. S. Marks, R. G. Seyler, and D. R. Lehman **58**, 219 (1994)
- Angular Distribution Coefficients for γ -Ray Polarizations Produced in Polarized Capture Reactions, E. A. Wulf, J. Guillemette, R. G. Seyler, and H. R. Weller **72**, 21 (1999)
- Scattering angle-integrated (total) and magnetic sublevel cross-sections and degree of linear polarization for electron and proton induced excitation [HeI (1snp) $^1P^0$ ($n = 2-5$)] of helium, H. Merabet, R. Bruch, J. Hanni, M. Bailey, A. L. Godunov, J. H. McGuire, D. V. Fursa, I. Bray, K. Bartschat, H. C. Tseng, and C.-D. Lin **83**, 45 (2003)
- Atomic Collisions** (5a1)
- See also *Bremsstrahlung* (17)
- Charge States of Ions* (21)
- Electron Capture and Loss* (28a)
- Particle–Solid Interactions* (75c)
- Stopping Power and Range* (93)
- Transport* (97)
- Selected Bibliography on Atomic Collisions: Data Collections, Bibliographies, Review Articles, Books, and Papers of Particular Tutorial Value, E. W. McDaniel, M. R. Flannery, E. W. Thomas, and S. T. Manson **33**, 1 (1985)
- Ionization Balance for Optically Thin Plasmas: Rate Coefficients for Cu, Zn, Ga, and Ge Ions, G. Mazzitelli and M. Mattioli **82**, 313 (2002)
- Spin–lattice relaxation attenuation coefficients for on-line nuclear orientation experiments, D. Vénos, D. Zákoucký, and N. Severijns **83**, 1 (2003)
- Excitation, ionization, and electron capture cross sections for collisions of Li^{3+} with ground state and excited hydrogen atoms, I. Murakami, J. Yan, H. Sato, M. Kimura, R. K. Janev, and T. Kato **94**, 161 (2008)
- Database for inelastic collisions of sodium atoms with electrons, protons, and multiply charged ions, K. Igenbergs, J. Schweinzer, I. Bray, D. Bridi, and F. Aumayr **94**, 981 (2008)
- Atomic Levels** (5a2)
- See also *Hartree (Dirac)–Fock Values* (43)
- Hartree (Dirac)–Fock–Slater Values* (44)
- Isoelectronic Sequences* (53a)
- Energy Levels and Classifications of Doubly-Excited States in Two-Electron Systems with Nuclear Charge. $Z = 1, 2, 3, 4, 5$, below the $N = 2$ and $N = 3$ Thresholds, L. Lipsky, R. Anania, and M. J. Conneely **20**, 127 (1977)
- Grotrian Diagrams for Highly Ionized Iron Fe VIII–Fe XXVI, K. Mori, M. Otsuka, and T. Kato **23**, 195 (1979)
- Energy Levels for the Configurations $(3d + 4s)^n 4p$ in the First Spectra of the Iron Group, K I–Ga I, C. Roth **25**, 91 (1980)
- Spectral Data and Grotrian Diagrams for Highly Ionized Titanium, Ti V–Ti XXII, K. Mori, W. L. Wiese, T. Shirai, Y. Nakai, K. Ozawa, and T. Kato **34**, 79 (1986)
- Spectral Data and Grotrian Diagrams for Highly Ionized Nickel, Ni IX–Ni XXVIII, T. Shirai, K. Mori, J. Sugar, W. L. Wiese, Y. Nakai, and K. Ozawa **37**, 235 (1987)
- Computed Oscillator Strengths and Energy Levels for Fe II with Calculated Wavelengths and Wavelengths Derived from Established Data, B. C. Fawcett **37**, 333 (1987)
- Computed Oscillator Strengths and Energy Levels for Fe III, Fe IV, Fe V, and Fe VI with Calculated Wavelengths and Wavelengths Derived from Established Data, B. C. Fawcett **41**, 181 (1989)
- Doubly Excited States of Li^+ Below the $N = 2$ and $N = 3$ Thresholds of Li^{2+} , K. T. Chung and C. D. Lin **69**, 101 (1998)
- Fine Structure Radiative Transitions in C II and C III Using the Breit–Pauli R-Matrix Method, S. N. Nahar **80**, 205 (2002)
- Radiative Data for Chlorine and Its Ions, K. A. Berrington and S. Nakazaki **82**, 1 (2002)
- Energy Levels and Classifications of Triply-Excited States of Li, Be^+ , B^{2+} , and C^{3+} , M. J. Conneely and L. Lipsky **82**, 115 (2002)
- Atomic Data and Spectral Line Intensities for Fe XI, A. K. Bhatia, G. A. Doschek, and W. Eissner **82**, 211 (2002)
- Atomic data and spectral line intensities for Ne III, A. K. Bhatia, R. J. Thomas, and E. Landi **83**, 113 (2003)
- Relativistic many-body calculations of electric-dipole lifetimes, transition rates, and oscillator strengths for $n = 3$ states in Al-like ions, U. I. Safronova, M. Sataka, J. R. Albritton, W. R. Johnson, and M. S. Safronova **84**, 1 (2003)
- Energy levels, oscillator strengths, and transition probabilities for fine-structure transitions in Mg-like chlorine, Neerja, G. P. Gupta, A. N. Tripathi, and A. Z. Msezane **84**, 85 (2003), Erratum **85**, 495 (2003)
- Effective collision strengths for electron impact excitation of Si VIII, C. A. Ramsbottom, K. L. Bell, F. P. Keenan and A. Matthews **85**, 69 (2003)
- Multipole (E1, M1, E2, M2) transition wavelengths and rates between states with $n \leq 6$ in helium-like carbon, nitrogen, oxygen, neon, silicon, and argon, I. M. Savukov, W. R. Johnson, and U. I. Safronova **85**, 83 (2003)
- Atomic data and spectral line intensities for S IX, A. K. Bhatia and E. Landi **85**, 169 (2003)
- Effective collision strengths for electron impact excitation of Cl II, N. J. Wilson and K. L. Bell **85**, 255 (2003)
- Stark broadening of AgI spectral lines, M. S. Dimitrijević and S. Sahal-Bréchet **85**, 269 (2003)
- Atomic data and spectral line intensities for Si VIII, A. K. Bhatia and E. Landi **85**, 317 (2003)
- Energy levels and radiative rates for transitions in Ni XIII–Ni XVI, K. M. Aggarwal, F. P. Keenan, and A. Z. Msezane **85**, 453 (2003)
- Measurement of hyperfine coupling constants of singly ionized rare earth ions, H. L. Ma and F. J. Yang **86**, 3 (2004)
- Transitions in C II, N III, and O IV, G. Corrége and A. Hibbert **86**, 19 (2004)
- Energy levels and classifications of triply excited states of N^{4+} , O^{5+} , F^{6+} , and Ne^{7+} , M. J. Conneely and L. Lipsky **86**, 35 (2004)
- Systematic calculation of total atomic energies of ground state configurations, G. C. Rodrigues, P. Indelicato, J. P. Santos, P. Patté, and F. Parente **86**, 117 (2004)
- Breit–Pauli energy levels, lifetimes, and transition probabilities for the beryllium-like to neon-like sequences, C. F. Fischer and G. Tachiev **87**, 1 (2004)
- Landé g-factors for experimentally determined energy levels in doubly ionized lanthanides, P. Quinet and E. Biémont **87**, 207 (2004)
- Atomic data and spectral line intensities for Ar XIII, G. Liang, G. Dong, and J. Zeng **88**, 83 (2004)
- Large scale CIV3 calculations of fine-structure energy levels, oscillator strengths, and lifetimes in Fe XIV and Ni XVI, G. P. Gupta and A. Z. Msezane **89**, 1 (2005)
- Ab initio oscillator strengths and transition probabilities of transitions from $2s^2 2p^2 31$ and $2s 2p^3 31$ in S X, R. Karpuškiene, P. Bogdanovich, and A. Udris **89**, 45 (2005)

- Energy levels, transition probabilities, and electron impact excitations for possible X-ray line emissions of Ni-like tantalum ions, *J. Y. Zhong, J. Zhang, J. L. Zeng, G. Zhao, and M. F. Gu* **89**, 101 (2005)
- Atomic data and spectral line intensities for Ar XII, *W. Eissner, E. Landi and A. K. Bhatia* **89**, 139 (2005)
- Atomic data and spectral line intensities for Ne III, *E. Landi and A. K. Bhatia* **89**, 195 (2005)
- Energies of $1s^22^1q$ ($1 \leq q \leq 8$) states for $Z \leq 60$ with a combined configuration interaction and many-body perturbation theory approach, *M. F. Gu* **89**, 267 (2005)
- Excitation energies, radiative and autoionization rates, dielectronic satellite lines, and dielectronic recombination rates to excited states for B-like oxygen, *I. Murakami, U. I. Safronova, A. A. Vasilyev, and T. Kato* **90**, 1 (2005)
- Atomic data and spectral line intensities for Ca XIV, *E. Landi and A. K. Bhatia* **90**, 177 (2005)
- Electron impact collision strengths and oscillator strengths for Ni-like Nd, Sm, Eu, Gd, Ta, and W ions, *J. Zeng, J. Zhong, G. Zhao, and J. Yuan* **90**, 259 (2005)
- Relativistic many-body calculations of multipole (E1, M1, E2, M2, E3, and M3) transition wavelengths and rates between $3l^{-1}4l'$ excited and ground states in nickel-like ions, *U. I. Safronova, A. S. Safronova, S. M. Hamasha, and P. Beiersdorfer* **92**, 47 (2006)
- Atomic data and spectral line intensities for Mg V, *A. K. Bhatia, E. Landi, and W. Eissner* **92**, 105 (2006)
- Relativistic energy, fine structure, and hyperfine-structure studies of the high-lying core-excited states $5P(n)$ ($n = 1-3$) and $^5S^{\circ}(m)$ ($m = 1-3$) for the Be-like isoelectronic sequence, *F. Wang and B. C. Gou* **92**, 176 (2006)
- Fine-structure calculations of energy levels, oscillator strengths, and transition probabilities for sodium-like ions (Co XVII–Kr XXVI), *W. O. Younis, S. H. Allam, and Th. M. El-Sherbini* **92**, 187 (2006)
- Atomic data and spectral line intensities for Ar XI, *E. Landi and A. K. Bhatia* **92**, 305 (2006)
- Ionization energies of tungsten ions: W^{2+} through W^{71+} , *A. E. Kramida and J. Reader* **92**, 457 (2006)
- Energy levels, transition probabilities, and electron impact excitations for La XXX, *J. Y. Zhong, G. Zhao, and J. Zhang* **92**, 481 (2006)
- Relativistic energy levels, lifetimes, and transition probabilities for the sodium-like to argon-like sequences, *C. F. Fischer, G. Tachiev, and A. Irimia* **92**, 607 (2006)
- Atomic data and spectral line intensities for Mg VI, *E. Landi and A. K. Bhatia* **93**, 1 (2007)
- Electron collisions with Fe-peak elements: Forbidden transitions between the low lying valence states $3d^6$, $3d^54s$, and $3d^54p$ of Fe III, *B. M. McLaughlin, M. P. Scott, A. G. Sunderland, C. J. Noble, V. M. Burke, C. A. Ramsbottom, R. H. G. Reid, A. Hibbert, K. L. Bell, and P. G. Burke* **93**, 55 (2007)
- Level energies, oscillator strengths, and lifetimes for transitions in Ti VI, *M. Mohan, A. K. Singh, A. K. S. Jha, and P. Jha* **93**, 105 (2007)
- New electron levels and classified lines in Pr II from hyperfine structure measurements, *B. Furrmann, D. Stefańska, J. Dembczyński, and E. Stachowska* **93**, 127 (2007)
- Revised transition probabilities for Fe XXV: Relativistic CI calculations, *W. R. Johnson and U. I. Safronova* **93**, 139 (2007)
- Semi-empirical predictions of even atomic energy levels and their hyperfine structure for the scandium atom, *J. Dembczyński, M. Elantowska, J. Ruczkowski, and D. Stefańska* **93**, 149 (2007)
- Multiconfiguration Dirac–Fock wavelengths and transition rates in the X-ray spectra of highly charged Ga-like ions from Yb^{39+} to U^{61+} , *P. Quinet, E. Biémont, P. Palmeri, and E. Träbert* **93**, 167 (2007)
- Atomic data and spectral line intensities for Si XI, *A. K. Bhatia and E. Landi* **93**, 275 (2007)
- Wavelengths and transition probabilities in heavy Ge-like ions ($70 \leq Z \leq 92$), *P. Palmeri, P. Quinet, É. Biémont, and E. Träbert* **93**, 355 (2007)
- Electron impact collision strengths in Si IX, Si X, and Si XI, *G. Liang, G. Zhao, and J. Zeng* **93**, 375 (2007)
- Wavelengths and transition probabilities for $n = 4 \rightarrow n' = 4$ transitions in heavy Cu-like ions ($70 \leq Z \leq 92$), *P. Palmeri, P. Quinet, É. Biémont, and E. Träbert* **93**, 537 (2007)
- Breit–Pauli energy levels belonging to $2p^4$, $2s2p^5$, $2p^6$, $2p^33l$ configurations and all E1 transitions among these levels in Mg V, *N. C. Deb, and A. Hibbert* **93**, 585 (2007)
- Energy levels and radiative rates for transitions in Mg-like iron, cobalt and nickel, *K. M. Aggarwal, V. Tayal, G. P. Gupta, and F. P. Keenan* **93**, 615 (2007)
- Relativistic atomic data for EUV and X-ray lines in the highly charged Zn-like ions from Yb^{40+} to U^{62+} , *P. Quinet, É. Biémont, P. Palmeri, and E. Träbert* **93**, 711 (2007)
- Atomic data and spectral line intensities for Mg IX, *A. K. Bhatia and E. Landi* **93**, 742 (2007)
- Improved low-lying energy levels determined from solar coronal forbidden and spin-forbidden lines in the 500–1500 Å range, *U. Feldman and G. A. Doschek* **93**, 779 (2007)
- Energy levels, transition probabilities, and electron impact excitation collision strengths for Xe XXVII, *J. Huang, Q. Zhao, and G. Jiang* **93**, 864 (2007)
- ProLaplace-free relativistic Gaussian basis sets for the superheavy elements up to Uuo ($Z = 118$) and Lr ($Z = 103$), *L. G. M. de Macedo, A. C. Borin, and A. B. F. da Silva* **93**, 931 (2007)
- Atomic data and spectral line intensities for S XIII, *E. Landi and A. K. Bhatia* **94**, 1 (2008)
- Relativistic multireference Møller–Plesset perturbation theory calculations of the energy levels and transition probabilities in Ne-like xenon, tungsten, and uranium ions, *M. J. Vilkas, J. M. López-Encarnación, and Y. Ishikawa* **94**, 50 (2008)
- Weighted oscillator strengths for the Xe IV spectrum, *M. Raineri, C. Lagorio, S. Padilla, M. Gallardo, and J. Reyna Almandos* **94**, 140 (2008)
- Atomic data and spectral line intensities for Ar XV, *A. K. Bhatia and E. Landi* **94**, 223 (2008)
- Energy levels and radiative rates for transitions in B-like to F-like Kr ions (Kr XXXII–XXXVIII), *K. M. Aggarwal, F. P. Keenan, and K. D. Lawson* **94**, 323 (2008)
- Oscillator strengths and radiative rates for transitions in neutral sulfur, *N. C. Deb and A. Hibbert* **94**, 561 (2008)
- Ab initio oscillator strengths and transition probabilities in oxygen-like Cr XVII, *P. Bogdanovich and R. Karpuškieė* **94**, 623 (2008)
- Relativistic many-body Møller–Plesset perturbation theory calculations of the energy levels and transition rates in Na-like to P-like Xe ions, *M. J. Vilkas, Y. Ishikawa, and E. Träbert* **94**, 650 (2008)
- Relativistic multi-configuration calculations of $K\alpha$ and $K\beta$ X-ray transitions for highly ionized Mo ions, *L. Hao, G. Jiang, S. Song, and F. Hu* **94**, 739 (2008)
- Electron impact collision strengths in Sn XXIII, *Y. Q. Liang and J. Y. Zhong* **94**, 807 (2008)
- Rydberg and autoionizing triplet states in helium up to the $N = 5$ threshold, *L. Argenti* **94**, 903 (2008)
- Atomic Masses** (6)
See *Masses and Mass Differences* (56)
- Atomic Potentials** (6a)
See also *Ionization Energies or Potentials* (52)
Optimized Central Potentials for Atomic Ground-State Wavefunctions, *K. Aashamar, T. M. Luke, and J. D. Talman* **22**, 443 (1978)
Model Potentials for Alkali Metal Atoms and Alkali-like Ions, *W. Schweizer, P. Fassbinder, and R. González-Férez* **72**, 33 (1999)
Parameterized optimized effective potential for the ground state of the atoms He through Xe, *A. Sarsa, F. J. Gálvez, and E. Buendía* **88**, 163 (2004)
- Atomic Properties** (7)
See also *Atomic Collisions* (5a1)
Atomic Levels (5a2)
Atomic Potentials (6a)
Atomic Spectra (8)
Atomic Transition Probabilities and Lifetimes (9)
Beryllium Wavefunction (13)
Binding Energies, Atomic (15)
Compton Profiles (22)

- Form Factors (35a)*
Hartree (Dirac)–Fock Values (43)
Hartree (Dirac)–Fock–Slater Values (44)
Hartree–Fock–Roothaan Values (45)
Masses and Mass Differences (56)
Polarizabilities (80)
Xenon⁻Ion (100)
- Measurement of hyperfine coupling constants of singly ionized rare earth ions, *H. L. Ma* and *F. J. Yang* **86**, 3 (2004)
- Prolapse-free relativistic Gaussian basis sets for the superheavy elements up to Uuo ($Z = 118$) and Lr ($Z = 103$), *L. G. M. de Macedo*, *A. C. Borin*, and *A. B. F. da Silva* **93**, 931 (2007)
- Atomic Spectra* (8)
- See also *Infrared (49)*
Isoelectronic Sequences (53a)
Satellites (88a)
- The Emission Spectrum of Curium, *E. F. Worden*, *E. K. Hulet*, *R. G. Gutmacher*, and *J. G. Conway* **18**, 459 (1976)
- The Emission Spectrum of Berkelium, *E. F. Worden* and *J. G. Conway* **22**, 329 (1978)
- Multiplet Table for Fe III, *Y. E. Varshni* **23**, 83 (1979)
- Uranium Spectrum between 1.8 and 5.5 Microns Emitted from a Hollow Cathode, *J. G. Conway*, *E. F. Worden*, *J. W. Brault*, *R. P. Hubbard*, and *J. J. Wagner* **31**, 299 (1984)
- Spectral Line Intensities for the O I, N I, C I, B I, and Be I Isoelectronic Sequences, $Z = 26$ –36, *U. Feldman*, *J. F. Seely*, and *A. K. Bhatia* **32**, 305 (1985)
- Atomic Data and Spectral Line Intensities for the Neon Isoelectronic Sequence (Si V through Kr XXVII), *A. K. Bhatia*, *U. Feldman*, and *J. F. Seely* **32**, 435 (1985)
- Atomic Data and Spectral Line Intensities for the Boron Isoelectronic Sequence (Ar XIV through Kr XXXII), *A. K. Bhatia*, *U. Feldman*, and *J. F. Seely* **35**, 319 (1986)
- Atomic Data and Spectral Line Intensities for the Beryllium Isoelectronic Sequence (Ar XV through Kr XXXIII), *A. K. Bhatia*, *U. Feldman*, and *J. F. Seely* **35**, 449 (1986)
- Atomic Data and Spectral Line Intensities for the Carbon Isoelectronic Sequence (Ar XIII through Kr XXXI), *A. K. Bhatia*, *J. F. Seely*, and *U. Feldman* **36**, 453 (1987)
- Fe II Oscillator Strengths for Identified Lines in Spectra of the Sun and of the Slow Nova RR Tel, *B. C. Fawcett* **40**, 1 (1988)
- Atomic Data and Spectral Line Intensities for the Nitrogen Isoelectronic Sequence (Ar XII through Kr XXX), *A. K. Bhatia*, *J. F. Seely*, and *U. Feldman* **43**, 99 (1989)
- Classified Strong Lines of Singly Ionized Praseodymium (Pr II) between 2783 and 25,000 cm^{-1} , *A. Ghibre* **44**, 1 (1990)
- Atomic Data and Spectral Line Intensities for Ne-like Fe XVII, *A. K. Bhatia* and *G. A. Doschek* **52**, 1 (1992)
- Atomic Data and Spectral Line Intensities for C-like Ca XV, *A. K. Bhatia* and *G. A. Doschek* **53**, 195 (1993)
- Atomic Data and Spectral Line Intensities for C-like Si IX, *A. K. Bhatia* and *G. A. Doschek* **55**, 281 (1993)
- Atomic Data and Spectral Line Intensities for C-like Ne V, *A. K. Bhatia* and *G. A. Doschek* **55**, 315 (1993)
- Atomic Data and Spectral Line Intensities for Fe X, *A. K. Bhatia* and *G. A. Doschek* **60**, 97 (1995)
- Atomic Data and Spectral Line Intensities for C-like Mg VII, *A. K. Bhatia* and *G. A. Doschek* **60**, 145 (1995)
- Atomic Data and Spectral Line Intensities for Fe XI, *A. K. Bhatia* and *G. A. Doschek* **64**, 183 (1996)
- Atomic Data and Spectral Line Intensities for $n = 3$ –3 and $n = 3$ –4 X-ray Transitions in Fe XV, *A. K. Bhatia*, *H. E. Mason*, and *C. Blancard* **66**, 83 (1997)
- Spectral Line Intensities for $n = 3$ –3 EUV Transitions in Fe XV, *A. K. Bhatia* and *H. E. Mason* **66**, 119 (1997)
- Atomic Data and Spectral Line Intensities for Highly Ionized Tungsten (Co-like W^{47+} to Rb-like W^{37+}) in a High-Temperature, Low-Density Plasma, *K. B. Fournier* **68**, 1 (1998)
- Atomic Data and Spectral Line Intensities for Ni XIII, *A. K. Bhatia* and *G. A. Doschek* **68**, 49 (1998)
- Atomic Data and Spectral Line Intensities for Mg VI, *A. K. Bhatia* and *P. R. Young* **68**, 219 (1998)
- Atomic Data and Spectral Line Intensities for Ni XVI, *A. K. Bhatia* and *G. A. Doschek* **71**, 69 (1999)
- Atomic Data and Spectral Line Intensities for Fe VIII, *A. K. Bhatia* and *W. Eissner* **76**, 271 (2000)
- Atomic data and spectral line intensities for Ni XXI, *A. K. Bhatia*, *E. Landi*, and *H. E. Mason* **83**, 71 (2003)
- Atomic data and spectral line intensities for Fe XVII, *A. K. Bhatia* and *G. A. Doschek* **85**, 1 (2003)
- Measurement of hyperfine coupling constants of singly ionized rare earth ions, *H. L. Ma* and *F. J. Yang* **86**, 3 (2004)
- Breit–Pauli energy levels, lifetimes, and transition probabilities for the beryllium-like to neon-like sequences, *C. F. Fischer* and *G. Tachiev* **87**, 1 (2004)
- Landé g -factors for experimentally determined energy levels in doubly ionized lanthanides, *P. Quinet* and *E. Biémont* **87**, 207 (2004)
- Excitation energies, radiative and autoionization rates, dielectronic satellite lines, and dielectronic recombination rates to excited states for B-like oxygen, *I. Murakami*, *U. I. Safronova*, *A. A. Vasilyev*, and *T. Kato* **90**, 1 (2005)
- Relativistic many-body calculations of multipole (E1, M1, E2, M2, E3, and M3) transition wavelengths and rates between $3l^{-1}4l'$ excited and ground states in nickel-like ions, *U. I. Safronova*, *A. S. Safronova*, *S. M. Hamasha*, and *P. Beiersdorfer* **92**, 47 (2006)
- Relativistic energy, fine structure, and hyperfine-structure studies of the high-lying core-excited states $5P(n)$ ($n = 1$ –3) and $^5S^{\circ}(m)$ ($m = 1$ –3) for the Be-like isoelectronic sequence, *F. Wang* and *BC. Gou* **92**, 176 (2006)
- New electron levels and classified lines in Pr II from hyperfine structure measurements, *B. Furmann*, *D. Stefańska*, *J. Dembczyński*, and *E. Stachowska* **93**, 127 (2007)
- Semi-empirical predictions of even atomic energy levels and their hyperfine structure for the scandium atom, *J. Dembczyński*, *M. Elantowska*, *J. Ruczkowski*, and *D. Stefańska*, **93**, 149 (2007)
- Multiconfiguration Dirac–Fock wavelengths and transition rates in the X-ray spectra of highly charged Ga-like ions from Yb^{39+} to U^{61+} , *P. Quinet*, *E. Biémont*, *P. Palmeri*, and *E. Träbert* **93**, 167 (2007)
- Wavelengths and transition probabilities in heavy Ge-like ions ($70 \leq Z \leq 92$), *P. Palmeri*, *P. Quinet*, *É. Biémont*, and *E. Träbert* **93**, 355 (2007)
- Wavelengths and transition probabilities for $n = 4 \rightarrow n' = 4$ transitions in heavy Cu-like ions ($70 \leq Z \leq 92$), *P. Palmeri*, *P. Quinet*, *É. Biémont*, and *E. Träbert* **93**, 537 (2007)
- Relative intensities for L_i ($i = 1$ –3) and M_i ($i = 1$ –5) subshell X-rays, *S. Puri* **93**, 730 (2007)
- Atomic Transition Probabilities and Lifetimes* (9)
- See also *Atomic Spectra (8)*
Auger Transitions (11)
Infrared (49)
Isoelectronic Sequences (53a)
Plasmas (79)
Satellites (88a)
Stark Effect (92c)
X Rays (101)
- Critical Evaluation of Transition Probabilities for Ba I and Ba II, *B. M. Miles* and *W. L. Wiese* **AD 1**, 1 (1969)
- Relativistic Corrections to Ionization Energies and Theoretical Dipole Oscillator Strengths for Fe XVI, Co XVII, and Ni XVIII, *C. E. Tull*, *R. P. McEachran*, and *M. Cohen* **AD 3**, 169 (1971)
- Total and Partial Atomic-Level Widths, *O. Keski-Rahkonen* and *M. O. Krause* **14**, 139 (1974)
- Lifetimes of Doubly-Excited States of Atomic Helium: Theoretical and Experimental Values, *W. Shearer-Izumi* **20**, 531 (1977)
- Theoretical Transition Probabilities and Lifetimes in Kr I and Xe I Spectra, *M. Aymar* and *M. Coulombe* **21**, 537 (1978)

- Transition Probabilities and Branching Ratios for Electric-Dipole Transitions between Arbitrary Levels of Hydrogen-like Atoms, *K. Omidvar* **28**, 1 (1983)
- Transition Probabilities, Lifetimes, and Branching Ratios in Hydrogen-like Atoms in the Linear Stark Effect, *K. Omidvar* **28**, 215 (1983)
- Energy Levels, Lifetimes, Wavelengths, and Transition Probabilities of Fe XIV, *C. F. Fischer and B. Liu* **34**, 261 (1986)
- Transition Probabilities for the Helium Singly Excited States $1sn^{1,3}L$ with $n = 2-21$ and $l = 0-5$, *C. E. Theodosiou* **36**, 97 (1987)
- Computed Oscillator Strengths and Energy Levels for Fe II with Calculated Wavelengths and Wavelengths Derived from Established Data, *B. C. Fawcett* **37**, 333 (1987)
- Oscillator Strengths for Neutral Atomic Carbon, *G. A. Victor and V. Escalante* **40**, 203 (1988)
- Oscillator Strengths for Singly Ionized Nitrogen, *G. A. Victor and V. Escalante* **40**, 227 (1988)
- Computed Oscillator Strengths and Energy Levels for Fe III, Fe IV, Fe V, and Fe VI with Calculated Wavelengths and Wavelengths Derived from Established Data, *B. C. Fawcett* **41**, 181 (1989)
- Computed Oscillator Strengths and Landé g -Values of Ce II, *B. C. Fawcett* **46**, 217 (1990)
- Computed Oscillator Strengths, Landé g -Values, and Lifetimes in Yb II, *B. C. Fawcett and M. Wilson* **47**, 241 (1991)
- Improved Oscillator Strength Calculations for Ti VI and Fe X, *B. C. Fawcett* **47**, 319 (1991)
- Wavelengths and Transition Probabilities for Some $\Delta n \geq 0$ Allowed Transitions in Aluminum Ions (Al V–Al VII), *E. Biémont* **48**, 1 (1991)
- Collision Strengths and Transition Rates for O III, *A. K. Bhatia and S. O. Kastner* **54**, 133 (1993)
- Lifetimes of Levels of Neutral and Singly Ionized Lanthanide Atoms, *K. B. Blagoev and V. A. Komarovskii* **56**, 1 (1994)
- Transition Probabilities and Photoionization of Neutral Atomic Oxygen, *V. Escalante, and G. A. Victor* **56**, 213 (1994)
- Atomic Transition Probabilities and Lifetimes for the Cu I System, *K. Fu, M. Jogwich, M. Knebel, and K. Wiesemann* **61**, 1 (1995)
- Atomic Data for Permitted Resonance Lines of Atoms and Ions from H to Si, and S, Ar, Ca, and Fe, *D. A. Verner, E. M. Verner, and G. J. Ferland* **64**, 1 (1996)
- Oscillator Strengths for Fine-Structure Transitions in S III, *S. S. Tayal* **67**, 331 (1997)
- Oscillator Strengths for Dipole-Allowed Fine-Structure Transitions in Si II, *S. N. Nahar* **68**, 183 (1998)
- Fine-Structure Energy Levels and Oscillator Strengths of Fe XI, *N. C. Deb and S. S. Tayal* **69**, 161 (1998)
- Lifetimes and Transition Probabilities in In II, *E. Biémont and C. J. Zeppen* **72**, 101 (1999)
- Oscillator Strengths for Dipole-Allowed Fine-Structure Transitions in Fe XIII, *S. N. Nahar* **72**, 129 (1999)
- Theoretical Wavelengths and Transition Probabilities for the $3d^9-3d^84p$ and $3d^84s-3d^84p$ Transition Arrays in Ni II, *S. Fritzsche, C. Z. Dong, and G. Gaigalas* **76**, 155 (2000)
- Widths of the Atomic $K-N7$ Levels, *J. L. Campbell and T. Papp* **77**, 1 (2001)
- Transition Probabilities for Be I, Be II, Mg I, and Mg II, *N. W. Zheng, T. Wang, R. Y. Yang, T. Zhou, D. X. Ma, Y. G. Wu, and H. T. Xu* **79**, 109 (2001)
- Dirac-Fock Transition Energies and Radiative and Radiationless Transition Probabilities for Ar^{9+} to Ar^{16+} Ion Levels with K -Shell Holes, *A. M. Costa, M. C. Martins, F. Parente, J. P. Santos, and P. Indelicato* **79**, 223 (2001)
- Fine Structure Radiative Transitions in C II and C III Using the Breit-Pauli R -Matrix Method, *S. N. Nahar* **80**, 205 (2002)
- Radiative Data for Chlorine and Its Ions, *K. A. Berrington and S. Nakazaki* **82**, 1 (2002)
- Atomic Data and Spectral Line Intensities for Fe XI, *A. K. Bhatia, G. A. Doschek, and W. Eissner* **82**, 211 (2002)
- Atomic data and spectral line intensities for Ni XXI, *A. K. Bhatia, E. Landi, and H. E. Mason* **83**, 71 (2003)
- Atomic data and spectral line intensities for Ne III, *A. K. Bhatia, R. J. Thomas, and E. Landi* **83**, 113 (2003)
- Relativistic many-body calculations of electric-dipole lifetimes, transition rates, and oscillator strengths for $n = 3$ states in Al-like ions, *U. I. Safronova, M. Sataka, J. R. Albritton, W. R. Johnson, and M. S. Safronova* **84**, 1 (2003)
- Energy levels, oscillator strengths, and transition probabilities for fine-structure transitions in Mg-like chlorine, *Neerja, G. P. Gupta, A. N. Tripathi, and A. Z. Msezane* **84**, 85 (2003),
Erratum **85**, 495 (2003)
- Atomic data and spectral line intensities for Fe XVII, *A. K. Bhatia and G. A. Doschek* **85**, 1 (2003)
- Multipole (E1, M1, E2, M2) transition wavelengths and rates between states with $n \leq 6$ in helium-like carbon, nitrogen, oxygen, neon, silicon, and argon, *I. M. Savukov, W. R. Johnson, and U. I. Safronova* **85**, 83 (2003)
- Atomic data and spectral line intensities for S IX, *A. K. Bhatia and E. Landi* **85**, 169 (2003)
- Fluorescence yields and Coster-Kronig probabilities for the atomic L subshells, *J. L. Campbell* **85**, 291 (2003)
- Atomic data and spectral line intensities for Si VIII, *A. K. Bhatia and E. Landi* **85**, 317 (2003)
- Energy levels and radiative rates for transitions in Ni XIII–Ni XVI, *K. M. Aggarwal, F. P. Keenan, and A. Z. Msezane* **85**, 453 (2003)
- Measurement of hyperfine coupling constants of singly ionized rare earth ions, *H. L. Ma and F. J. Yang* **86**, 3 (2004)
- Transitions in C II, N III, and O IV, *G. Corrége and A. Hibbert* **86**, 19 (2004)
- Breit-Pauli energy levels, lifetimes, and transition probabilities for the beryllium-like to neon-like sequences, *C. F. Fischer and G. Tachiev* **87**, 1 (2004)
- Atomic data and spectral line intensities for Ar XIII, *G. Liang, G. Dong, and J. Zeng* **88**, 83 (2004)
- Large scale CIV3 calculations of fine-structure energy levels, oscillator strengths, and lifetimes in Fe XIV and Ni XVI, *G. P. Gupta and A. Z. Msezane* **89**, 1 (2005)
- Ab initio oscillator strengths and transition probabilities of transitions from $2s^22p^331$ and $2s2p^331$ in S X, *R. Karpuškiene, P. Bogdanovich, and A. Udris* **89**, 45 (2005)
- Energy levels, transition probabilities, and electron impact excitations for possible X-ray line emissions of Ni-like tantalum ions, *J. Y. Zhong, J. Zhang, J. L. Zeng, G. Zhao, and M. F. Gu* **89**, 101 (2005)
- Atomic data and spectral line intensities for Ar XII, *W. Eissner, E. Landi and A. K. Bhatia* **89**, 139 (2005)
- Atomic data and spectral line intensities for Ne III, *E. Landi and A. K. Bhatia* **89**, 195 (2005)
- Excitation energies, radiative and autoionization rates, dielectronic satellite lines, and dielectronic recombination rates to excited states for B-like oxygen, *I. Murakami, U. I. Safronova, A. A. Vasilyev, and T. Kato* **90**, 1 (2005)
- Atomic data and spectral line intensities for Ca XIV, *E. Landi and A. K. Bhatia* **90**, 177 (2005)
- Electron impact collision strengths and oscillator strengths for Ni-like Nd, Sm, Eu, Gd, Ta, and W ions, *J. Zeng, J. Zhong, G. Zhao, and J. Yuan* **90**, 259 (2005)
- Elements and their transitions feasible for NEET, *S. Sakabe, K. Takahashi, M. Hashida, S. Shimizu, and T. Iida* **91**, 1 (2005)
- Relativistic many-body calculations of multipole (E1, M1, E2, M2, E3, and M3) transition wavelengths and rates between $3l^{-1}4l'$ excited and ground states in nickel-like ions, *U. I. Safronova, A. S. Safronova, S. M. Hamasha, and P. Beiersdorfer* **92**, 47 (2006)
- Atomic data and spectral line intensities for Mg V, *A. K. Bhatia, E. Landi, and W. Eissner* **92**, 105 (2006)
- Relativistic energy, fine structure, and hyperfine-structure studies of the high-lying core-excited states $5P(n)$ ($n = 1-3$) and $5S^o(m)$ ($m = 1-3$) for the Be-like isoelectronic sequence, *F. Wang and B. C. Gau* **92**, 176 (2006)
- Fine-structure calculations of energy levels, oscillator strengths, and transition probabilities for sodium-like ions (Co XVII–Kr XXVI), *W. O. Younis, S. H. Allam, and Th. M. El-Sherbini* **92**, 187 (2006)
- Atomic data and spectral line intensities for Ar XI, *E. Landi and A. K. Bhatia* **92**, 305 (2006)

- Energy levels, transition probabilities, and electron impact excitations for La XXX, J. Y. Zhong, G. Zhao, and J. Zhang **92**, 481 (2006)
- Relativistic energy levels, lifetimes, and transition probabilities for the sodium-like to argon-like sequences, C. F. Fischer, G. Tachiev, and A. Irimia **92**, 607 (2006)
- Atomic data and spectral line intensities for Mg VI, E. Landi and A. K. Bhatia **93**, 1 (2007)
- Level energies, oscillator strengths, and lifetimes for transitions in Ti VI, M. Mohan, A. K. Singh, A. K. S. Jha, and P. Jha **93**, 105 (2007)
- Revised transition probabilities for Fe XXV: Relativistic CI calculations, W. R. Johnson and U. I. Safronova **93**, 139 (2007)
- Multiconfiguration Dirac–Fock wavelengths and transition rates in the X-ray spectra of highly charged Ga-like ions from Yb³⁹⁺ to U⁶¹⁺, P. Quinet, É. Biémont, P. Palmeri, and E. Träbert **93**, 167 (2007)
- Electron impact collision strengths and oscillator strengths for Ge-, Ga-, Zn-, Cu-, Ni-, and Co-like Au ions, J. Zeng, G. Zhao, and J. Yuan **93**, 199 (2007)
- Atomic data and spectral line intensities for Si XI, A. K. Bhatia and E. Landi **93**, 275 (2007)
- Wavelengths and transition probabilities in heavy Ge-like ions ($70 \leq Z \leq 92$), P. Palmeri, P. Quinet, É. Biémont, and E. Träbert **93**, 355 (2007)
- Electron impact collision strengths in Si IX, Si X, and Si XI, G. Liang, G. Zhao, and J. Zeng **93**, 375 (2007)
- Wavelengths and transition probabilities for $n = 4 \rightarrow n' = 4$ transitions in heavy Cu-like ions ($70 \leq Z \leq 92$), P. Palmeri, P. Quinet, É. Biémont, and E. Träbert **93**, 537 (2007)
- Breit–Pauli energy levels belonging to $2p^4$, $2s2p^5$, $2p^6$, $2p^33l$ configurations and all E1 transitions among these levels in Mg V, N. C. Deb, and A. Hibbert **93**, 585 (2007)
- Energy levels and radiative rates for transitions in Mg-like iron, cobalt and nickel, K. M. Aggarwal, V. Tayal, G. P. Gupta, and F. P. Keenan **93**, 615 (2007)
- Relativistic atomic data for EUV and X-ray lines in the highly charged Zn-like ions from Yb⁴⁰⁺ to U⁶²⁺, P. Quinet, É. Biémont, P. Palmeri, and E. Träbert **93**, 711 (2007)
- Atomic data and spectral line intensities for Mg IX, A. K. Bhatia and E. Landi **93**, 742 (2007)
- Energy levels, transition probabilities, and electron impact excitation collision strengths for Xe XXVII, J. Huang, Q. Zhao, and G. Jiang **93**, 864 (2007)
- Atomic data and spectral line intensities for S XIII, E. Landi and A. K. Bhatia **94**, 1 (2008)
- M_i ($i = 1-5$) subshell fluorescence and Coster–Kronig yields for elements with $67 \leq Z \leq 92$, Y. Chauhan and S. Puri **94**, 38 (2008)
- Relativistic multireference Møller–Plesset perturbation theory calculations of the energy levels and transition probabilities in Ne-like xenon, tungsten, and uranium ions, M. J. Vilkas, J. M. López-Encarnación, and Y. Ishikawa **94**, 50 (2008)
- Weighted oscillator strengths for the Xe IV spectrum, M. Raineri, C. Lagorio, S. Padilla, M. Gallardo, and J. Reyna Almandos **94**, 140 (2008)
- Atomic data and spectral line intensities for Ar XV, A. K. Bhatia and E. Landi **94**, 223 (2008)
- Energy levels and radiative rates for transitions in B-like to F-like Kr ions (Kr XXXII–XXXVIII), K. M. Aggarwal, F. P. Keenan, and K. D. Lawson **94**, 323 (2008)
- Oscillator strengths and radiative rates for transitions in neutral sulfur, N. C. Deb and A. Hibbert **94**, 561 (2008)
- Ab initio oscillator strengths and transition probabilities in oxygen-like Cr XVII, P. Bogdanovich and R. Karpuškiene **94**, 623 (2008)
- Relativistic many-body Møller–Plesset perturbation theory calculations of the energy levels and transition rates in Na-like to P-like Xe ions, M. J. Vilkas, Y. Ishikawa, and E. Träbert **94**, 650 (2008)
- Relativistic multi-configuration calculations of K α and K β X-ray transitions for highly ionized Mo ions, L. Hao, G. Jiang, S. Song, and F. Hu **94**, 739 (2008)
- Electron impact collision strengths in Sn XXIII, Y. Q. Liang and J. Y. Zhong **94**, 807 (2008)
- Rydberg and autoionizing triplet states in helium up to the $N = 5$ threshold, L. Argenti **94**, 903 (2008)
- Attenuation (10)
See Photon Cross Sections (77)
- Auger Transitions (11)
See also Inner-Shell Ionization (50)
Satellites (88a)
Nonrelativistic K-Shell Auger Rates and Matrix Elements for $4 \leq A \leq 54$, D. L. Walters and C. P. Bhalla **AD 3**, 301 (1971)
Auger Catalog: Calculated Transition Energies Listed by Energy and Element, W. A. Coghlan and R. E. Clausing **AD 5**, 317 (1973)
Directory to Auger Electron Data–1973 **AD 5**, 471 (1973)
Calculated K Auger-Electron and K X-Ray Transition Energies for the Multiply Ionized Neon Atom, D. L. Matthews, B. M. Johnson, and C. F. Moore **15**, 41 (1975)
Theoretical L-Shell Coster–Kronig Energies $11 \leq Z \leq 103$, M. H. Chen, B. Crasemann, K.-N. Huang, M. Aoyagi, and H. Mark **19**, 97 (1977)
Semiempirical Auger-Electron Energies for Elements $10 \leq Z \leq 100$, F. P. Larkins **20**, 311 (1979),
Erratum **23**, 587 (1979)
Relativistic Radiationless Transition Probabilities for Atomic K- and L- Shells, M. H. Chen, B. Crasemann, and H. Mark **24**, 13 (1979)
Auger and Coster–Kronig Radial Matrix Elements for Atomic Numbers $6 \leq Z \leq 92$, M. H. Chen, F. P. Larkins, and B. Crasemann **45**, 1 (1990)
Auger Spectroscopy for Molecules: Tables of Matrix Elements for Transition-Rate Calculations Corresponding to an s-, p-, or d-Type Initial Hole, E. Z. Chelkowska and F. P. Larkins **49**, 121 (1991)
Relativistic $2S_{1/2}$ (L_1) Atomic Subshell Radiationless Transition Probabilities for Yb and Hg, J. P. Santos, J. P. Marques, F. Parente, P. Indelicato, and J. P. Desclaux **76**, 49 (2000)
Auger Rates for Ni-, Cu-, and Zn-like Ions, U. I. Safronova, W. R. Johnson, and J. R. Albritton **77**, 215 (2001)
Dirac–Fock Transition Energies and Radiative and Radiationless Transition Probabilities for Ar⁹⁺ to Ar¹⁶⁺ Ion Levels with K-Shell Holes, A. M. Costa, M. C. Martins, F. Parente, J. P. Santos, and P. Indelicato **79**, 223 (2001)
- Autoionizing States (11a)
See also Satellites (88a)
Resonance Parameters and Properties of Beryllium-like Doubly Excited States: $4 \leq Z \leq 10$, H. Bachau, P. Galan, F. Martín, A. Riera, and M. Yáñez **44**, 305 (1990)
Resonance Parameters and Properties of Helium-like Doubly Excited States: $2 \leq Z \leq 10$, H. Bachau, F. Martín, A. Riera, and M. Yáñez **48**, 167 (1991)
Excitation energies, radiative and autoionization rates, dielectronic satellite lines, and dielectronic recombination rates to excited states for B-like oxygen, I. Murakami, U. I. Safronova, A. A. Vasilyev, and T. Kato **90**, 1 (2005)
Rydberg and autoionizing triplet states in helium up to the $N = 5$ threshold, L. Argenti **94**, 903 (2008)
- B(E2) and B(E3) Data (12)
See also Nuclear Transition Probabilities (75)
Nuclear Transition Probability B(E2), for $0^+_{\text{g.s.}} \rightarrow 2^+_{\text{first}}$ Transitions and Deformation Parameter, β_2 , P. H. Stelson and L. Grodzins **NDT A1**, 21 (1965)
Transition Strengths B(E2) in the Yrast Bands of Doubly Even Nuclei, Ts. Venkova and W. Adrejscheff **26**, 93 (1981)
Transition Probability, B(E2) \uparrow , from the Ground to the First-Excited 2^+ State of Even–Even Nuclides, S. Raman, C. H. Malarkey, W. T. Milner, C. W. Nestor, Jr., and P. H. Stelson **36**, 1 (1987)
Predictions of B(E2; $0^+_1 \rightarrow 2^+_1$) Values for Even–Even Nuclei, S. Raman, C. W. Nestor, Jr., S. Kahane, and K. H. Bhatt **42**, 1 (1989)
Reduced Electric-Octupole Transition Probabilities, B(E3; $0^+_1 \rightarrow 3^-_1$), for Even–Even Nuclides throughout the Periodic Table, R. H. Spear **42**, 55 (1989)
Transition Probability from the Ground to the First-Excited 2^+ State of Even–Even Nuclides, S. Raman, C. W. Nestor, Jr., and P. Tikkanen **78**, 1 (2001)

- Reduced Electric-Octupole Transition Probabilities, $B(E3; 0^+_1 \rightarrow 3^-_1)$ —An Update, *T. Kibédi and R. H. Spear* **80**, 35 (2002)
- Electric monopole transitions between 0^+ states for nuclei throughout the periodic table, *T. Kibédi and R. H. Spear* **89**, 77 (2005)
- Beryllium Wavefunction* (13)
Accurate Wavefunction of Atomic Beryllium, *C. F. Bunge* **18**, 293 (1976)
- Beta Decay* (14)
Fermi-Function Integrals for Finding Relative Beta-Group Intensities, *G. P. Ford and D. C. Hoffmann* NDT **A1**, 411 (1966)
Shapes of Beta Spectra, *H. Paul* NDT **A2**, 281 (1966)
Log- f Tables for Beta Decay, *N. B. Gove and M. J. Martin* NDT **A10**, 205 (1971)
Beta-Decay Half-Lives Calculated on the Gross Theory, *K. Takahashi, M. Yamada, and T. Kondoh* **12**, 101 (1973)
Superallowed $0^+ \rightarrow 0^+$ and Isospin-Forbidden $J^\pi \rightarrow J^\pi$ Fermi Transitions, *S. Raman, T. A. Walkiewicz, and H. Behrens* **16**, 451 (1975)
Mixed Fermi and Gamow-Teller β -Transitions and Isoscalar Magnetic Moments, *S. Raman, C. A. Houser, T. A. Walkiewicz, and I. S. Towner* **21**, 567 (1978)
Erratum **22**, 369 (1978)
Beta-Decay Half-Lives of Neutron-Rich Nuclei, *H. V. Klapdor, J. Metzinger, and T. Oda* **31**, 81 (1984)
Experimental and Theoretical Gamow-Teller Beta-Decay Observables for the sd -Shell Nuclei, *B. A. Brown and B. H. Wildenthal* **33**, 347 (1985)
Beta-Decay Rates of Highly Ionized Heavy Atoms in Stellar Interiors, *K. Takahashi and K. Yokoi* **36**, 375 (1987)
Allowed Spin-Flip Beta Decays in Medium-Heavy ($147 \leq A \leq 190$) Nuclei, *P. C. Sood and R. K. Sheline* **43**, 259 (1989)
Second-Generation Microscopic Predictions of Beta-Decay Half-Lives of Neutron-Rich Nuclei, *A. Staudt, E. Bender, K. Muto, and H. V. Klapdor-Kleingrothaus* **44**, 79 (1990)
Microscopic Predictions of β^+/EC -Decay Half-Lives, *M. Hirsch, A. Staudt, K. Muto, and H. V. Klapdor-Kleingrothaus* **53**, 165 (1993)
Rate Tables for the Weak Processes of sd -Shell Nuclei in Stellar Matter, *T. Oda, M. Hino, K. Muto, M. Takahara, and K. Sato* **56**, 231 (1994)
Tables of Double Beta Decay Data, *V. I. Tretyak and Yu. G. Zdesenko* **61**, 43 (1995)
Nuclear Properties for Astrophysical and Radioactive-Ion Beam Applications, *P. Möller, J. R. Nix, and K.-L. Kratz* **66**, 131 (1997)
Weak Interaction Rates of sd -Shell Nuclei in Stellar Environments Calculated in the Proton-Neutron Quasiparticle Random-Phase Approximation, *J.-U. Nabi and H. V. Klapdor-Kleingrothaus* **71**, 149 (1999)
Rate Tables for the Weak Processes of pf -Shell Nuclei in Stellar Environments, *K. Langanke and G. Martínez-Pinedo* **79**, 1 (2001)
Neutrino-Induced Charged-Current Reaction Rates for r -Process Nuclei, *K. Langanke and E. Kolbe* **79**, 293 (2001)
Tables of Double Beta Decay Data—An Update, *V. I. Tretyak and Y. G. Zdesenko* **80**, 83 (2002)
Neutrino-Induced Neutral-Current Reaction Rates for r -Process Nuclei, *K. Langanke and E. Kolbe* **82**, 191 (2002)
Microscopic calculations of stellar weak interaction rates and energy losses for fp - and fpg -shell nuclei, *J.-U. Nabi and H. V. Klapdor-Kleingrothaus* **88**, 237 (2004)
- Binding Energies, Atomic* (15)
See also *Hartree (Dirac)-Fock Values* (43)
Hartree (Dirac)-Fock-Slater Values (44)
Ionization Energies or Potentials (52)
Lamb Shift (54a)
Neutral-Atom Electron Binding Energies from Relaxed-Orbital Relativistic Hartree-Fock-Slater Calculations, $2 \leq Z \leq 106$, *K.-N. Huang, M. Aoyagi, M. H. Chen, B. Crasemann, and H. Mark* **18**, 243 (1976)
Relativistic Dirac-Fock-Slater Orbital Binding Energies and One-Electron Transition Energies, *Cu XVI-Cu XIX, Zn XVII-Zn XX, Ag XI-Ag XIX, and Sn XVIII-Sn XXIII*, *K. Rashid* **21**, 77 (1978)
Atomic Electron Binding Energies, *K. D. Sevier* **24**, 323 (1979)
Core-Electron Binding Energies for Gaseous Atoms and Molecules, *W. L. Jolly, K. D. Bomben, and C. J. Eyermann* **31**, 433 (1984)
Quantum Defect Values for Positive Atomic Ions, *C. E. Theodosiou, M. Inokuti, and S. T. Manson* **35**, 473 (1986)
Resource Note: Theoretical Atomic-Electron Binding Energies, *B. Crasemann, K. R. Karim, and M. H. Chen* **36**, 355 (1987)
Energy Levels and Classifications of Triply-Excited States of Li , Be^+ , B^{2+} , and C^{3+} , *M. J. Conneely and L. Lipsky* **82**, 115 (2002)
Energy levels and classifications of triply excited states of N^{4+} , O^{5+} , F^{6+} , and Ne^{7+} , *M. J. Conneely and L. Lipsky* **86**, 35 (2004)
- Binding Energies, Nuclear* (16)
See *Masses and Mass Differences* (56)
- Bremsstrahlung* (17)
See also *Electromagnetic Cascades* (28)
Synchrotron Radiation (95a)
Energy Loss, Range, and Bremsstrahlung Yield for 10-keV to 100-MeV Electrons in Various Elements and Chemical Compounds, *L. Pages, E. Bertel, H. Joffre, and L. Sklavenitis* AD **4**, 1 (1972)
Bremsstrahlung Energy Spectra from Electrons of Kinetic Energy $1 \text{ keV} \leq T_1 \leq 2000 \text{ keV}$ Incident on Neutral Atoms $2 \leq Z \leq 92$, *R. H. Pratt, H. K. Tseng, C. M. Lee, L. Kissell, C. MacCallum, and M. Riley* **20**, 175 (1977),
Erratum **26**, 477 (1981)
LPM Bremsstrahlung and Pair Production Probabilities in Lead and Water, *T. Bowen, R. W. Ellsworth, T. Stanev, R. E. Streitmatter, and Ch. Vankov* **24**, 495 (1979)
Shape Functions for Atomic-Field Bremsstrahlung from Electrons of Kinetic Energy 1–500 keV on Selected Neutral Atoms $1 \leq Z \leq 92$, *L. Kissell, C. A. Quarles, and R. H. Pratt* **28**, 381 (1983)
Differential Bremsstrahlung Cross Sections for Collisions of Electrons with Unscreened Nuclei of Low Atomic Numbers, *K. Bernhardt, E. Haug, and K. Wiesemann* **28**, 461 (1983)
Bremsstrahlung Energy Spectra from Electrons with Kinetic Energy 1 keV–10 GeV Incident on Screened Nuclei and Orbital Electrons of Neutral Atoms with $Z = 1-100$, *S. M. Seltzer and M. J. Berger* **35**, 345 (1986)
- Capture Gammas* (19)
Compendium of Thermal-Neutron-Capture γ -Ray Measurements. Part I: $Z \leq 46$, *G. A. Bartholomew, A. Doveika, K. M. Eastwood, S. Monaro, L. V. Groshev, A. M. Demidov, V. I. Pelekhov, and L. L. Sokolovskii* NDT **A3**, 367 (1967)
Compendium of Thermal-Neutron-Capture γ -Ray Measurements. Part II: $Z = 47$ to $Z = 67$ (Ag to Ho), *L. V. Groshev, A. M. Demidov, V. I. Pelekhov, L. L. Sokolovskii, G. A. Bartholomew, A. Doveika, K. M. Eastwood, and S. Monaro* NDT **A5**, 1 (1968)
Compendium of Thermal-Neutron-Capture γ -Ray Measurements. Part III: $Z = 68$ to $Z = 94$ (Er to Pu), *L. V. Groshev, A. M. Demidov, V. I. Pelekhov, L. L. Sokolovskii, G. A. Bartholomew, A. Doveika, K. M. Eastwood, and S. Monaro* NDT **A5**, 243 (1969)
References for Neutron-Capture Conversion-Electron Measurements, *T. von Egidy* NDT **A7**, 465 (1970)
Compilation of keV-Neutron-Capture Gamma-Ray Spectra, *J. R. Bird, B. J. Allen, I. Bergqvist, and J. A. Biggerstaff* NDT **A11**, 433 (1973)
Prompt Gamma Rays from Thermal-Neutron Capture, *M. A. Lone, R. A. Leavitt, and D. A. Harrison* **26**, 511 (1981)
Prompt Gamma Rays from Radiative Capture of Thermal Neutrons by Elements from Hydrogen through Zinc, *R. C. Reedy and S. C. Frankle* **80**, 1 (2002)
Direct measurements of neutron capture on radioactive isotopes, *A. Couture and R. Reifarh* **93**, 807 (2007)
- Charged-Particle Cross Sections and Reactions* (20)
Nuclear Cross Sections for Charged-Particle-Induced Reactions: Li , Be , B , *H. J. Kim, W. T. Milner, and F. K. McGowan* NDT **A1**, 203 (1966)
Nuclear Cross Sections for Charged-Particle-Induced Reactions: C , H , *J. Kim, W. T. Milner, and F. K. McGowan* NDT **A2**, 1 (1966)

- Deuteron Absorption Coefficients and Reaction Cross Sections Calculated with Optical Model Potentials, *M. A. Melkanoff, T. Sawada, and N. Cindro* NDT **A2**, 263 (1966)
- Nuclear Cross Sections for Charged-Particle-Induced Reactions: N and O, *H. J. Kim, W. T. Milner, and F. K. McGowan* NDT **A3**, 123 (1967)
- Reaction List for Charged-Particle-Induced Nuclear Reactions. Part A: $Z = 3$ to $Z = 27$ (Li to Co), *F. K. McGowan, W. T. Milner, H. J. Kim, and W. Hyatt* NDT **A6**, 353 (1969)
- Reaction List for Charged-Particle-Induced Nuclear Reactions. Part B: $Z = 28$ to $Z = 99$ (Ni to Es), *F. K. McGowan, W. T. Milner, H. J. Kim, and W. Hyatt* NDT **A7**, 1 (1969)
- Reaction List for Charged-Particle-Induced Nuclear Reactions. $Z = 1$ to $Z = 98$ (H to Cf), *F. K. McGowan and W. T. Milner* NDT **A8**, 199 (1970)
- Reaction List for Charged-Particle-Induced Nuclear Reactions, *F. K. McGowan and W. T. Milner* NDT **A9**, 469 (1971)
- Reaction List for Charged-Particle-Induced Nuclear Reactions, 1971–1972, *F. K. McGowan and W. T. Milner* NDT **A11**, 1 (1972)
- Reaction List for Charged-Particle-Induced Nuclear Reactions, 1972–1973, *F. K. McGowan and W. T. Milner* **12**, 499 (1973)
- Reaction List for Charged-Particle-Induced Nuclear Reactions, 1973–1974, *F. K. McGowan and W. T. Milner* **15**, 189 (1975)
- Reaction List for Charged-Particle-Induced Nuclear Reactions, $Z = 1$ to $Z = 98$ (H to Cf), October 1974–January 1976, *F. K. McGowan and W. T. Milner* **18**, 1 (1976)
- Differential Cross Sections for Ejection of Electrons from Helium by Protons, *M. E. Rudd, L. H. Toburen, and N. Stolterfoht* **18**, 413 (1976)
- Differential Cross Sections for Ejection of Electrons from Argon by Protons, *M. E. Rudd, L. H. Toburen, and N. Stolterfoht* **23**, 405 (1979)
- Excitation Functions for $A \geq 6$ Fragments Formed in ^1H - and ^4He -Induced Reactions on Light Nuclei, *S. M. Read and V. E. Viola, Jr.* **31**, 359 (1984)
- Tables of Reaction and Total Cross Sections for Proton-Nucleus Scattering below 1 GeV, *W. Bauhoff* **35**, 429 (1986)
- Proton Excitation Rate Coefficients and Cross Sections among the Fine-Structure Levels of the $(2s2p)^3P$ State in Be-like Ions, *J. G. Doyle* **37**, 441 (1987)
- Cross Sections and Excitation Rate Coefficients for the $2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^5 \ ^2P_{1/2}$ Transition in Fluorine-like Ions by p , d , t , and α Impact, *V. J. Foster, F. P. Keenan, and R. H. G. Reid* **58**, 227 (1994)
- Proton-Nucleus Total Reaction Cross Sections and Total Cross Sections up to 1 GeV, *R. F. Carlson* **63**, 93 (1996)
- Cross Sections for Collision Processes of Li Atoms Interacting with Electrons, Protons, Multiply Charged Ions, and Hydrogen Molecules, *D. Wutte, R. K. Janev, F. Aumayr, M. Schneider, J. Schweinzer, J. J. Smith, and H. P. Winter* **65**, 155 (1997)
- Cross Sections and Rate Coefficients for Excitation within the $1s^2 2s^2 2p \ ^2P$ and $1s^2 2s 2p^2 \ ^4P$ Multiplets in Boron-like Ions C II–Ni XXIV by Heavy Particle Impact, *V. J. Foster, F. P. Keenan, and R. H. G. Reid* **67**, 99 (1997)
- Assessment of Proton-Impact Excitation Rate-Coefficient Data of Relevance to the SOHO Mission, *F. Copeland, R. H. G. Reid, and F. P. Keenan* **67**, 179 (1997)
- Cross Sections and Rate Coefficients for Excitation of the $1s^2 2s 2p \ ^3P^o \rightarrow 1s^2 2s 2p \ ^3P^o$ Fine-Structure Transitions in Beryllium-like Ions by Heavy Particle Impact, *R. S. J. Ryans, V. J. Foster-Woods, F. Copeland, F. P. Keenan, A. Matthews, and R. H. G. Reid* **70**, 179 (1998)
- Database for Inelastic Collision of Lithium Atoms with Electrons, Protons, and Multiply Charged Ions, *J. Schweinzer, R. Brandenburg, I. Bray, R. Hoekstra, F. Aumayr, R. K. Janev, and H. P. Winter* **72**, 239 (1999)
- Cross Sections and Rate Coefficients for Excitation of the $1s^2 2s^2 2p^2 \ ^3P_1 \rightarrow 1s^2 2s^2 2p^2 \ ^3P_1$ Fine-Structure Transitions in Carbon-like Ions by Heavy Particle Impact, *R. S. I. Ryans, V. J. Foster-Woods, F. P. Keenan, and R. H. G. Reid* **73**, 1 (1999)
- Analytic Cross Sections for Collisions of H^+ , H^+_2 , H^+_3 , H , H_2 , and H^- with Hydrogen Molecules, *T. Tabata and T. Shirai* **76**, 1 (2000)
- Analytic Cross Sections for Electron Collisions with CO , CO_2 and H_2O Relevant to Edge Plasma Impurities, *T. Shirai, T. Tabata, and H. Tawara* **79**, 143 (2001)
- Excitation, ionization, and electron capture cross sections for collisions of Li^{3+} with ground state and excited hydrogen atoms, *I. Murakami, J. Yan, H. Sato, M. Kimura, R. K. Janev, and T. Kato* **94**, 161 (2008)
- Charge States of Ions (21)
See also *Electron Capture and Loss (28a)*
Charge States of 15–140 MeV Bromine Ions and 15–162 MeV Iodine Ions in Solid and Gaseous Media, *S. Datz, C. D. Moak, H. O. Lutz, L. C. Northcliffe, and L. B. Bridwell* AD **2**, 273 (1971)
Equilibrium-Charge-State Distributions of Energetic Ions ($Z > 2$) in Gaseous and Solid Media, *A. B. Wittkower and H. D. Betz* AD **5**, 113 (1973)
Equilibrium Charge State Distributions of Ions ($Z_1 \geq 4$) after Passage through Foils: Compilation of Data after 1972, *K. Shima, T. Mikumo, and H. Tawara* **34**, 357 (1986)
Equilibrium Charge Fractions of Ions of $Z = 4$ –92 Emerging from a Carbon Foil, *K. Shima, N. Kuno, M. Yamanouchi, and H. Tawara* **51**, 173 (1992)
Charge State Distributions of Swift Heavy Ions Behind Various Solid Targets ($36 \leq Z_p \leq 92$, $18 \text{ MeV/u} \leq E \leq 44 \text{ MeV/u}$), *A. Leon, S. Melki, D. Lisfi, J. P. Grandin, P. Jardin, M. G. Suraud, and A. Cassimi* **69**, 217 (1998)
- Compton Profiles (22)
See also *Velocity Parameters (99)*
Hartree–Fock Compton Profiles for the Elements, *F. Biggs, L. B. Mendelsohn, and J. B. Mann* **16**, 201 (1975)
Hartree–Fock Momentum Expectation Values for Atoms and Ions, *S. R. Gadre, S. P. Geji, and S. J. Chakravorty* **28**, 477 (1983)
Momentum-Space Properties of the Neutral Atoms from H through U, *W. M. Westgate, R. P. Sagar, A. Farazdel, V. H. Smith, Jr., A. M. Simas, and A. J. Thakkar* **48**, 213 (1991)
Orbital and Total Atomic Momentum Expectation Values with Roothaan–Hartree–Fock Wave Functions, *J. M. García de la Vega and B. Miguel* **54**, 1 (1993)
Roothaan–Hartree–Fock Momentum Expectation Values for Heavy Elements ($Z = 55$ –92), *J. M. García de la Vega and B. Miguel* **58**, 307 (1994)
Roothaan–Hartree–Fock–Slater Momentum Expectation Values for U–Lr Atoms, *J. M. García de la Vega and B. Miguel* **60**, 321 (1995)
- Coster–Kronig Transitions (23)
See also *Auger Transitions (11)*
Fluorescence yields and Coster–Kronig probabilities for the atomic L subshells, *J. L. Campbell* **85**, 291 (2003)
 M_i ($i = 1$ –5) subshell fluorescence and Coster–Kronig yields for elements with $67 \leq Z \leq 92$, *Y. Chauhan and S. Puri* **94**, 38 (2008)
- Cross Sections (24)
See *Charged-Particle Cross Sections and Reactions (20)*
Electron Capture and Loss (28a)
Electron Collision Cross Sections and Rate Coefficients (29)
Electron Momentum Transfer (30)
Electron Production of Secondary Electrons (31)
Electron Scattering (32)
Heavy-Ion Collisions (46)
Inner-Shell Ionization (50)
Neutron Cross Sections, Scattering Lengths (64)
Neutron-Producing Reactions (65)
Photon Cross Sections (77)
Photon-Producing Reactions (77a)
Thermonuclear Data (96)
- Delayed Emission (25)
Delayed-Neutron Precursors, *P. del Marmol* NDT **A6**, 141 (1969)
Delayed Proton and Alpha Precursors, *J. C. Hardy* NDT **A11**, 327 (1973)
Delayed Neutron Precursors, *L. Tomlinson* **12**, 179 (1973)
Prediction of Average β and γ Energies and Probabilities of β -Delayed Neutron Emission in the Region of Fission Products, *M. Hirsch, A. Staudt, and H. V. Klapdor-Kleingrothaus* **51**, 243 (1992)
Delayed-Neutron Branching Ratios of Precursors in the Fission Product Region, *G. Rudstam, K. Aleklett, and L. Silver* **53**, 1 (1993)
Nuclear Properties for Astrophysical and Radioactive-Ion Beam Applications, *P. Möller, J. R. Nix, and K.-L. Kratz* **66**, 131 (1997)

- Dielectronic Satellites** (25a)
 See also *Satellites* (88a)
Z-Scaled Data for Dielectronic Recombination from O-like to F-like Ions, A. Dasgupta and K. G. Whitney **58**, 77 (1994)
 Excitation energies, radiative and autoionization rates, dielectronic satellite lines, and dielectronic recombination rates to excited states for B-like oxygen, I. Murakami, U. I. Safronova, A. A. Vasilyev, and T. Kato **90**, 1 (2005)
- Dirac-Fock** (26)
 See *Hartree (Dirac)-Fock Values* (43)
Hartree (Dirac)-Fock-Slater Values (44)
- Dosimetry** (26a)
 Gas-to-Wall Absorbed Dose Conversion Factors for Neutron Energies of 25 MeV to 250 MeV, W. D. Newhauser and U. J. Schrewe **65**, 37 (1997)
- d*-Shell** (27)
 Matrix Elements of Atomic Interaction Operators for d^n Configurations, J. A. Barnes, B. L. Carroll, L. M. Flores, and R. M. Hedges **AD 2**, 1 (1970)
 Magnetic Interactions in Transition Metal Ions. Part I: Electronic Configurations d^2 , d^3 , and d^4 , W.-K. Li **AD 2**, 45 (1970),
 Erratum **AD 3**, 300 (1971)
 Magnetic Interactions in Transition Metal Ions. Part II: Bivalent Cations of the First Transition Series, W.-K. Li **AD 2**, 57 (1970)
 Configuration Interaction Matrix Elements for d^n Configurations, J. A. Barnes, B. L. Carroll, and L. M. Flores **AD 2**, 101 (1971)
 Reduced Matrix Elements of $V^{(12)}$, $V^{(13)}$, and $V^{(14)}$ for d^n Configurations, W.-K. Li **AD 2**, 263 (1971)
 A Bibliography of *d*-Shell Computational Tools and Calculations, W.-K. Li **AD 3**, 363 (1971)
 Coefficients for Expressing the Nonrelativistic Energy of the Configuration $d^N d$ with Nonorthogonal Radial Orbitals, K. V. Sabas, J. J. Vizbaraitė, and A. P. Jucys **16**, 179 (1975),
 Erratum **16**, 580 (1975)
 Coulomb Energy Matrices for Electron Configurations pd^N in a Ligand Field of Cubic Symmetry, I. G. Main, G. A. Robins, S. Sugano, T. Yamaguchi, C. Satoko, S. Asada, Y. Miwa, and S. Shibuya **24**, 191 (1979)
- E0* and *E2* Transitions** (27a)
 See also *B(E2) and B(E3) Data* (12)
Nuclear Transition Probabilities (75)
 Internal Conversion Tables. Part III: Coefficients for the Analysis of Penetration Effects in Internal Conversion and *E0* Internal Conversion, R. S. Hager and E. C. Seltzer **NDT A6**, 1 (1969)
E0 Transitions in Atomic Nuclei, A. V. Aldushchenkov and N. A. Voinova **NDT A11**, 299 (1973)
E2 Transition Probabilities between Nilsson States in Odd-*A* Nuclei, D. K. Krpić, I. M. Savić, and I. V. Aničin **18**, 509 (1976)
 Electric monopole transitions between 0^+ states for nuclei throughout the periodic table, T. Kibédi and R. H. Spear **89**, 77 (2005)
- Electromagnetic Cascades** (28)
 Longitudinal Development of Electromagnetic Cascades in Lead, Iron, Copper, and Air Initiated by 100- and 10-GeV Electrons and Photons, D. Adler, B. Fuchs, and K. O. Thielheim **20**, 513 (1977)
 Energy-Deposition Distributions in Materials Irradiated by Plane-Parallel Electron Beams with Energies between 0.1 and 100 MeV, T. Tabata, P. Andreo, and R. Ito **56**, 105 (1994)
 Excitation, ionization, and electron capture cross sections for collisions of Li^{3+} with ground state and excited hydrogen atoms, I. Murakami, J. Yan, H. Sato, M. Kimura, R. K. Janev, and T. Kato **94**, 161 (2008)
- Electron Capture and Loss** (28a)
 See also *Charge States of Ions* (21)
 Electron-Capture and Loss Cross Sections for Fast, Heavy Particles Passing through Gases, H. H. Lo and W. L. Fite **AD 1**, 305 (1970)
 Experimental Stripping Cross Sections for Atoms and Ions in Gases, 1950–1970, R. C. Dehmel, H. K. Chau, and H. H. Fleischmann **AD 5**, 231 (1973)
 Cross Sections for Charge Transfer of Hydrogen Beams in Gases and Vapors in the Energy Range 10 eV–10 keV, H. Tawara **22**, 491 (1978)
 Cross Sections for Electron Capture and Loss by Positive Ions in Collisions with Atomic and Molecular Hydrogen, H. Tawara, T. Kato, and Y. Nakai **32**, 235 (1985)
 Electron Detachment Atomic Cross Sections from Negative Ions, F. Rahman and B. Hird **35**, 123 (1986)
 Cross Sections for Charge Transfer of Hydrogen Atoms and Ions Colliding with Gaseous Atoms and Molecules, Y. Nakai, T. Shirai, T. Tabata, and R. Ito **37**, 69 (1987)
 Cross Sections for Electron Capture by Neutral and Charged Particles in Collisions with He, W. K. Wu, B. A. Huber, and K. Wiesemann **40**, 57 (1988)
 Recommended Cross Sections for Electron Capture and Ionization in Collisions of C^{9+} and O^{9+} Ions with H, He, and H_2 , R. K. Janev, R. A. Phaneuf, and H. T. Hunter **40**, 249 (1988)
 Cross Sections for Electron Capture by Neutral and Charged Particles in Collisions with He, W. K. Wu, B. A. Huber, and K. Wiesemann **42**, 157 (1989)
 Cross Sections for Resonant Charge Transfer between Atoms and Their Positive Ions: Collision Velocity $\lesssim 1$ a.u., S. Sakabe and Y. Izawa **49**, 257 (1991)
 Cross Sections for Electron Capture from Atomic Hydrogen by Fully Stripped Ions, D. Belkić, R. Gayet, and A. Salin **51**, 59 (1992)
 Cross Sections for Electron Capture in Relativistic Atomic Collisions, A. Ichihara, T. Shirai, and J. Eichler **55**, 63 (1993)
 Recommended Cross Sections for State-Selective Electron Capture in Collisions of C^{6+} and O^{8+} Ions with Atomic Hydrogen, R. K. Janev, R. A. Phaneuf, H. Tawara, and T. Shirai **55**, 201 (1993)
 Cross Sections for Resonant Charge Transfer between Atoms and Their Positive Ions, F. B. M. Copeland and D. S. F. Crothers **65**, 273 (1997)
 Cross Sections for Electron Capture from Atomic Hydrogen by Fully Stripped Ions in the 0.05–1.00 a.u. Impact Velocity Range, C. Harel, H. Jouin, and B. Pons **68**, 279 (1998)
 Cross Sections for Radiative Recombination and the Photoelectric Effect in the *K*, *L*, and *M* Shells of One-Electron Systems with $1 \leq Z \leq 112$ Calculated within an Exact Relativistic Description, A. Ichihara and J. Eichler **74**, 1 (2000)
 Effective Collision Strengths for Electron Impact Excitation of N I, S. S. Tayal **76**, 191 (2000)
 Angle-Differential Cross Sections for Radiative Recombination and the Photoelectric Effect in the *K*, *L*, and *M* Shells of One-Electron Systems Calculated within an Exact Relativistic Description, A. Ichihara and J. Eichler **79**, 187 (2001)
 Cross section database for carbon atoms and ions: Electron-impact ionization, excitation, and charge exchange in collisions with hydrogen atoms, H. Suno and T. Kato **92**, 407 (2006)
 Database for inelastic collisions of sodium atoms with electrons, protons, and multiply charged ions, K. Igenbergs, J. Schweinzer, I. Bray, D. Bridi, and F. Aumayr **94**, 981 (2008)
- Electron Collision Cross Sections and Rate Coefficients** (29)
 See also *Electron Momentum Transfer* (30)
Electron Scattering (32)
Isoelectronic Sequences (53a)
 Low-Energy Electron-Collision Cross-Section Data, L. J. Kieffer **AD 1**, 19 (1969),
 Erratum **AD 1**, 359 (1970)
 Low-Energy Electron-Collision Cross-Section Data. Part II: Electronic-Excitation Cross Sections, L. J. Kieffer **AD 1**, 121 (1969),
 Errata and Addenda **AD 2**, 393 (1971)
 Calculated Electron Excitation Cross Sections for the Alkalis, T. J. Greene and W. Williamson, Jr. **14**, 161 (1974)
 Collisional Transition Probabilities for Atomic Hydrogen in Thermal Plasmas from 1000 °K to 8000 °K, J. Kunc and M. Zgorzelski **15**, 543 (1975)

- Collisional Transition Probabilities for Alkali Metal Atoms in Thermal Plasmas from 1000 °K to 8000 °K, *J. Kunc* and *M. Zgorzelski* **19**, 1 (1977)
- Intermediate-Coupling Collision Strengths for *P-P* and *P-D* Transitions Produced by Electron Impact on Highly Charged He-like Ions, *R. E. H. Clark* and *D. H. Sampson* **22**, 527 (1978)
- Intermediate Coupling Collision Strengths for $\Delta n = 0$ Transitions Produced by Electron Impact on Highly Charged He- and Be-like Ions, *S. J. Goett*, *R. E. H. Clark*, and *D. H. Sampson* **25**, 185 (1980)
Erratum **27**, 617 (1982)
- Electron-Impact-Excitation Collision Strengths for Be-like Ions. I. Low-Energy Regions, *K. A. Berrington*, *P. G. Burke*, *P. L. Dufton*, and *A. E. Kingston* **26**, 1 (1981)
Erratum **33**, 345 (1985)
- Generalized Oscillator Strengths for *X-B* Transitions in the Hydrogen Molecule, *W. Kołos*, *H. J. Monkhorst*, and *K. Szalewicz* **28**, 239 (1983)
- Intermediate-Coupling Collision Strengths for Transitions between Doubly Excited Levels Produced by Electron Impact on Highly Charged He-like Ions, *S. J. Goett*, *D. H. Sampson*, and *R. E. H. Clark* **28**, 279 (1983)
- Electron-Impact Collision Strengths for Inner-Shell Excitation of Doubly Excited Levels from Singly Excited Levels in He-like Ions, *D. H. Sampson*, *S. J. Goett*, and *R. E. H. Clark* **28**, 299 (1983)
- Excitation Collision Strengths for Iron Ions Calculated with a Distorted Wave Method, *J. B. Mann* **29**, 407 (1983)
- Electron-Impact Collision Strengths for Excitation of He-like Ions from the Levels with $n = 1$ and 2 to All Singly Excited Levels with Higher $n \leq 5$, *D. H. Sampson*, *S. J. Goett*, and *R. E. H. Clark* **29**, 467 (1983)
- Collision Strengths for Inner-Shell Excitation of Li-like Ions from Levels of the $1s^2 2s$ and $1s^2 2p$ Configurations to Levels of the $1s2l2l'$ Configurations, *S. J. Goett* and *D. H. Sampson* **29**, 535 (1983)
- Collision Strengths and Line Strengths for Fine-Structure Transitions between the $2l_a 2l_b$ Configurations and the $2l'_a 3l'_b$ Configurations in Be-like Ions, *D. H. Sampson*, *S. J. Goett*, and *R. E. H. Clark* **30**, 125 (1984)
- Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, *Y. Itikawa*, *K. Takayanagi*, and *T. Iwai* **31**, 215 (1984)
- Collision Strengths for Innershell Excitation of Li-like Ions from the $1s^2 2s$ and $1s^2 2p$ Levels to the $1s2l3l'$ Levels, *D. H. Sampson*, *S. J. Goett*, *G. V. Petrou*, *H. Zhang*, and *R. E. H. Clark* **32**, 343 (1985)
- Collision Strengths for Innershell Excitation of Li-like Ions from the $1s^2 3l$ Levels to the $1s^2 l' 3l'$ Levels, *D. H. Sampson*, *G. V. Petrou*, *S. J. Goett*, and *R. E. H. Clark* **32**, 403 (1985)
- Electron-Impact Cross Sections and Rate Coefficients for Excitations of Carbon and Oxygen Ions, *Y. Itikawa*, *S. Hara*, *T. Kato*, *S. Nakazaki*, *M. S. Pindzola*, and *D. H. Crandall* **33**, 149 (1985)
- Electron-Impact-Excitation Collision Strengths for Be-like Ions. II. Intermediate-Energy Region and Collision Rates, *K. A. Berrington*, *P. G. Burke*, *P. L. Dufton*, and *A. E. Kingston* **33**, 195 (1985)
- Collision Strengths and Line Strengths for All Transitions among the Levels of the $1s^2 2s^2 2p$, $1s^2 2s 2p^2$, and $1s^2 2p^3$ Configurations of Boron-like Ions, *D. H. Sampson*, *G. M. Weaver*, *S. J. Goett*, *H. Zhang*, and *R. E. H. Clark* **35**, 223 (1986)
- Collision Strengths and Line Strengths for All Transitions among the Levels of the $1s2l2l'$ Configurations of Li-like Ions, *H. Zhang*, *D. H. Sampson*, and *R. E. H. Clark* **35**, 267 (1986)
- Total and Partial Ionization Cross Sections of Atoms and Ions by Electron Impact, *H. Tawara* and *T. Kato* **36**, 167 (1987)
- Collision Strengths and Oscillator Strengths for Excitation to the $n = 3$ and 4 Levels of Neon-like Ions, *H. Zhang*, *D. H. Sampson*, *R. E. H. Clark*, and *J. B. Mann* **37**, 17 (1987)
- Relativistic Distorted-Wave Calculations of Electron Collision Cross Sections and Rate Coefficients for Ne-like Ions, *P. L. Hagelstein* and *R. K. Jung* **37**, 121 (1987)
- Rate Coefficients for Electron Impact Excitation of Magnesium-like Ions, *A. K. Pradhan* **40**, 335 (1988)
- Collision Strengths and Oscillator Strengths for Inner-Shell Excitation of Na-like Ions, *H. L. Zhang*, *D. H. Sampson*, *R. E. H. Clark*, and *J. B. Mann* **41**, 1 (1989)
- Contributions of Autoionizing Resonances to the $n = 2-2$ Electron Collisional Excitation Rates for Be-like Ions, *M. H. Chen* and *B. Cramer* **41**, 59 (1989)
- Recommended Data for Excitation Rate Coefficients of Helium Atoms and Helium-like Ions by Electron Impact, *T. Kato* and *S. Nakazaki* **42**, 313 (1989)
- Relativistic Distorted Wave Collision Strengths for Excitation to the $88 n = 3$ and $n = 4$ Levels in All 71 Neon-like Ions with $22 \leq Z \leq 92$, *H. L. Zhang* and *D. H. Sampson* **43**, 1 (1989)
- A Slater Parameter Optimization Method Applied to the Computation of Collision Strengths for Fe XIII, *B. C. Fawcett* and *H. E. Mason* **43**, 245 (1989)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 85 Li-like Ions with $8 \leq Z \leq 92$, *H. L. Zhang*, *D. H. Sampson*, and *C. J. Fontes* **44**, 31 (1990)
- Intensity Ratios of Emission Lines for O V Ions for Temperature and Density Diagnostics, and Recommended Excitation Rate Coefficients, *T. Kato*, *J. Lang*, and *K. A. Berrington* **44**, 133 (1990)
- Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for the 71 Na-like Ions with $22 \leq Z \leq 92$, *D. H. Sampson*, *H. L. Zhang*, and *C. J. Fontes* **44**, 209 (1990)
- Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for the 33 Cu-like Ions with $60 \leq Z \leq 92$, *H. L. Zhang*, *D. H. Sampson*, and *C. J. Fontes* **44**, 273 (1990)
- Cross Sections for *K*-Shell Ionization by Electron Impact, *X. Long*, *M. Liu*, *F. Ho*, and *X. Peng* **45**, 353 (1990)
- Collision Strengths and Oscillator Strengths for Fe IX, *B. C. Fawcett* and *H. E. Mason* **47**, 17 (1991)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for F-like Ions with $22 \leq Z \leq 92$, *D. H. Sampson*, *H. L. Zhang*, and *C. J. Fontes* **48**, 25 (1991)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 33 Ni-like Ions with $60 \leq Z \leq 92$, *H. L. Zhang*, *D. H. Sampson*, and *C. J. Fontes* **48**, 91 (1991)
- Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, 1983–1989, *Y. Itikawa* **49**, 209 (1991)
- Calculated Electron Excitation Cross Sections for Excited State-Excited State Transitions in Alkali Atoms, *U. Krishnan* and *B. Stumpf* **51**, 151 (1992)
- Atomic Data and Spectral Line Intensities for Ne-like Fe XVII, *A. K. Bhatia* and *G. A. Doschek* **52**, 1 (1992)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 45 $\Delta n = 0$ Transitions with $n = 2$ in the 85 Be-like Ions with $8 \leq Z \leq 92$, *H. L. Zhang* and *D. H. Sampson* **52**, 143 (1992)
- An Evaluated Compilation of Theoretical Data Sources for Electron-Impact Excitation of Atomic Ions, *A. K. Pradhan* and *J. W. Gallagher* **52**, 227 (1992)
- Atomic Data and Spectral Line Intensities for C-like Ca XV, *A. K. Bhatia* and *G. A. Doschek* **53**, 195 (1993)
- Collision Strengths and Transition Rates for O III, *A. K. Bhatia* and *S. O. Kastner* **54**, 133 (1993)
- Collision Strengths from a 29-State R-Matrix Calculation on Electron Excitation in Helium, *P. M. J. Sawey* and *K. A. Berrington* **55**, 81 (1993)
- Atomic Data and Spectral Line Intensities for C-like Si IX, *A. K. Bhatia* and *G. A. Doschek* **55**, 281 (1993)
- Atomic Data and Spectral Line Intensities for C-like Ne V, *A. K. Bhatia* and *G. A. Doschek* **55**, 315 (1993)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 105 $\Delta n = 0$ Transitions with $n = 2$ in the 85 B-like Ions with $8 \leq Z \leq 92$, *H. L. Zhang* and *D. H. Sampson* **56**, 41 (1994)
- The Atomic Data Assessment Meeting, Abingdon, March 1992, *J. Lang* **57**, 1 (1994)
- Effective Collision Strengths for Hydrogen and Hydrogen-like Ions, *J. Callaway* **57**, 9 (1994)
- A Review of Effective Collision Strengths for He-like Ions, *J. Dubau* **57**, 21 (1994)
- An Assessment of Collision Strengths for Lithium and Lithium-like Ions, *R. W. P. McWhirter* **57**, 39 (1994)
- A Review of Electron Impact Excitation Data for the Beryllium Isoelectronic Sequence ($Z = 4$ to 28), *K. A. Berrington* **57**, 71 (1994)

- A Review of Available Collision Strength Data for the Boron Isoelectronic Sequence ($Z = 5$ to 28), *D. H. Sampson, H. L. Zhang, and C. J. Fontes* **57**, 97 (1994)
- Electron Impact Excitation of Carbon-like Ions: An Assessment of the Available Theoretical Data, *B. C. Monsignori Fossi and M. Landini* **57**, 125 (1994)
- Electron Impact Excitation of Nitrogen and Nitrogen-like Ions: A Review of Available Data and Recommendations, *T. Kato* **57**, 181 (1994)
- A Review of Electron Impact Collisional Excitation Data for the Oxygen-like Isoelectronic Sequence, *J. Lang and H. P. Summers* **57**, 215 (1994)
- Electron Impact Excitation of Fluorine-like Ions, *A. K. Bhatia* **57**, 253 (1994)
- Effective Collision Strengths for Si II–Si IV and S II–S IV, *P. L. Dufton and A. E. Kingston* **57**, 273 (1994)
- Electron Impact Excitation Data for Fe I–Fe VIII: A Review, *A. K. Pradhan* **57**, 297 (1994)
- An Assessment of Theoretical Electron Excitation Data for Fe IX–Fe XIV, *H. E. Mason* **57**, 305 (1994)
- A Review of Electron Impact Excitation of Fe XV–Fe XVII, *N. R. Badnell and D. L. Moores* **57**, 329 (1994)
- Radiative and Collisional Atomic Data for Neon-like Ions, *M. Cornille, J. Dubau, and S. Jacquemot* **58**, 1 (1994)
- Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for All Possible $n = 2 - n = 3$ Transitions in B-like Ions, *H. L. Zhang and D. H. Sampson* **58**, 255 (1994)
- Cross Sections and Rate Coefficients for Excitation of $\Delta n = 0$ Transitions in Be-like Ions with $6 \leq Z \leq 54$, *U. I. Safronova, A. S. Shlyaptseva, T. Kato, K. Masai, and L. A. Vainshtein* **60**, 1 (1995)
- Atomic Data and Spectral Line Intensities for Fe X, *A. K. Bhatia and G. A. Doschek* **60**, 97 (1995)
- Atomic Data and Spectral Line Intensities for C-like Mg VII, *A. K. Bhatia and G. A. Doschek* **60**, 145 (1995)
- Electron–Ion Collisional Ionization Cross Sections for the H and He Isoelectronic Sequences, *D. Fang, W. Hu, C. Chen, Y. Wang, F. Lu, J. Tang, and F. Yang* **61**, 91 (1995)
- Electron Impact Excitation Rates for Transitions Involving the $n = 2$ and $n = 3$ Levels of Beryllium-like Ne VII, *C. A. Ramsbottom, K. A. Berrington, and K. L. Bell* **61**, 105 (1995)
- Effective Collision Strengths for Electron Impact Excitation of Singly Ionized Sulfur, *C. A. Ramsbottom, K. L. Bell, and R. P. Stafford* **63**, 57 (1996)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the $\Delta n = 0$ Transitions with $n = 2$ in C-like Ions with $9 \leq Z \leq 54$, *H. L. Zhang and D. H. Sampson* **63**, 275 (1996)
- Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, 1990–1994, *Y. Itikawa* **63**, 315 (1996)
- Atomic Data and Spectral Line Intensities for Fe XI, *A. K. Bhatia and G. A. Doschek* **64**, 183 (1996)
- Electron–Ion Collisional Ionization Cross Sections for the Li Isoelectronic Sequence, *C. Chen, W. Hu, D. Fang, Y. Wang, F. Yang, and H. Teng* **64**, 301 (1996)
- A Practical Fit Formula for Ionization Rate Coefficients of Atoms and Ions by Electron Impact: $Z = 1-28$, *G. S. Voronov* **65**, 1 (1997)
- Cross Sections for Collision Processes of Li Atoms Interacting with Electrons, Protons, Multiply Charged Ions, and Hydrogen Molecules, *D. Wutte, R. K. Janev, F. Aumayr, M. Schneider, J. Schweinzer, J. J. Smith, and H. P. Winter* **65**, 155 (1997)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for All Possible $n = 2 - n = 3$ Transitions in C-like Ions, *H. L. Zhang and D. H. Sampson* **65**, 183 (1997)
- Effective Collision Strengths for Electron-Impact Excitation of Triply Ionized Argon, *C. A. Ramsbottom and K. L. Bell* **66**, 65 (1997)
- Atomic Data and Spectral Line Intensities for $n = 3-3$ and $n = 3-4$ X-ray Transitions in Fe XV, *A. K. Bhatia, H. E. Mason, and C. Blancard* **66**, 83 (1997)
- Spectral Line Intensities for $n = 3-3$ EUV Transitions in Fe XV, *A. K. Bhatia and H. E. Mason* **66**, 119 (1997)
- Atomic Data and Spectral Line Intensities for Ni XIII, *A. K. Bhatia and G. A. Doschek* **68**, 49 (1998)
- Effective Collision Strengths for Electron-Impact Excitation of Ne IV, *C. A. Ramsbottom and K. L. Bell* **68**, 203 (1998)
- Atomic Data and Spectral Line Intensities for Mg VI, *A. K. Bhatia and P. R. Young* **68**, 219 (1998)
- Effective Collision Strengths for Electron-Impact Excitation of Ni XII, *A. Matthews, C. A. Ramsbottom, K. L. Bell, and F. P. Keenan* **70**, 41 (1998)
- Electron Impact Excitation Cross Sections in F-like Selenium, *G.-X. Chen and P. P. Ong* **70**, 93 (1998)
- Electron–Ion Collisional Ionization Cross Sections and Rates for the Ne Isoelectronic Sequence, *C. Y. Chen, Z. X. Teng, S. X. Yan, Y. S. Wang, F. J. Yang, and Y. S. Sun* **70**, 255 (1998)
- Atomic Data and Spectral Line Intensities for Ni XVI, *A. K. Bhatia and G. A. Doschek* **71**, 69 (1999)
- Electron Impact Excitation of Fine-Structure Levels of Neon-like Titanium (Ti XIII), *G. P. Gupta, N. C. Deb, and A. Z. Msezane* **71**, 103 (1999)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 105 $\Delta n = 0$ Transitions with $n = 2$ in the 81 N-like Ions with $12 \leq Z \leq 92$, *H. L. Zhang and D. H. Sampson* **72**, 153 (1999)
- Fully Relativistic Distorted-Wave Cross Sections for Electron Impact Ionization from the 2s, $2p_{1/2}$, and $2p_{3/2}$ Subshells in Ions with $Z - N \geq 4$, $Z \leq 92$, and $N \leq 12$, *C. J. Fontes, D. H. Sampson, and H. L. Zhang* **72**, 217 (1999)
- Database for Inelastic Collision of Lithium Atoms with Electrons, Protons, and Multiply Charged Ions, *J. Schweinzer, R. Brandenburg, I. Bray, R. Hoekstra, F. Aumayr, R. K. Janev, and H. P. Winter* **72**, 239 (1999)
- Excitation and Ionization Cross Sections for He I from Normalized Born and K-Matrix Calculations: $\Delta S = 0$ Transitions from $n = 2, 3$ Excited States, *I. L. Beigman, L. A. Vainshtein, M. Brix, A. Pospieszczyk, I. Bray, D. V. Fursa, and Yu. V. Ralchenko* **74**, 123 (2000)
- R-Matrix Calculation of Electron Impact Excitation of Fine-Structure Levels of Ne-like Iron, *G. P. Gupta, N. C. Deb and A. Z. Msezane* **74**, 257 (2000)
- Fine-Structure Calculation of Energy Levels, Oscillator Strengths, and Transition Probabilities in Mg-like Sulfur, *G. P. Gupta and A. Z. Msezane* **74**, 267 (2000)
- Effective Collision Strengths for Electron-Impact Excitation of SX, *K. L. Bell and C. A. Ramsbottom* **76**, 176 (2000)
- Experimental Electron-Impact K-Shell Ionization Cross Sections, *M. Liu, Z. An, C. Tang, Z. Luo, X. Peng, and X. Long* **76**, 213 (2000)
- Atomic Data and Spectral Line Intensities for Fe VIII, *A. K. Bhatia and W. Eissner* **76**, 271 (2000)
- Effective Collision Strengths for Electron Impact Excitation of Cl III, *C. A. Ramsbottom, K. L. Bell, and F. P. Keenan* **77**, 57 (2001)
- Electron Impact Excitation Cross Sections and Rates from the Ground State of Atomic Calcium, *A. M. Samson and K. A. Berrington* **77**, 87 (2001)
- Cross Section Data for Electron-Impact Inelastic Processes of Vibrationally Excited Molecules of Hydrogen and Its Isotopes, *R. Celiberto, R. K. Janev, A. Laricchiuta, M. Capitelli, J. M. Wadehra, and D. E. Atoms* **77**, 161 (2001)
- Electron–Ion Collisional Ionization Cross Sections and Rates for the Na Isoelectronic Sequence, *C. Y. Chen, J. B. Qi, Y. S. Wang, F. J. Yang, X. J. Xu, and Y. S. Sun* **79**, 65 (2001)
- Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, 1995–1999, *Y. Itikawa* **80**, 117 (2002)
- Analytic Cross Sections for Electron Collisions with Hydrocarbons: CH₄, C₂H₆, C₂H₄, C₂H₂, C₃H₈, and C₃H₆, *T. Shirai, T. Tabata, H. Tawara, and Y. Itikawa* **80**, 147 (2002)
- Atomic Data and Spectral Line Intensities for Fe XI, *A. K. Bhatia, G. A. Doschek, and W. Eissner* **82**, 211 (2002)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 45 $\Delta n = 0$ Transitions with $n = 2$ in the 79 O-Like Ions with $14 \leq Z \leq 92$, *H. L. Zhang and D. H. Sampson* **82**, 357 (2002)
- Spin–lattice relaxation attenuation coefficients for on-line nuclear orientation experiments, *D. Vénos, D. Zákoucký, and N. Severijns* **83**, 1 (2003)
- Atomic data and spectral line intensities for Ni XXI, *A. K. Bhatia, E. Landi, and H. E. Mason* **83**, 71 (2003)
- Atomic data and spectral line intensities for Ne III, *A. K. Bhatia, R. J. Thomas, and E. Landi* **83**, 113 (2003)

- Atomic data and spectral line intensities for Fe XVII, A. K. Bhatia and G. A. Doschek **85**, 1 (2003)
- Effective collision strengths for electron impact excitation of Si VIII, C. A. Ramsbottom, K. L. Bell, F. P. Keenan and A. Matthews **85**, 69 (2003)
- Atomic data and spectral line intensities for S IX, A. K. Bhatia and E. Landi **85**, 169 (2003)
- Effective collision strengths for electron impact excitation of Cl II, N. J. Wilson and K. L. Bell **85**, 255 (2003)
- Atomic data and spectral line intensities for Si VIII, A. K. Bhatia and E. Landi **85**, 317 (2003)
- Electron-impact ionization cross sections for elements $Z = 1$ to $Z = 54$, P. L. Bartlett and A. T. Stelbovics **86**, 235 (2004)
- Atomic data and spectral line intensities for Ar XIII, G. Liang, G. Dong, and J. Zeng **88**, 83 (2004)
- Energy levels, transition probabilities, and electron impact excitations for possible X-ray line emissions of Ni-like tantalum ions, J. Y. Zhong, J. Zhang, J. L. Zeng, G. Zhao, and M. F. Gu **89**, 101 (2005)
- Atomic data and spectral line intensities for Ar XII, W. Eissner, E. Landi and A. K. Bhatia **89**, 139 (2005)
- Atomic data and spectral line intensities for Ne III, E. Landi and A. K. Bhatia **89**, 195 (2005)
- Atomic data and spectral line intensities for Ca XIV, E. Landi and A. K. Bhatia **90**, 177 (2005)
- Electron impact collision strengths and oscillator strengths for Ni-like Nd, Sm, Eu, Gd, Ta, and W ions, J. Zeng, J. Zhong, G. Zhao, and J. Yuan **90**, 259 (2005)
- Atomic data and spectral line intensities for Mg V, A. K. Bhatia, E. Landi, and W. Eissner **92**, 105 (2006)
- Atomic data and spectral line intensities for Ar XI, E. Landi and A. K. Bhatia **92**, 305 (2006)
- Analytic cross-sections for electron impact collisions with nitrogen molecules, T. Tabata, T. Shirai, M. Sataka, and H. Kubo **92**, 375 (2006)
- Cross section database for carbon atoms and ions: Electron-impact ionization, excitation, and charge exchange in collisions with hydrogen atoms, H. Suno and T. Kato **92**, 407 (2006)
- Energy levels, transition probabilities, and electron impact excitations for La XXX, J. Y. Zhong, G. Zhao, and J. Zhang **92**, 481 (2006)
- Generalised collisional-radiative model for light elements. A: Data for the Li isonuclear sequence, S. D. Loch, J. Colgan, M. C. Witthoef, M. S. Pindzola, C. P. Ballance, D. M. Mitnik, D. C. Griffin, M. G. O'Mullane, N. R. Badnell, and H. P. Summers **92**, 813 (2006)
- Atomic data and spectral line intensities for Mg VI, E. Landi and A. K. Bhatia **93**, 1 (2007)
- Electron collisions with Fe-peak elements: Forbidden transitions between the low lying valence states $3d^6$, $3d^54s$, and $3d^54p$ of Fe III, B. M. McLaughlin, M. P. Scott, A. G. Sunderland, C. J. Noble, V. M. Burke, C. A. Ramsbottom, R. H. G. Reid, A. Hibbert, K. L. Bell, and P. G. Burke **93**, 55 (2007)
- Electron impact collision strengths and oscillator strengths for Ge-, Ga-, Zn-, Cu-, Ni-, and Co-like Au ions, J. Zeng, G. Zhao, and J. Yuan **93**, 199 (2007)
- Atomic data and spectral line intensities for Si XI, A. K. Bhatia and E. Landi **93**, 275 (2007)
- Electron impact collision strengths in Si IX, Si X, and Si XI, G. Liang, G. Zhao, and J. Zeng **93**, 375 (2007)
- Atomic data and spectral line intensities for Mg IX, A. K. Bhatia and E. Landi **93**, 742 (2007)
- Electron-impact excitation of argon: Optical emission cross sections in the range of 300–2500 nm, J. B. Boffard, B. Chiaro, T. Weber, and C. C. Lin **93**, 831 (2007)
- Energy levels, transition probabilities, and electron impact excitation collision strengths for Xe XXVII, J. Huang, Q. Zhao, and G. Jiang **93**, 864 (2007)
- Single-electron detachment cross sections for negative ions of transition elements colliding with gases, S. Wu, X. Zhanga, and G. Li **93**, 575 (2007)
- Atomic data and spectral line intensities for S XIII, E. Landi and A. K. Bhatia **94**, 1 (2008)
- Radiative recombination and photoionization cross sections for heavy element impurities in plasmas, M. B. Trzhaskovskaya, V. K. Nikulin, and R. E. H. Clark **94**, 71 (2008)
- Atomic data and spectral line intensities for Ar XV, A. K. Bhatia and E. Landi **94**, 223 (2008)
- Generalized collisional radiative model for light elements. Part B: Data for the Be isonuclear sequence, S. D. Loch, M. S. Pindzola, C. P. Ballance, D. C. Griffin, J. Colgan, N. R. Badnell, M. G. O'Mullane, and H. P. Summers **94**, 257 (2008)
- Electron-impact excitation and ionization cross sections for ground state and excited helium atoms, Yu. Ralchenko, R. K. Janev, T. Kato, D. V. Fursa, I. Bray, and F. J. de Heer **94**, 603 (2008)
- Electron impact collision strengths in Sn XXIII, Y. Q. Liang and J. Y. Zhong **94**, 807 (2008)
- Database for inelastic collisions of sodium atoms with electrons, protons, and multiply charged ions, K. Igenbergs, J. Schweinzer, I. Bray, D. Bridi, and F. Aumayr **94**, 981 (2008)
- Electron Momentum Transfer* (30)
- Momentum-Transfer Cross Sections for Electron Collisions with Atoms and Molecules, Y. Itikawa **14**, 1 (1974)
- Momentum-Transfer Cross Sections for Electron Collisions with Atoms and Molecules, Revision and Supplement, 1977, Y. Itikawa **21**, 69 (1978)
- Elastic electron scattering from inert-gas atoms, M. Adibzadeh and C. E. Theodosiou **91**, 8 (2005)
- Electron Production of Secondary Electrons* (31)
- Tables of Secondary-Electron-Production Cross Sections, C. B. Opal, E. C. Beatty, and W. K. Peterson **AD 4**, 209 (1972)
- Electron-impact ionization cross sections for elements $Z = 1$ to $Z = 54$, P. L. Bartlett and A. T. Stelbovics **86**, 235 (2004)
- Single-electron detachment cross sections for negative ions of transition elements colliding with gases, S. Wu, X. Zhanga, and G. Li **93**, 575 (2007)
- Electron Scattering* (32)
- See also *Nuclear Charge and Moment Distributions* (67)
- Theoretical Electron Scattering Amplitudes and Spin Polarizations. Selected Targets, Electron Energies 100 to 1500 eV, M. Fink and A. C. Yates **AD 1**, 385 (1970)
- Low-Energy Electron-Collision Cross-Section Data. Part III: Total Scattering: Differential Elastic Scattering, L. J. Kieffer **AD 2**, 293 (1971)
- The Radiative Correction for Elastic Electron- and Positron-Nucleus Scattering, H. Breuer **NDT A9**, 169 (1971)
- Theoretical Electron Scattering Amplitudes and Spin Polarizations. Electron Energies 100 to 1500 eV, M. Fink and J. Ingram **AD 4**, 129 (1972)
- Theoretical Electron Scattering Amplitudes and Spin Polarizations. Electron Energies 100–1500 eV, D. Gregory and M. Fink **14**, 39 (1974)
- Theoretical Electron-Atom Elastic Scattering Cross Sections: Selected Elements, 1 keV to 256 keV, M. E. Riley, C. J. MacCallum, and F. Biggs **15**, 443 (1975)
- Erratum **28**, 379 (1983)
- Rational Function Fits to the Nonresonant Elastic Differential Cross Sections (DCS) for $e + \text{He}$ Collisions, 0° – 180° , 0.1 to 1000 eV, L. Boesten and H. Tanaka **52**, 25 (1992)
- Simplified Model of Electron Scattering on Atomic Hydrogen, I. Bray and A. T. Stelbovics **58**, 67 (1994)
- Total and Transport Cross Sections for Elastic Scattering of Electrons by Atoms, R. Mayol and F. Salvat **65**, 55 (1997)
- Elastic electron scattering from inert-gas atoms, M. Adibzadeh and C. E. Theodosiou **91**, 8 (2005)
- f-Shell* (32a)
- Reduced Matrix Elements of Two-Electron Double-Vector Operators for f^4 and f^5 , H. Crosswhite and B. R. Judd **AD 1**, 329 (1970)
- Matrix Elements of Scalar Three-Electron Operators for the Atomic f Shell, J. R. Hansen, B. R. Judd, and H. Crosswhite **62**, 1 (1996)
- Factorization of the Matrix Elements of Three-Electron Operators Used in Configuration-Interaction Studies of the Atomic f Shell, B. R. Judd and E. Lo **62**, 51 (1996)

- Fission** (34)
- Correlation of Fission Fragment Kinetic Energy Data, V. E. Viola, Jr. NDT **A1**, 391 (1966)
- Properties of Fission Isomers, H. C. Britt **12**, 407 (1973)
- Fission-Product Yields from Neutron-Induced Fission, E. A. C. Crouch **19**, 417 (1977)
- Calculated Fission Barriers, Ground-State Masses, and Particle Separation Energies for Nuclei with $76 \leq Z \leq 100$ and $140 \leq N \leq 184$, W. M. Howard and P. Möller **25**, 219 (1980)
- Calculated Half-Lives and Kinetic Energies for Spontaneous Emission of Heavy Ions from Nuclei, D. N. Poenaru, W. Greiner, K. Depta, M. Ivascu, D. Mazilu, and A. Sandulescu **34**, 423 (1986)
- Nuclear-Charge Distribution and Delayed-Neutron Yields for Thermal-Neutron-Induced Fission of ^{235}U , ^{233}U , and ^{239}Pu and for Spontaneous Fission of ^{252}Cf , A. C. Wahl **39**, 1 (1988)
- Beta and Gamma Spectra of Short-Lived Fission Products, G. Rudstam, P. I. Johansson, O. Tengblad, P. Aagaard, and J. Eriksen **45**, 239 (1990)
- Nuclear Lifetimes for Cluster Radioactivities, D. N. Poenaru, D. Schnabel, W. Greiner, D. Mazilu, and R. A. Gherghescu **48**, 231 (1991)
- Prediction of Average β and γ Energies and Probabilities of β -Delayed Neutron Emission in the Region of Fission Products, M. Hirsch, A. Staudt, and H. V. Klapdor-Kleingrothaus **51**, 243 (1992)
- Energy Released in Ternary Fission, D. N. Poenaru, W. Greiner and R. A. Gherghescu **68**, 91 (1998)
- Half-Lives for Proton Emission, Alpha Decay, Cluster Radioactivity, and Cold Fission Processes Calculated in a Unified Theoretical Framework, S. B. Duarte, O. A. P. Tavares, F. Guzmán, A. Dimarco, F. García, O. Rodriguez and M. Gonçalves **80**, 235 (2002)
- Fission-Product Gammas and Half-Lives** (35)
- Gamma-Ray and Half-Life Data for the Fission Products, J. Blachot and C. Fiche **20**, 241 (1977)
- Form Factors** (35a)
- Form Factors of the 1s, 2s, 3s, and 4s States of Hydrogen-like Atoms for Discrete Transitions, L. G. Afanasyev **61**, 31 (1995)
- Fractional Parentage and Factorization** (36)
- Tables of Fractional Parentage Coefficients in the Isospin Formalism for the $j = 3/2$ and $5/2$ Shells, I. S. Towner and J. C. Hardy NDT **A6**, 153 (1969)
Erratum NDT **A10**, 319 (1971)
- One-Particle, j - j Coefficients of Fractional Parentage in the Isospin Representation for $n \leq 5$ in the $j = 7/2$ Shell, L. B. Hubbard NDT **A9**, 85 (1971)
- Factorization of the $j = 7/2$ Shell of Neutrons and Protons: Transformation Coefficients to States of Good Particle Number, W. Kaminski, S. Szpirowski, and K. T. Hecht **16**, 311 (1975)
- Tables of Fractional Parentage Coefficients for the $j = 7/2$ Shell in a Seniority Basis with Good Isospin, I. S. Towner **67**, 71 (1997)
- Reduced Coefficients (Subcoefficients) of Fractional Parentage for p -, d -, and f -Shells, G. Gaigalas, Z. Rudzikas, and C. F. Fischer **70**, 1 (1998)
- Reduced Coefficients of Fractional Parentage and Matrix Elements of the Tensor $W^{k_q k_j}$ in jj -Coupling, G. Gaigalas, S. Fritzsche, and Z. Rudzikas **76**, 235 (2000)
- LS - jj transformation matrices for a shell of equivalent electrons, G. Gaigalas, T. Žalandauskas, and Z. Rudzikas **84**, 99 (2003)
- Fundamental Constants** (37)
- The 1973 Table of the Fundamental Physical Constants, E. R. Cohen **18**, 587 (1976)
- Gamma-Ray Conversion** (38)
- See *Internal-Conversion Coefficients* (51)
- Gamma-Ray Energies** (39)
- See also *Capture Gammas* (19)
- Fission-Product Gammas and Half-Lives (35)
- Gamma-Ray Calibration Energies, J. B. Marion NDT **A4**, 301 (1968)
- Catalogue of γ -Rays Emitted by Radionuclides, M. A. Wakat NDT **A8**, 445 (1971)
- Tables for Reaction Gamma-Ray Spectroscopy: Part I. $A = 6$ to $A = 20$, R. J. de Meijer, H. S. Plendl, and R. Holub **13**, 1 (1974),
Erratum **14**, 89 (1974)
- Radioactive-Decay Gammas. Ordered by Energy and Nuclide, W. W. Bowman and K. W. MacMurdo **13**, 89 (1974)
- Gamma Rays from Fusion-Evaporation Reactions in $32 \leq A \leq 46$ Nuclei, E. K. Warburton, J. J. Kolata, J. W. Olness, A. R. Poletti, and Ph. Gorodetzky **14**, 147 (1974)
- Tables for Reaction Gamma-Ray Spectroscopy: Part II. $A = 21$ to $A = 32$, R. J. de Meijer, A. G. Drentje, and H. S. Plendl **15**, 391 (1975)
- Tables for Reaction Gamma-Ray Spectroscopy: Part III. $A = 33$ to $A = 44$, R. J. de Meijer, and A. G. Drentje **17**, 211 (1976)
- Recommended Standards for Gamma-Ray Energy Calibration (1979), R. G. Helmer, P. H. M. van Assche, and C. van der Leun **24**, 39 (1979)
- Catalog of Gamma Rays from Radioactive Decay, Part I, U. Reus and W. Westmeier **29**, 1 (1983)
- Catalog of Gamma Rays from Radioactive Decay, Part II, U. Reus and W. Westmeier **29**, 193 (1983)
- Gamma-Ray Transition Probabilities** (40)
- See *Nuclear Transition Probabilities* (75)
- Half-Lives** (41)
- See also *Alpha Decay* (3)
- Atomic Transition Probabilities and Lifetimes (9)
- Beta Decay (14)
- Fission-Product Gammas and Half-Lives (35)
- Nuclear Transition Probabilities (75)
- Specific Activities and Half-Lives of Common Radionuclides, G. Goldstein and S. A. Reynolds NDT **A1**, 435 (1966)
- Isomeric States ($T_{1/2} \geq 10^{-10}$ s) Listed According to Increasing Half-Life, J. Kantele and O. Tannila NDT **A4**, 359 (1968)
- A Table of Radioactive Nuclides Arranged in Ascending Order of Half-Life, N. R. Large and R. J. Bullock NDT **A7**, 477 (1970)
- Beta-Decay Half-Lives of Neutron-Rich Nuclei, H. V. Klapdor, J. Metzinger, and T. Oda **31**, 81 (1984)
- Calculated Half-Lives and Kinetic Energies for Spontaneous Emission of Heavy Ions from Nuclei, D. N. Poenaru, W. Greiner, K. Depta, M. Ivascu, D. Mazilu, and A. Sandulescu **34**, 423 (1986)
- Second-Generation Microscopic Predictions of Beta-Decay Half-Lives of Neutron-Rich Nuclei, A. Staudt, E. Bender, K. Muto, and H. V. Klapdor-Kleingrothaus **44**, 79 (1990)
- Nuclear Lifetimes for Cluster Radioactivities, D. N. Poenaru, D. Schnabel, W. Greiner, D. Mazilu, and R. A. Gherghescu **48**, 231 (1991)
- Microscopic Predictions of β^+ /EC-Decay Half-Lives, M. Hirsch, A. Staudt, K. Muto, and H. V. Klapdor-Kleingrothaus **53**, 165 (1993)
- Half-Lives of Favored Alpha Decays from Nuclear Ground States, B. Buck, A. C. Merchant, and S. M. Perez **54**, 53 (1993)
- Half-Lives for Proton Emission, Alpha Decay, Cluster Radioactivity, and Cold Fission Processes Calculated in a Unified Theoretical Framework, S. B. Duarte, O. A. P. Tavares, F. Guzmán, A. Dimarco, F. García, O. Rodriguez and M. Gonçalves **80**, 235 (2002)
- Nuclear half-lives for α -radioactivity of elements with $100 \leq Z \leq 130$, P. R. Chowdhury, C. Samanta, and D. N. Basu **94**, 781 (2008)
- Harmonic Oscillator** (42)
- Harmonic-Oscillator-Relative-Coordinate Transformation Coefficients, A. Barber and B. S. Cooper NDT **A10**, 49 (1971)
- Hartree (Dirac)-Fock Values** (43)
- Hartree-Fock Values of Energies, Interaction Constants, and Atomic Properties for the Ground States of the Negative Ions, Neutral Atoms, and First Four Positive Ions from Helium to Krypton, S. Fraga, K. M. S. Saxena, and B. W. N. Lo **AD 3**, 323 (1971)
- Hartree-Fock Values of Energies, Interaction Constants, and Atomic Properties for Excited States with p^N Configurations of the Negative Ions, Neutral Atoms, and First Positive Ions from Boron to Bromine, S. Fraga and K. M. S. Saxena **AD 4**, 255 (1972)

- Hartree–Fock Values of Energies, Interaction Constants, and Atomic Properties for Excited States with $3d^N4s^0$ and $3d^N4s^2$ Configurations of the Negative Ions, Neutral Atoms, and First Four Positive Ions of the Transition Elements, *S. Fraga* and *K. M. S. Saxena*
AD **4**, 269 (1972)
- Average-Energy-of-Configuration Hartree–Fock Result for the Atoms Helium to Radon, *C. F. Fischer*
AD **4**, 301 (1972),
Erratum **12**, 87 (1973)
- Self-Consistent Relativistic Dirac–Hartree–Fock Calculations of Lanthanide Atoms, *J. B. Mann* and *J. T. Waber*
AD **5**, 201 (1973)
- SCF Hartree–Fock Results for Elements with Two Open Shells and for the Elements Francium to Nobelium, *J. B. Mann*
12, 1 (1973)
- Relativistic Dirac–Fock Expectation Values for Atoms with $Z = 1$ to $Z = 120$, *J. P. Desclaux*
12, 311 (1973)
- Hartree–Fock Values of Coupling Constants, Polarizabilities, Susceptibilities, and Radii for the Neutral Atoms, Helium to Nobelium, *S. Fraga*, *J. Karwowski*, and *K. M. S. Saxena*
12, 467 (1973)
- Electron Densities at the Nuclear Center and Surface for "Mössbauer" Atoms, *I. M. Band* and *V. I. Fomichev*
23, 295 (1979)
- Hartree–Fock Values of Some Atomic Integrals Useful in Simplified LCAO-MO Calculations for Molecules. I. Atoms B, C, N, O, F, *J. Wasilewski*
23, 535 (1979)
- Electron-Wave-Function Expansion Amplitudes Near the Origin Calculated in the Dirac–Fock–Slater and Dirac–Fock Potentials, *I. M. Band* and *M. B. Trzhaskovskaya*
35, 1 (1986)
- Dirac–Fock Total Energies, Ionization Energies and Orbital Energies for Uranium Ions U I to U XCII, *K. Rashid*, *M. Z. Saadi*, and *M. Yasin*
40, 365 (1988)
- Dirac–Fock Atomic Electronic Structure Calculations Using Different Nuclear Charge Distributions, *L. Visscher* and *K. G. Dyall*
67, 207 (1997)
- Hartree (Dirac)–Fock–Slater Values* (44)
- Relativistic Hartree–Fock–Slater Eigenvalues, Radial Expectation Values, and Potentials for Atoms, $2 \leq Z \leq 126$, *C. C. Lu*, *T. A. Carlson*, *F. B. Malik*, *T. C. Tucker*, and *C. W. Nestor, Jr.*
AD **3**, 1 (1971),
Erratum **14**, 89 (1974)
- Neutral-Atom Electron Binding Energies from Relaxed-Orbital Relativistic Hartree–Fock–Slater Calculations, $2 \leq Z \leq 106$, *K.-N. Huang*, *M. Aoyagi*, *M. H. Chen*, *B. Crasemann*, and *H. Mark*
18, 243 (1976)
- Dirac–Fock–Slater Calculations for the Elements $Z = 100$, Fermium, to $Z = 173$, *B. Fricke* and *G. Soff*
19, 83 (1977)
- Relativistic Dirac–Fock–Slater Orbital Binding Energies and One-Electron Transition Energies: Cu XVI–XIX, Zn XVII–Zn XX, Ag XI–Ag XIX, and Sn XVIII–Sn XXIII, *K. Rashid*
21, 77 (1978)
- Theoretical Atomic Inner-Shell Energy Levels, $70 \leq Z \leq 106$, *M. H. Chen*, *B. Crasemann*, *M. Aoyagi*, *K.-N. Huang*, and *H. Mark*
26, 561 (1981)
- Electron-Wave-Function Expansion Amplitudes near the Origin Calculated in the Dirac–Fock–Slater and Dirac–Fock Potentials, *I. M. Band* and *M. B. Trzhaskovskaya*
35, 1 (1986)
- Hartree–Fock–Roothaan Values* (45)
- Hartree–Fock–Roothaan Wavefunctions for Diatomic Molecules, *P. E. Cade* and *W. Huo*
12, 415 (1973)
- Hartree–Fock–Roothaan Wavefunctions for Diatomic Molecules: II. First-Row Homonuclear Systems A_2 , A_2^+ , and A_2^+ , *P. E. Cade* and *A. C. Wahl*
13, 339 (1974)
- Roothaan–Hartree–Fock Atomic Wavefunctions: Basis Functions and Their Coefficients for Ground and Certain Excited States of Neutral and Ionized Atoms, $Z \leq 54$, *E. Clementi* and *C. Roetti*
14, 177 (1974)
- Hartree–Fock–Roothaan Wavefunctions for Diatomic Molecules: III. First-Row Heteronuclear Systems, AB, AB^+ , AB^+ , *P. E. Cade* and *W. M. Huo*
15, 1 (1975)
- Non-Closed-Shell Many-Electron-Theory Atomic Charge Wavefunctions: Correlated Wavefunctions for $1s^22s^n2p^m$ Electronic States of Beryllium through Neon and Silicon, *W. L. Luken* and *O. Sinanoğlu*
18, 525 (1976)
- Roothaan–Hartree–Fock Atomic Wavefunctions. Slater Basis Set Expansions for $A = 55$ –92, *A. D. McLean* and *R. S. McLean*
26, 197 (1981)
- Roothaan–Hartree–Fock–Slater Atomic Wave Functions, Single-Zeta, Double-Zeta, and Extended Slater-Type Basis Sets for ${}_{87}\text{Fr}$ – ${}_{103}\text{Lr}$, *J. G. Snijders*, *P. Vernooijs*, and *E. J. Baerends*
26, 483 (1981)
- Hartree–Fock Momentum Expectation Values for Atoms and Ions, *S. R. Gadre*, *S. P. Geijji*, and *S. J. Chakravorty*
28, 477 (1983)
- Hyperfine Coupling Constants and Atomic Parameters for Electron Paramagnetic Resonance Data, *A. K. Koh* and *D. J. Miller*
33, 235 (1985)
- Momentum-Space Properties of the Neutral Atoms from H through U, *W. M. Westgate*, *R. P. Sagar*, *A. Farazdel*, *V. H. Smith, Jr.*, *A. M. Simas*, and *A. J. Thakkar*
48, 213 (1991)
- Roothaan–Hartree–Fock Ground-State Atomic Wave Functions: Slater-Type Orbital Expansions and Expectation Values for $Z = 2$ –54, *C. F. Bunge*, *J. A. Barrientos*, and *A. V. Bunge*
53, 113 (1993)
- Orbital and Total Atomic Momentum Expectation Values with Roothaan–Hartree–Fock Wave Functions, *J. M. García de la Vega* and *B. Miguel*
54, 1 (1993)
- Roothaan–Hartree–Fock Momentum Expectation Values for Heavy Elements ($Z = 55$ –92), *J. M. García de la Vega* and *B. Miguel*
58, 307 (1994)
- Roothaan–Hartree–Fock–Slater Momentum Expectation Values for U–Lr Atoms, *J. M. García de la Vega* and *B. Miguel*
60, 321 (1995)
- Exponential-Type Basis Functions: Single- and Double-Zeta β Function Basis Sets for the Ground States of Neutral Atoms from $Z = 2$ to $Z = 36$, *I. Ema*, *J. M. García de la Vega*, *B. Miguel*, *J. Dotterweich*, *H. Meissner*, and *E. O. Steinborn*
72, 57 (1999)
- Parameterized optimized effective potential for the ground state of the atoms He through Xe, *A. Sarsa*, *F. J. Gálvez*, and *E. Buendía*
88, 163 (2004)
- Heavy-Ion Collisions* (46)
- See also *Inner-Shell Ionization* (50)
- Peak Cross Sections for (HI, xn) Reactions, *W. Neubert*
NDT **A11**, 531 (1973)
- Reaction Parameters for Heavy-Ion Collisions, *W. W. Wilcke*, *J. R. Birkelund*, *H. J. Wollersheim*, *A. D. Hoover*, *J. R. Huizenga*, *W. U. Schröder*, and *L. E. Tubbs*
25, 389 (1980)
- Heavy-Ion Fusion Cross-Section Data for Systems with Compound Atomic Mass between 18 and 80, *Q. Haider* and *F. B. Malik*
31, 185 (1984)
- Excitation Functions for $A \geq 6$ Fragments Formed in ${}^1\text{H}$ - and ${}^4\text{He}$ -Induced Reactions on Light Nuclei, *S. M. Read* and *V. E. Viola, Jr.*
31, 359 (1984)
- Rate Estimates for Vector–Meson and Drell–Yan Pair Production in Relativistic Heavy-Ion Collisions, *R. Vogt*
50, 343 (1992)
- Hydrogen Molecule* (47)
- Photodissociation of Vibrationally Excited H_2 , HD, and D_2 by Absorption into the Continua of the Lyman and Werner Systems, *A. C. Allison* and *A. Dalgarno*
AD **1**, 91 (1969)
- Band Oscillator Strengths and Transition Probabilities for the Lyman and Werner Systems of H_2 , HD, and D_2 , *A. C. Allison* and *A. Dalgarno*
AD **1**, 289 (1970)
- Potential-Energy Curves for Molecular Hydrogen and Its Ions, *T. E. Sharp*
AD **2**, 119 (1971)
Erratum AD **3**, 299 (1971)
- Eigenparameters for the Lowest Twenty Electronic States of the Hydrogen Molecule Ion, *M. M. Madsen* and *J. M. Peek*
AD **2**, 171 (1971)
- Dipole Strengths Involving the Lowest Twenty Electronic States of H^+_2 , *D. E. Ramaker* and *J. M. Peek*
AD **5**, 167 (1973)
- Rayleigh and Raman Cross Sections for the Hydrogen Molecule, *A. L. Ford* and *J. C. Browne*
AD **5**, 305 (1973)
- Rotation-Vibration Level Energies of the Hydrogen and Deuterium Molecule-Ions, *G. Hunter*, *A. W. Yau*, and *H. O. Pritchard*
14, 11 (1974)
- Adiabatic Relativistic Rotation-Vibration Energy Levels for HD^+ , HT^+ , and DT^+ , *D. M. Bishop*
18, 521 (1976)
- Cross Sections for the Photoionization of H_2 ($X^1\Sigma_g^+$, $v_i = 0$ –14) with the Formation of H^+_2 ($X^2\Sigma_g^+$, $v_f = 0$ –18), and Vibrational Overlaps and R^{II} -Centroids for the Associated Vibrational Transitions, *M. R. Flannery*, *H. Tai*, and *D. L. Albritton*
20, 563 (1977)
- Generalized Oscillator Strengths for X-B Transitions in the Hydrogen Molecule, *W. Kołos*, *H. J. Monkhorst*, and *K. Szalewicz*
28, 239 (1983)

- The Quadrupole Vibration-Rotation Transition Probabilities of the Molecular Hydrogen Ion, A. G. Posen, A. Dalgarno, and J. M. Peek **28**, 265 (1983)
- Band Transition Moments Between Excited Singlet States of the H₂ Molecule, Nonadiabatic Eigenvectors, and Probabilities for Spontaneous Emission, M. Glass-Maujean, P. Quadrelli, and K. Dressler **30**, 273 (1984)
- Transition Probabilities for the D and B' Vibrational Levels to the X Vibrational Levels and Continuum of H₂, M. Glass-Maujean **30**, 301 (1984)
- The Rydberg Electronic Transitions of the Hydrogen Molecule, J. F. Babbb and E. S. Chang **50**, 137 (1992)
- Resonance Parameters and Quantum Defects for Superexcited H₂, J. Tennyson **64**, 253 (1996)
- Cross Section Data for Electron-Impact Inelastic Processes of Vibrationally Excited Molecules of Hydrogen and Its Isotopes, R. Celiberto, R. K. Janev, A. Laricchiuta, M. Capitelli, J. M. Wadehra, and D. E. Atoms **77**, 161 (2001)
- Franck-Condon factors, transition probabilities, and radiative lifetimes for hydrogen molecules and their isotopomers, U. Fantz and D. Wünderlich **92**, 852 (2006)
- Hyperfine Fields* (48)
- Dilute-Impurity Hyperfine Fields in Fe, Co, Ni, and Gd, G. N. Rao **15**, 553 (1975)
- Hyperfine Interactions* (48a)
- See also *Angular-Correlation or Angular-Distribution Coefficients* (5)
- Hartree (Dirac)-Fock Values* (43)
- Hartree (Dirac)-Fock-Slater Values* (44)
- Hartree-Fock-Roothaan Values* (45)
- Nuclear Level Splitting Caused by an Axially Non-Symmetric Electric Quadrupole Interaction: $1 \leq I \leq 40$, H. Watanabe **46**, 285 (1990)
- Hyperfine Quenching of the $1s^2 2s^2 2p^6 3s 3p^3 P_0$ Level in Magnesium-like Ions, J. P. Marques, F. Parente, and P. Indelicato **55**, 157 (1993)
- Matrix Elements of Hyperfine Structure Operators in the *SL* and *jj* Representations for the *s*, *p^N*, and *d^N* Configurations and the *SL-jj* Transformation, W. J. Childs **67**, 1 (1997)
- Erratum **68**, 349 (1998)
- Measurement of hyperfine coupling constants of singly ionized rare earth ions, H. L. Ma and F. J. Yang **86**, 3 (2004)
- Infrared* (49)
- Infrared Wavelengths and Transition Probabilities for Atoms, $3 \leq Z \leq 20$, E. Biemont and N. Grevesse **12**, 217 (1973)
- Inner-Shell Ionization* (50)
- See also *Ionization Energies or Potentials* (52)
- Tables for Born Approximation Calculations of K- and L-Shell Ionization by Protons and Other Charged Particles, G. S. Khandelwal, B.-H. Choi, and E. Merzbacher **AD 1**, 103 (1969)
- Erratum **AD 5**, 315 (1973)
- Tables for Born Approximation Calculations of L-Subshell Ionization by Simple Heavy Charged Particles, B.-H. Choi, E. Merzbacher, and G. S. Khandelwal **AD 5**, 291 (1973)
- Cross Sections for K-Shell Ionization by ¹H, ²H, ³He, and ⁴He Ion Impact, C. H. Rutledge and R. L. Watson **12**, 195 (1973)
- Predictions of Multiple K- and L-Shell Ionization by Alpha-Particle Impact on Atoms with $Z = 10-100$, J. H. McGuire **13**, 491 (1974)
- Predictions of Inner-Shell Coulomb Ionization by Heavy Charged Particles, J. M. Hansteen, O. M. Johnsen and L. Kocbach **15**, 305 (1975)
- Cross Sections for L-Shell X-Ray and Auger-Electron Production by Heavy Ions, T. L. Hardt and R. L. Watson **17**, 107 (1976)
- Extended Tables for Plane-Wave Born-Approximation Calculations of Direct Coulomb Ionization of the K-shell by Charged Particles, R. Rice, G. Basbas, and F. D. McDaniel **20**, 503 (1977)
- Cross Sections for K-Shell Ionization, X-Ray Production, or Auger Electron Production by Ion Impact, R. K. Gardner and T. J. Gray **21**, 515 (1978)
- Erratum **24**, 281 (1979)
- Tables for Plane-Wave Born-Approximation Calculations of K- and L-Shell Ionization by Protons, O. Benka and A. Kropf **22**, 219 (1978)
- Nonrelativistic Plane-Wave Born-Approximation Calculations of Direct Coulomb M-Subshell Ionization by Charged Particles, D. E. Johnson, G. Basbas, and F. D. McDaniel **24**, 1 (1979)
- K-Shell Ionization by Light Ions: A Graphical Comparison of Cross Sections, H. Paul **24**, 243 (1979)
- Experimental L-Shell X-Ray Production and Ionization Cross Sections for Proton Impact, R. S. Sokhi and D. Crumpton **30**, 49 (1984)
- Relativistic Cross Sections for Atomic K- and L-Shell Ionization by Protons, Calculated from a Dirac-Hartree-Slater Model, M. H. Chen and B. Crasemann **33**, 217 (1985)
- K- and L-Shell Ionization Cross Sections for Protons and Helium Ions Calculated in the ECPSSR Theory, D. D. Cohen and M. Harrigan **33**, 255 (1985)
- Calculated L-Shell X-Ray Line Intensities for Proton and Helium Ion Impact, D. D. Cohen and M. Harrigan **34**, 393 (1986)
- Atomic K-, L-, and M-Shell Cross Section for Ionization by Protons: A Relativistic Hartree-Slater Calculation, M. H. Chen and B. Crasemann **41**, 257 (1989)
- K- and L-Shell Ionization Cross Sections for Deuterons Calculated in the ECPSSR Theory, D. D. Cohen **41**, 287 (1989)
- Fitted Empirical Reference Cross Sections for K-Shell Ionization by Protons, H. Paul and J. Sacher **42**, 105 (1989)
- Cross Sections for K-Shell Ionization by Electron Impact, X. Long, M. Liu, F. Ho, and X. Peng **45**, 353 (1990)
- Fitted Empirical Reference Cross Sections for K-Shell Ionization by Alpha Particles, H. Paul and O. Bolik **54**, 75 (1993)
- Experimental L-Shell X-Ray Production and Ionization Cross Sections for Proton Impact, I. Orlic, C. H. Sow, and S. M. Tang **56**, 159 (1994)
- Semiempirical Approximation to Cross Sections for L X-Ray Production by Proton Impact, M. A. Reis and A. P. Jesus **63**, 1 (1996)
- Experimental Electron-Impact K-Shell Ionization Cross Sections, M. Liu, Z. An, C. Tang, Z. Luo, X. Peng, and X. Long **76**, 213 (2000)
- Electron-impact ionization cross sections for elements $Z = 1$ to $Z = 54$, P. L. Bartlett and A. T. Stelbovics **86**, 235 (2004)
- Internal-Conversion Coefficients* (51)
- Experimental Values of Internal-Conversion Coefficients of Nuclear Transitions: Total and K-Shell Coefficients and L-Subshell Coefficient Ratios, J. H. Hamilton, A. V. Ramayya, B. van Nooijen, R. G. Albridge, E. F. Zganjar, S. C. Panchoi, J. M. Hollander, V. S. Shirley, and C. M. Lederer **NDT A1**, 521 (1966)
- Internal Conversion Coefficients at Gamma-Ray Threshold Energies, R. F. O'Connell and C. O. Carroll **NDT A3**, 287 (1967)
- Erratum **NDT A4**, 320 (1968)
- Internal Conversion Tables. Part I. K-, L-, and M-Shell Conversion Coefficients for $Z = 30$ to $Z = 103$, R. S. Hager and E. C. Seltzer **NDT A4**, 1 (1968)
- Internal Conversion Tables. Part II: Directional and Polarization Particle Parameters for $Z = 30$ to $Z = 103$, R. S. Hager and E. C. Seltzer **NDT A4**, 397 (1968)
- Internal Conversion Tables. Part III: Coefficients for the Analysis of Penetration Effects in Internal Conversion and E0 Internal Conversion, R. S. Hager and E. C. Seltzer **NDT A6**, 1 (1969)
- Tables of Internal Conversion Coefficients for N-Subshell Electrons, O. Dragoun, H. C. Pauli, and F. Schmutzler **NDT A6**, 235 (1969)
- Contribution of Outer Atomic Shells to Total Internal Conversion Coefficients, O. Dragoun, Z. Plajner, and F. Schmutzler **NDT A9**, 119 (1971)
- Internal Conversion Coefficients for High-Energy Transitions, V. F. Trusov **NDT A10**, 477 (1972)
- Contribution of (M + N + ...) Shells to Total Internal Conversion Coefficients for Transition Energies above 500 keV, O. Dragoun and V. Brabec **15**, 49 (1975)
- Internal Conversion Coefficients for Atomic Numbers $Z \leq 30$, I. M. Band, M. B. Trzhaskovskaya, and M. A. Listengarten **18**, 433 (1976)
- Internal Conversion Coefficients for E5 and M5 Nuclear Transitions, $30 \leq Z \leq 104$, I. M. Band, M. B. Trzhaskovskaya, and M. A. Listengarten **21**, 1 (1978)

- Internal Conversion Coefficients for All Atomic Shells, *F. Rösel, H. M. Fries, K. Alder, and H. C. Pauli* **21**, 91 (1978)
- The Internal Conversion Coefficients of the $2^+ \rightarrow 0^+$, $E2$ Nuclear Transitions in Even-Even Nuclei, *M. Mladjenović, M. upančić, and R. Vukanović* **22**, 109 (1978)
- Total and Differential Conversion Coefficients for Internal Electron-Positron Pair Creation, *P. Schlüter and G. Soff* **24**, 509 (1979)
- Internal Conversion Coefficients for Low-Energy Nuclear Transitions, *I. M. Band and M. B. Trzhaskovskaya* **55**, 43 (1993)
- Total and Differential Conversion Coefficients for Internal Pair Creation in Extended Nuclei, *C. R. Hofmann and G. Soff* **63**, 189 (1996)
- K-Shell, L-Subshell, and Total Internal Conversion Coefficients for Super-heavy Elements, *M. Ryšavý and O. Dragoun* **78**, 129 (2001)
- Dirac-Fock Internal Conversion Coefficients, *I. M. Band, M. B. Trzhaskovskaya, C. W. Nestor, Jr., P. O. Tikkanen and S. Raman* **81**, 1 (2002)
- Ratios of internal conversion coefficients, *S. Raman, M. Ertugrul, C. W. Nestor Jr., and M. B. Trzhaskovskaya* **92**, 207 (2006)
- Internal conversion coefficients of high multipole transitions: Experiment and theories, *J. Gerl, K. Vijay Sai, M. Sainath, R. Gowrishankar, and K. Venkataramaniah* **94**, 701 (2008)
- Ionization Energies or Potentials* (52)
See also *Binding Energies, Atomic* (15)
- Calculated Ionization Potentials for Multiply Charged Ions, *T. A. Carlson, C. W. Nestor, Jr., N. Wasserman, and J. D. McDowell* AD **2**, 63 (1970)
- Relativistic Corrections to Ionization Energies and Theoretical Dipole Oscillator Strengths for Fe XVI, Co XVII, and Ni XVIII, *C. E. Tull, R. P. McEachran, and M. Cohen* AD **3**, 169 (1971)
- Ionization Potentials, Experimental and Theoretical, of the Elements Hydrogen to Krypton, *R. L. Kelly and D. E. Harrison, Jr.* AD **3**, 177 (1971)
- Ionization Potential of Fe XVII in the Neon Isoelectric Sequence, Revised Value, *R. L. Kelly and D. E. Harrison, Jr.* **19**, 301 (1977)
- Dirac-Fock Total Energies, Ionization Energies and Orbital Energies for Uranium Ions U I to U XCII, *K. Rashid, M. Z. Saadi, and M. Yasin* **40**, 365 (1988)
- Ionization Potentials of Atoms and Ions from Lithium to Tin ($Z = 50$), *E. Biémont, Y. Frémat, and P. Quinet* **71**, 117 (1999)
- Energies of $1s^2 21^q$ ($1 \leq q \leq 8$) states for $Z \leq 60$ with a combined configuration interaction and many-body perturbation theory approach, *M. F. Gu* **89**, 267 (2005)
- Ionization energies of tungsten ions: W^{2+} through W^{71+} , *A. E. Kramida and J. Reader* **92**, 457 (2006)
- Isobaric Analog States* (53)
- Penetration Factors and Resonance Mixing Phases for Isobaric Analog States, *W. J. Thompson* NDT **A6**, 129 (1969)
- Experimental Coulomb Displacement Energies between Analog Energy Levels of Isobaric Nuclei with $A = 3$ to $A = 238$, *W. J. Courtney and J. D. Fox* **15**, 141 (1975)
- Isobaric Mass Equation for $A = 1-45$ and Systematics of Coulomb Displacement Energies, *M. S. Antony, J. Britz, J. B. Bueb, and A. Pape* **33**, 447 (1985)
- Predicted Masses and Excitation Energies in Higher Isospin Multiplets for $9 \leq A \leq 60$, *M. S. Antony, J. Britz, and A. Pape* **34**, 279 (1986)
- Coulomb Displacement Energies between Analog Levels for $44 \leq A \leq 239$, *M. S. Antony, J. Britz, and A. Pape* **40**, 9 (1988)
- Coulomb Displacement Energies between Analog Levels for $3 \leq A \leq 239$, *M. S. Antony, A. Pape, and J. Britz* **66**, 1 (1997)
- Coefficients of the Isobaric Mass Equation and Their Correlations with Various Nuclear Parameters, *J. Britz, A. Pape, and M. S. Antony* **69**, 125 (1998)
- Isoelectronic Sequences (Ordered by Shells)* (53a)
See also *Atomic Levels* (5a2)
- Atomic Spectra* (8)
- Electron Collision Cross Sections and Rate Coefficients* (29)
- Polarizabilities* (80)
- Satellites* (88a)
- Screening Constants* (89)
- Ions from two or more shells*
- Transition Probabilities for the Alkali Isoelectronic Sequences, *A. Lindgård and S. E. Nielsen* **19**, 533 (1977)
- Intermediate Coupling Collision Strengths for $\Delta n = 0$ Transitions Produced by Electron Impact on Highly Charged He- and Be-like Ions, *S. J. Goett, R. E. H. Clark, and D. H. Sampson* **25**, 185 (1980),
Erratum **27**, 617 (1982)
- Electric-Dipole, Quadrupole, and Magnetic-Dipole Susceptibilities and Shielding Factors for Closed-Shell Ions of the He, Ne, Ar, Ni(Cu⁺), Kr, Pd, and Xe Isoelectronic Sequences, *W. R. Johnson, D. Kolb, and K.-N. Huang* **28**, 333 (1983)
- Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, *Y. Itikawa, K. Takayanagi, and T. Iwai* **31**, 215 (1984)
- Isoelectronic Sequence Fits to Configuration-Averaged Photoionization Cross Sections and Ionization Energies, *R. E. H. Clark, R. D. Cowan, and F. W. Bobrowicz* **34**, 415 (1986)
- Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, 1983–1989, *Y. Itikawa* **49**, 209 (1991)
- An Evaluated Compilation of Theoretical Data Sources for Electron-Impact Excitation of Atomic Ions, *A. K. Pradhan and J. W. Gallagher* **52**, 227 (1992)
- The Atomic Data Assessment Meeting, Abingdon, March 1992, *J. Lang* **57**, 1 (1994)
- Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, 1990–1994, *Y. Itikawa* **63**, 315 (1996)
- Assessment of Proton-Impact Excitation Rate-Coefficient Data of Relevance to the SOHO Mission, *F. Copeland, R. H. G. Reid, and F. P. Keenan* **67**, 179 (1997)
- Model Potentials for Alkali Metal Atoms and Alkali-like Ions, *W. Schweizer, P. Fassbinder, and R. González-Férez* **72**, 33 (1999)
- Annotated Bibliography on Electron Collisions with Atomic Positive Ions: Excitation and Ionization, *Y. Itikawa* **80**, 117 (2002)
- Analytic Cross Sections for Electron Collisions with Hydrocarbons: CH₄, C₂H₆, C₂H₄, C₂H₂, C₃H₈, and C₃H₆, *T. Shirai, T. Tabata, H. Tawara, and Y. Itikawa* **80**, 147 (2002)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the $45 \Delta n = 0$ Transitions with $n = 2$ in the 79 O-Like Ions with $14 \leq Z \leq 92$, *H. L. Zhang and D. H. Sampson* **82**, 357 (2002)
- Relativistic many-body calculations of electric-dipole lifetimes, transition rates, and oscillator strengths for $n = 3$ states in Al-like ions, *U. I. Safronova, M. Sataka, J. R. Albritton, W. R. Johnson, and M. S. Safronova* **84**, 1 (2003)
- Multipole (E1, M1, E2, M2) transition wavelengths and rates between states with $n \leq 6$ in helium-like carbon, nitrogen, oxygen, neon, silicon, and argon, *I. M. Savukov, W. R. Johnson, and U. I. Safronova* **85**, 83 (2003)
- Systematic calculation of total atomic energies of ground state configurations, *G. C. Rodrigues, P. Indelicato, J. P. Santos, P. Patté, and F. Parente* **86**, 117 (2004)
- H- and He-like Ions*
- Intermediate-Coupling Collision Strengths for P-P and P-D Transitions Produced by Electron Impact on Highly Charged He-like Ions, *R. E. H. Clark and D. H. Sampson* **22**, 527 (1978)
- Transition Probabilities and Branching Ratios for Electric-Dipole Transitions between Arbitrary Levels of Hydrogen-like Atoms, *K. Omidvar* **28**, 1 (1983)
- Transition Probabilities, Lifetimes, and Branching Ratios in Hydrogen-like Atoms in the Linear Stark Effect, *K. Omidvar* **28**, 215 (1983)
- Intermediate-Coupling Collision Strengths for Transitions between Doubly Excited Levels Produced by Electron Impact on Highly Charged He-like Ions, *S. J. Goett, D. H. Sampson, and R. E. H. Clark* **28**, 279 (1983)
- Electron-Impact Collision Strengths for Inner-Shell Excitation of Doubly Excited Levels from Singly Excited Levels in He-like Ions, *D. H. Sampson, S. J. Goett, and R. E. H. Clark* **28**, 299 (1983)

- Electron-Impact Collision Strengths for Excitation of He-like Ions from the Levels with $n = 1$ and 2 to All Singly Excited Levels with Higher $n \leq 5$, *D. H. Sampson, S. J. Goett, and R. E. H. Clark* **29**, 467 (1983)
- Recommended Data for Excitation Rate Coefficients of Helium Atoms and Helium-like Ions by Electron Impact, *T. Kato and S. Nakazaki* **42**, 313 (1989)
- Eective Collision Strengths for Hydrogen and Hydrogen-like Ions, *J. Callaway* **57**, 9 (1994)
- A Review of Eective Collision Strengths for He-like Ions, *J. Dubau* **57**, 21 (1994)
- Electron-Ion Collisional Ionization Cross Sections for the H and He Isoelectronic Sequences, *D. Fang, W. Hu, C. Chen, Y. Wang, F. Lu, J. Tang, and F. Yang* **61**, 91 (1995)
- Li- through F-like Ions*
- Wavelengths and Classifications of Emission Lines Due to $2s^2 2p^n - 2s 2p^{n+1}$ and $2s 2p^n - 2p^{n+1}$ Transitions, $Z \leq 28$, *B. C. Fawcett* **16**, 135 (1975)
- Theoretical Oscillator Strengths for $2s^2 2p^n - 2s 2p^{n+1}$ and $2s 2p^{n+1} - 2p^{n+2}$ Transitions and for $2s^2 2p^n$ "Forbidden" Transitions. Be I, B I, C I, N I, O I Series. $Z \leq 26$, *B. C. Fawcett* **22**, 473 (1978)
- Electric Dipole, Quadrupole, and Magnetic Dipole Transition Probabilities of Ions Isoelectronic to the First-Row Atoms, Li through F, *K. T. Cheng, Y.-K. Kim, and J. P. Desclaux* **24**, 111 (1979)
- Relativistic Oscillator Strengths in the Boron Isoelectronic Sequence, *A. Farraq, E. Luc-Koenig, and J. Sinzelle* **24**, 227 (1979)
- Electron-Impact-Excitation Collision Strengths for Be-like Ions. I. Low-Energy Regions, *K. A. Berrington, P. G. Burke, P. L. Dufton, and A. E. Kingston* **26**, 1 (1981)
Erratum **33**, 345 (1985)
- Collision Strengths for Inner-Shell Excitation of Li-like Ions from Levels of the $1s^2 2s$ and $1s^2 2p$ Configurations to Levels of the $1s 2l 2l'$ Configurations, *S. J. Goett and D. H. Sampson* **29**, 535 (1983)
- Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed $n = 2-3$ Transitions in Be-like Ions O V to Ni XXV, *B. C. Fawcett* **30**, 1 (1984)
Erratum **33**, 479 (1985)
- Collision Strengths and Line Strengths for Fine-Structure Transitions between the $2l_a 2l_b$ Configurations and the $2l'_a 3l'_b$ Configurations in Be-like Ions, *D. H. Sampson, S. J. Goett, and R. E. H. Clark* **30**, 125 (1984)
- Calculated Wavelengths and Oscillator Strengths for Be I, B II, C III, and N IV for $n = 2-2, 2-3, 3-3$, and Other Transitions, *B. C. Fawcett* **30**, 423 (1984)
- Calculated Wavelengths, Oscillator Strengths and Energy Levels for $n = 2-2$ and $2-3$ Transitions in F-like Ions Mg IV to Ni XX and for $3-3$ and Other Transitions for Mg IV, Al V and Si VI, *B. C. Fawcett* **31**, 495 (1984)
- Spectral Line Intensities for the O I, N I, C I, B I, and Be I Isoelectronic Sequences, $Z = 26-36$, *U. Feldman, J. F. Seely, and A. K. Bhatia* **32**, 305 (1985)
- Collision Strengths for Innershell Excitation of Li-like Ions from the $1s^2 2s$ and $1s^2 2p$ Levels to the $1s 2l 3l'$ Levels, *D. H. Sampson, S. J. Goett, G. V. Petrou, H. Zhang, and R. E. H. Clark* **32**, 343 (1985)
- Collision Strengths for Innershell Excitation of Li-like Ions from the $1s^2 3l'$ Levels to the $1s 2l' 3l''$ Levels, *D. H. Sampson, G. V. Petrou, S. J. Goett, and R. E. H. Clark* **32**, 403 (1985)
- Electron-Impact-Excitation Collision Strengths for Be-like Ions. II. Intermediate-Energy Region and Collision Rates, *K. A. Berrington, P. G. Burke, P. L. Dufton, and A. E. Kingston* **33**, 195 (1985)
- Calculated Wavelengths and Oscillator Strengths of $n = 2-2$ and $2-3$ Transitions for Ions in the Oxygen-like Isoelectronic Sequence between Mg V and Ni XXI, *B. C. Fawcett* **34**, 215 (1986)
- Collision Strengths and Line Strengths for All Transitions among the Levels of the $1s^2 2s^2 2p$, $1s^2 2s 2p^2$, and $1s^2 2p^3$ Configurations of Boron-like Ions, *D. H. Sampson, G. M. Weaver, S. J. Goett, H. Zhang, and R. E. H. Clark* **35**, 223 (1986)
- Collision Strengths and Line Strengths for All Transitions among the Levels of the $1s 2l 2l'$ Configurations of Li-like Ions, *H. Zhang, D. H. Sampson, and R. E. H. Clark* **35**, 267 (1986)
- Atomic Data and Spectral Line Intensities for the Boron Isoelectronic Sequence (Ar XIV through Kr XXXII), *A. K. Bhatia, U. Feldman, and J. F. Seely* **35**, 319 (1986)
- Atomic Data and Spectral Line Intensities for the Beryllium Isoelectronic Sequence (Ar XV through Kr XXXIII), *A. K. Bhatia, U. Feldman, and J. F. Seely* **35**, 449 (1986)
- Atomic Data and Spectral Line Intensities for the Carbon Isoelectronic Sequence (Ar XIII through Kr XXXI), *A. K. Bhatia, J. F. Seely, and U. Feldman* **36**, 453 (1987)
- Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed $2-2$ and $2-3$ Transitions for Ions in the C-like Isoelectronic Sequence between F IV and Ni XXIII, *B. C. Fawcett* **37**, 367 (1987)
- Oscillator Strengths of Allowed Transitions for C I, N II, and O III, *B. C. Fawcett* **37**, 411 (1987)
- Proton Excitation Rate Coefficients and Cross Sections among the Fine-Structure Levels of the $(2s 2p)^3 P$ State in Be-like Ions, *J. G. Doyle* **37**, 441 (1987)
- Contributions of Autoionizing Resonances to the $n = 2 - 2$ Electron Collisional Excitation Rates for Be-like Ions, *M. H. Chen and B. Crasemann* **41**, 59 (1989)
- Atomic Data and Spectral Line Intensities for the Nitrogen Isoelectronic Sequence (Ar XII through Kr XXX), *A. K. Bhatia, J. F. Seely, and U. Feldman* **43**, 99 (1989)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 85 Li-like Ions with $8 \leq Z \leq 92$, *H. L. Zhang, D. H. Sampson, and C. J. Fontes* **44**, 31 (1990)
- Spectral Line Intensities for the Carbon Isoelectronic Sequence (Kr XXXI through Xe II), *J. F. Seely, U. Feldman, S. Rozzi, W. H. Goldstein, and M. Klapisch* **45**, 321 (1990)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for F-like Ions with $22 \leq Z \leq 92$, *D. H. Sampson, H. L. Zhang, and C. J. Fontes* **48**, 25 (1991)
- Energy Levels, Wavelengths, and Radiative Transition Probabilities for the Li-like Ions with $20 \leq Z \leq 25$, *Q.-R. Zhu, S.-F. Pan, and T.-H. Zeng* **52**, 109 (1992)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the $45 \Delta n = 0$ Transitions with $n = 2$ in the 85 Be-like Ions with $8 \leq Z \leq 92$, *H. L. Zhang and D. H. Sampson* **52**, 143 (1992)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the $105 \Delta n = 0$ Transitions with $n = 2$ in the 85 B-like Ions with $8 \leq Z \leq 92$, *H. L. Zhang and D. H. Sampson* **56**, 41 (1994)
- An Assessment of Collision Strengths for Lithium and Lithium-like Ions, *R. W. P. McWhirter* **57**, 39 (1994)
- A Review of Electron Impact Excitation Data for the Beryllium Isoelectronic Sequence ($Z = 4$ to 28), *K. A. Berrington* **57**, 71 (1994)
- A Review of Available Collision Strength Data for the Boron Isoelectronic Sequence ($Z = 5$ to 28), *D. H. Sampson, H. L. Zhang, and C. J. Fontes* **57**, 97 (1994)
- Electron Impact Excitation of Carbon-like Ions: An Assessment of the Available Theoretical Data, *B. C. Monsignori Fossi and M. Landini* **57**, 125 (1994)
- Electron Impact Excitation of Nitrogen and Nitrogen-like Ions: A Review of Available Data and Recommendations, *T. Kato* **57**, 181 (1994)
- A Review of Electron Impact Collisional Excitation Data for the Oxygen-like Isoelectronic Sequence, *J. Lang and H. P. Summers* **57**, 215 (1994)
- Electron Impact Excitation of Fluorine-like Ions, *A. K. Bhatia* **57**, 253 (1994)
- Transitions in Fluorine-like Ions, *H. M. S. Blackford and A. Hibbert* **58**, 101 (1994)
- Cross Sections and Excitation Rate Coefficients for the $2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^5 \ ^2P_{1/2}$ Transition in Fluorine-like Ions by p , d , t , and α Impact, *V. J. Foster, F. P. Keenan, and R. H. G. Reid* **58**, 227 (1994)
- Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for All Possible $n = 2-n = 3$ Transitions in B-like Ions, *H. L. Zhang and D. H. Sampson* **58**, 255 (1994)
- Cross Sections and Rate Coefficients for Excitation of $\Delta n = 0$ Transitions in Be-like Ions with $6 \leq Z \leq 54$, *U. I. Safronova, A. S. Shlyaptseva, T. Kato, K. Masai, and L. A. Vainshtein* **60**, 1 (1995)

- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the $\Delta n = 0$ Transitions with $n = 2$ in C-like Ions with $9 \leq Z \leq 54$, *H. L. Zhang and D. H. Sampson* **63**, 275 (1996)
- Electron-Ion Collisional Ionization Cross Sections for the Li Isoelectronic Sequence, *C. Chen, W. Hu, D. Fang, Y. Wang, F. Yang, and H. Teng* **64**, 301 (1996)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for All Possible $n = 2 \rightarrow n = 3$ Transitions in C-like Ions, *H. L. Zhang and D. H. Sampson* **65**, 183 (1997)
- Cross Sections and Rate Coefficients for Excitation within the $1s^2 2s^2 2p^2 P$ and $1s^2 2s 2p^2 \ ^4P$ Multiplets in Boron-like Ions C II–Ni XXIV by Heavy Particle Impact, *V. J. Foster, F. P. Keenan, and R. H. G. Reid* **67**, 99 (1997)
- Relativistic Many-Body Calculations of Energies of $n = 3$ States for the Boron Isoelectronic Sequence, $Z = 6\text{--}30$, *U. I. Safronova, W. R. Johnson, and M. S. Safronova* **69**, 183 (1998)
- Breit–Pauli Energies, Transition Probabilities, and Lifetimes for $2s, 2p, 3s, 3p, 3d, 4s \ ^2L$ Levels of the Lithium Sequence, $Z = 3\text{--}8$, *C. F. Fischer, M. Saporov, G. Gaigalas, and M. Godefroid* **70**, 119 (1998)
- Cross Sections and Rate Coefficients for Excitation of the $1s^2 2s 2p \ ^3P^o J \rightarrow 1s^2 2s 2p \ ^3P^o J'$ Fine-Structure Transitions in Beryllium-like Ions by Heavy Particle Impact, *R. S. J. Ryans, V. J. Foster-Woods, F. Copeland, F. P. Keenan, A. Matthews, and R. H. G. Reid* **70**, 179 (1998)
- Relativistic Distorted-Wave Collision Strengths and Oscillator Strengths for the 105 $\Delta n = 0$ Transitions with $n = 2$ in the 81 N-like Ions with $12 \leq Z \leq 92$, *H. L. Zhang and D. H. Sampson* **72**, 153 (1999)
- Cross Sections and Rate Coefficients for Excitation of the $1s^2 2s^2 2p^2 \ ^3P_j \rightarrow 1s^2 2s^2 2p^2 \ ^3P_j$ Fine-Structure Transitions in Carbon-like Ions by Heavy Particle Impact, *R. S. J. Ryans, V. J. Foster-Woods, F. P. Keenan, and R. H. G. Reid* **73**, 1 (1999)
- Transitions in C II, N III, and O IV, *G. Corrége and A. Hibbert* **86**, 19 (2004)
- Ne-like Ions*
- Theoretical Transition Probabilities and Energy Levels in Ne I Isoelectronic Sequence, *M. Crance* **AD 5**, 185 (1973)
- Atomic Data and Spectral Line Intensities for the Neon Isoelectronic Sequence (Si V through Kr XXVII), *A. K. Bhatia, U. Feldman, and J. F. Seely* **32**, 435 (1985)
- Energy Levels and Weighted Oscillator Strengths for Neon-like Ions K X through Se XXV, *E. Biémont and J. E. Hansen* **37**, 1 (1987)
- Collision Strengths and Oscillator Strengths for Excitation to the $n = 3$ and 4 Levels of Neon-like Ions, *H. Zhang, D. H. Sampson, R. E. H. Clark, and J. B. Mann* **37**, 17 (1987)
- Relativistic Distorted-Wave Calculations of Electron Collision Cross Sections and Rate Coefficients for Ne-like Ions, *P. L. Hagelstein and R. K. Jung* **37**, 121 (1987)
- Relativistic Distorted Wave Collision Strengths for Excitation to the 88 $n = 3$ and $n = 4$ Levels in All 71 Neon-like Ions with $22 \leq Z \leq 92$, *H. L. Zhang and D. H. Sampson* **43**, 1 (1989)
- Theoretical Investigation of the Neon Isoelectronic Sequence, *E. P. Ivanova and A. V. Gulov* **49**, 1 (1991)
- Energies, Oscillator Strengths, and Lifetimes for Neon-like Ions up to Kr XXVII, *A. Hibbert, M. Le Dourneuf, and M. Mohan* **53**, 23 (1993)
- Radiative and Collisional Atomic Data for Neon-like Ions, *M. Cornille, J. Dubau, and S. Jacquemot* **58**, 1 (1994)
- Electron-Ion Collisional Ionization Cross Sections and Rates for the Neon Isoelectronic Sequence, *C. Y. Chen, Z. X. Teng, S. X. Yan, Y. S. Wang, F. J. Yang, and Y. S. Sun* **70**, 255 (1998)
- Na- through Cl-like Ions*
- Atomic Ion Energies for Na-like Ions by a Model Potential Method, $Z = 25\text{--}80$, *L. N. Ivanov and E. P. Ivanova* **24**, 95 (1979)
- Electric Dipole Transitions in Cl-like Ions, *M. Vajed-Samii and K. MacDonald* **26**, 467 (1981)
- Electric-Dipole Transition Probabilities of Al-like Ions, *A. Farrag, E. Luc-Koenig, and J. Sinzelle* **27**, 539 (1982)
- Energy-Level Scheme and Transition Probabilities of Cl-like Ions, *K.-N. Huang, Y.-K. Kim, K. T. Cheng, and J. P. Desclaux* **28**, 355 (1983)
- Calculated Oscillator Strengths and Wavelengths for Allowed Transitions within the Third Shell for Ions in the Al-like Isoelectronic Sequence between Cl V and Ni XVI, *B. C. Fawcett* **28**, 557 (1983)
- Calculated Oscillator Strengths and Wavelengths for Allowed Transitions within the Third Shell for Ions in the Mg-like Isoelectronic Sequence between S V and Ni XVII, *B. C. Fawcett* **28**, 579 (1983)
- Energy-Level Scheme and Transition Probabilities of P-like Ions, *K.-N. Huang* **30**, 313 (1984)
- Energy-Level Scheme and Transition Probabilities of Si-like Ions, *K.-N. Huang* **32**, 503 (1985)
- Energy-Level Scheme and Transition Probabilities of Al-like Ions, *K.-N. Huang* **34**, 1 (1986)
- Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed 3–3 and 3–4 Transitions for Ions in the S-like Isoelectronic Sequence between S I and Ni XIII, *B. C. Fawcett* **35**, 185 (1986)
- Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed 3–3 and 3–4 Transitions for Ions in the P-like Isoelectronic Sequence between P I and Ni XIV, *B. C. Fawcett* **35**, 203 (1986)
- Energy Levels of Mg-like Ions Calculated in the Model-Potential Relativistic Perturbation Theory: $Z = 25\text{--}84$, *E. P. Ivanova, L. N. Ivanov, and M. A. Tsirekidze* **35**, 419 (1986)
- Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed 3–3 Transitions for Ions in the Si-like Isoelectronic Sequence between Si I and Ni XV, *B. C. Fawcett* **36**, 129 (1987)
- Calculated Wavelengths, Oscillator Strengths, and Energy Levels for Allowed 3–3 Transitions for Ions in the Cl-like Isoelectronic Sequence between Ar II and Ni XII, *B. C. Fawcett* **36**, 151 (1987)
- Rate Coefficients for Electron Impact Excitation of Magnesium-like Ions, *A. K. Pradhan* **40**, 335 (1988)
- Collision Strengths and Oscillator Strengths for Inner-Shell Excitation of Na-like Ions, *H. L. Zhang, D. H. Sampson, R. E. H. Clark, and J. B. Mann* **41**, 1 (1989)
- Energy Levels and Transition Probabilities in the Ground-State Configuration of Sulfur-like Ions, *E. B. Saloman and Y.-K. Kim* **41**, 339 (1989)
- Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for the 71 Na-like Ions with $22 \leq Z \leq 92$, *D. H. Sampson, H. L. Zhang, and C. J. Fontes* **44**, 209 (1990)
- Wavelengths and Energy Levels for the Na I Isoelectronic Sequence Y^{28+} through U^{81+} , *J. F. Seely, C. M. Brown, U. Feldman, J. O. Ekberg, C. J. Keane, B. J. MacGowan, D. R. Kania, and W. E. Behring* **47**, 1 (1991)
- Electric Dipole, Electric Quadrupole, and Magnetic Dipole Transition Probabilities of Na-like Ions, $56 \leq Z \leq 92$, *D. H. Baik, Y. G. Ohr, K. S. Kim, J. M. Lee, P. Indelicato, and Y.-K. Kim* **47**, 177 (1991)
- Energy Levels, Wavelengths, and Radiative Transition Probabilities for the Na-like Ions with $38 \leq Z \leq 45$, *Y. Zhang, Q. Zhu, and S. Pan* **52**, 177 (1992)
- Energy-Level Scheme and Transition Probabilities of S-like Ions, *H.-S. Chou, J.-Y. Chang, Y.-H. Chang and K.-N. Huang* **62**, 77 (1996)
- Calculated Level Energies, Transition Probabilities and Lifetimes for Phosphorus-like Ions of the Iron Group in the $3s3p^4$ and $3s^2 3p^2 3d$ Configurations, *S. Fritzsche, C. F. Fischer, and B. Fricke* **68**, 149 (1998)
- Dirac-Fock Oscillator Strengths for E1 Transitions in the Sodium Isoelectronic Sequence (Na I–Ca X), *W. Siegel, J. Migdalek, and Y.-K. Kim* **68**, 303 (1998)
- Calculated Level Energies, Transition Probabilities and Lifetimes of Silicon-like Ions, *C. Kohstall, S. Fritzsche, B. Fricke, and W.-D. Sepp* **70**, 63 (1998)
- Electron-Ion Collisional Ionization Cross Sections and Rates for the Na Isoelectronic Sequence, *C. Y. Chen, J. B. Qi, Y. S. Wang, F. J. Yang, X. J. Xu, and Y. S. Sun* **79**, 65 (2001)
- K- through Kr-like Ions*
- Energy Levels, Wavelengths, and Transition Probabilities of Cu-like Ions, *K.-T. Cheng and Y.-K. Kim* **22**, 547 (1978)
- Oscillator Strengths and Wavelengths for the Copper and Zinc Isoelectronic Sequences; $Z = 29$ to 42, *G. A. Victor and W. R. Taylor* **28**, 107 (1983)
- Energy Levels, Wavelengths, and Weighted Oscillator Strengths for $n = 3\text{--}4$ and $4\text{--}4$ Transitions in Cu-like Ions (Sr X to Nd XXXII), *E. Biémont* **39**, 157 (1988)

- Computed Oscillator Strengths and Energy Levels for Potassium-like Ions V V, Cr VI, Mn VII, Fe VIII, Co IX, Ni X, and Cu XI with Calculated Wavelengths and Wavelengths Derived from Established Data, *B. C. Fawcett* **43**, 71 (1989)
- Wavelengths and Energy Levels for the Cu I Isoelectronic Sequence Ru¹⁵⁺ through U⁶³⁺, *J. F. Seely, C. M. Brown, and U. Feldman* **43**, 145 (1989)
- Energy Levels, Wavelengths, Transition Probabilities, and Oscillator Strengths for $n = 4$ –4 Transitions in Zinc-like Ions, *E. Biémont* **43**, 163 (1989)
- Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for the 33 Cu-like Ions with $60 \leq Z \leq 92$, *H. L. Zhang, D. H. Sampson, and C. J. Fontes* **44**, 273 (1990)
- Relativistic Distorted Wave Collision Strengths and Oscillator Strengths for the 33 Ni-like Ions with $60 \leq Z \leq 92$, *H. L. Zhang, D. H. Sampson, and C. J. Fontes* **48**, 91 (1991)
- Wavelengths and Energy Levels for the Zn I Isoelectronic Sequence Ga¹⁺ through Xe²⁴⁺, *J. F. Seely and A. Bar-Shalom* **55**, 143 (1993)
- Wavelengths and Energy Levels for the Zn I Isoelectronic Sequence Sn²⁰⁺ through U⁶²⁺, *C. M. Brown, J. F. Seely, D. R. Kania, B. A. Hammel, C. A. Back, R. W. Lee, A. Bar-Shalom, and W. E. Behring* **58**, 203 (1994)
- Radiative Rates for Allowed Transitions in Ni-like Nd, Sm, Eu, Ta, and W, *K. M. Aggarwal, P. H. Norrington, K. L. Bell, F. P. Keenan, G. J. Pert, and S. J. Rose* **74**, 157 (2000)
- Relativistic many-body calculations of multipole (E1, M1, E2, M2, E3, and M3) transition wavelengths and rates between 3l⁻¹4l' excited and ground states in nickel-like ions, *U. I. Safronova, A. S. Safronova, S. M. Hamasha, and P. Beiersdorfer* **92**, 47 (2006)
- Isomer Shifts, Isotope Shifts* (54)
See *Nuclear Radii* (72)
- Lamb Shift* (54a)
Energy Levels of Hydrogen-like Atoms Predicted by Quantum Electrodynamics, $10 \leq Z \leq 40$, *P. J. Mohr* **29**, 453 (1983)
The Lamb Shift in Hydrogen-like Atoms, $1 \leq Z \leq 110$, *W. R. Johnson and G. Soff* **33**, 405 (1985)
- Lifetimes* (55)
See also *Atomic Transition Probabilities and Lifetimes* (9)
Half-Lives (41)
Molecular Data (61)
Nuclear Transition Probabilities (75)
- Franck-Condon factors, transition probabilities, and radiative lifetimes for hydrogen molecules and their isotopomers, *U. Fantz and D. Wünderlich* **92**, 852 (2006)
- Masses and Mass Differences* (56)
Two-Proton and Two-Neutron Binding-Energy Systematics and Alpha-Decay Energies, *A. H. Wapstra* NDT **A1**, 1 (1965)
Influence of Nuclear Structure on Binding Energy, *V. A. Kravtsov and N. N. Skachkov* NDT **A1**, 491 (1966)
Nuclear Reaction Q-Values, *C. Maples, G. W. Goth, and J. Cerny* NDT **A2**, 429 (1966)
Shell-Independent Systematics S_n (Isotonic) and S_p (Isotopic), *N. B. Gove and M. Yamada* NDT **A4**, 237 (1968)
The 1971 Atomic Mass Evaluation, *A. H. Wapstra and N. B. Gove* NDT **A9**, 265 (1971)
The 1971 Atomic Mass Evaluation: Part V. Nuclear-Reaction Q-Values, *N. B. Gove and A. H. Wapstra* NDT **A11**, 127 (1972)
Topographical Maps of the Nuclear Binding Energy Surface, *V. A. Kravtsov and N. N. Skachkov* **12**, 143 (1973)
A Mass Table for $50 \leq Z \leq 118$, $130 \leq A \leq 311$ Derived from Nuclear Energy Systematics, *V. E. Viola, Jr., J. A. Swant, and J. Graber* **13**, 35 (1974)
1975 Mass Predictions, Introduction, *S. Maripuu and K. Way* **17**, No. 5–6, i (1976)
Erratum **18**, 595 (1976)
1975 Mass Predictions: Development of the Semiempirical Droplet Model, *W. D. Myers* **17**, 411 (1976)
- 1975 Mass Predictions: A New Semiempirical Shell Correction to the Droplet Model, Gross Theory of Nuclear Magics, *H. von Groote, E. R. Hilf, and K. Takahashi* **17**, 418 (1976)
- 1975 Mass Predictions: A Semiempirical Liquid-Drop Plus Shell-Correction Formula, *P. A. Seeger and W. M. Howard* **17**, 428 (1976)
- 1975 Mass Predictions: A Semiempirical Shell-Model Formula, *S. Liran and N. Zeldes* **17**, 431 (1976)
- 1975 Mass Predictions: An *Ab-Initio* Shell-Model Formula, *M. Bauer* **17**, 442 (1976)
- 1975 Mass Predictions: Masses of Spherical Nuclei from the Energy-Density Method, *M. Beiner, R. J. Lombard, and D. Mas* **17**, 450 (1976)
- 1975 Mass Predictions: Updated Mass Predictions from the Garvey-Kelson Mass Relations, *J. Jänecke* **17**, 455 (1976)
- 1975 Mass Predictions: Ensemble Averaging of Mass Values, *E. Comay and I. Kelson* **17**, 463 (1976)
- 1975 Mass Predictions: Masses from Inhomogeneous Partial Difference Equations, *J. Jänecke and B. P. Eynon* **17**, 467 (1976)
- 1975 Mass Predictions: A 1975 Midstream Atomic Mass Evaluation, *A. H. Wapstra and K. Bos* **17**, 474 (1976)
Erratum **22**, 367 (1978)
- The 1977 Atomic Mass Evaluation: Parts I through III, *A. H. Wapstra and K. Bos* **19**, 175 (1977)
- The 1977 Atomic Mass Evaluation: Part IV, *A. H. Wapstra and K. Bos* **20**, 1 (1977)
Erratum **20**, 126 (1977)
- Calculated Fission Barriers, Ground-State Masses, and Particle Separation Energies for Nuclei with $76 \leq Z \leq 100$ and $140 \leq N \leq 184$, *W. M. Howard and P. Möller* **25**, 219 (1980)
- Atomic Masses and Nuclear Ground-State Deformations Calculated with a New Macroscopic-Microscopic Model, *P. Möller and J. R. Nix* **26**, 165 (1981)
- An Overview of the 1986–1987 Atomic Mass Predictions, *P. E. Haustein* **39**, 185 (1988)
- Masses of Proton-Rich $T_z < 0$ Nuclei via the Isobaric Mass Equation, *A. Pape and M. S. Antony* **39**, 201 (1988)
- Mass Predictions Based on α -Line Systematics, *G. Dussel, E. Caurier, and A. P. Zuker* **39**, 205 (1988)
- Nuclear Masses from a Unified Macroscopic-Microscopic Model, *P. Möller and J. R. Nix* **39**, 213 (1988)
- Nuclear Mass Formula with a Finite-Range Droplet Model and a Folded-Yukawa Single-Particle Potential, *P. Möller, W. D. Myers, W. J. Swiatecki, and J. Treiner* **39**, 225 (1988)
- Mass Predictions by Modified Ensemble Averaging, *E. Comay, I. Kelson, and A. Zidon* **39**, 235 (1988)
- Masses of Atomic Nuclei in the Infinite Nuclear Matter Model, *L. Satpathy and R. C. Nayak* **39**, 241 (1988)
- Empirical Mass Formula with Proton-Neutron Interaction, *T. Tachibana, M. Uno, M. Yamada, and S. Yamada* **39**, 251 (1988)
- A Modified Bethe-Weizsäcker Mass Formula with Deformation and Shell Corrections and Few Free Parameters, *L. Spanier and S. A. E. Johansson* **39**, 259 (1988)
- Mass Predictions from the Garvey-Kelson Mass Relations, *J. Jänecke and P. J. Masson* **39**, 265 (1988)
- Masses from an Inhomogeneous Partial Difference Equation with Higher-Order Isospin Contributions, *P. J. Masson and J. Jänecke* **39**, 273 (1988)
- Atomic Masses from (Mainly) Experimental Data, *A. H. Wapstra, G. Audi, and R. Hoekstra* **39**, 281 (1988)
- Nuclear Ground-State Masses and Deformations, *P. Möller, J. R. Nix, W. D. Myers, and W. J. Swiatecki* **59**, 185 (1995)
- Nuclear Mass Formula via an Approximation to the Hartree-Fock Method, *Y. Aboussir, J. M. Pearson, A. K. Dutta, and F. Tondeur* **61**, 127 (1995)
- Nuclear Properties for Astrophysical and Radioactive-Ion Beam Applications, *P. Möller, J. R. Nix, and K.-L. Kratz* **66**, 131 (1997)
- Ground-State Properties of Even-Even Nuclei in the Relativistic Mean-Field Theory, *G. A. Lalazissis, S. Raman, and P. Ring* **71**, 1 (1999)
- Mass Predictions in the Infinite Nuclear Matter Model, *R. C. Nayak and L. Satpathy* **73**, 213 (1999)
- A Hartree-Fock Nuclear Mass Table, *S. Goriely, F. Tondeur, and J. M. Pearson* **77**, 311 (2001)

- Axial and reflection asymmetry of the nuclear ground state, P. Möller, R. Bengtsson, B. G. Carlsson, P. Olivius, T. Ichikawa, H. Sagawa, and A. Iwamoto **94**, 758 (2008)
- M1 and M2 Transitions** (57)
See also *Nuclear Transition Probabilities* (75)
Table of Electromagnetic M1 Reduced Transition-Probability Matrix Elements between Nilsson States in Odd-A Nuclei, E. Browne and F. R. Femenia NDT **A10**, 81 (1971)
Matrix Element for Penetration Factor in M1 Transitions between Nilsson States in Odd-A Nuclei, D. K. Krpić, I. V. Aničin, and R. B. Vukanović NDT **A11**, 553 (1973)
Radiation and Penetration Matrix Elements for Magnetic Quadrupole Transitions between Nilsson States in Odd Nuclei, A. P. Feresin and I. S. Guseva **31**, 153 (1984)
- Many-Body Perturbation Calculations** (57a)
Formulas from First-, Second-, and Third-Order Perturbation Theory for Atoms with One Valence Electron, S. A. Blundell, D. S. Guo, W. R. Johnson, and J. Sapirstein **37**, 103 (1987)
Expansion Coefficients of Scattering Parameters in Quantum Thermodynamic Perturbation Theory, E. Buendía, R. Guardiola, and M. De Llano **42**, 293 (1989)
Transition Rates for Lithium-like Ions, Sodium-like Ions, and Neutral Alkali-Metal Atoms, W. R. Johnson, Z. W. Liu, and J. Sapirstein **64**, 279 (1996)
Relativistic Many-Body Calculations of Energies of $n = 3$ States for the Boron Isoelectronic Sequence, $Z = 6-30$, U. I. Safronova, W. R. Johnson, and M. S. Safronova **69**, 183 (1998)
- Matrix Elements** (58)
See also *d-Shell* (27)
E0 and E2 Transitions (27a)
f-Shell (32a)
M1 and M2 Transitions (57)
Many-Body Perturbation Calculations (57a)
Tables of Single-Particle Reduced Matrix Elements of Spherical Tensors, W. K. Bell and G. R. Satchler NDT **A9**, 147 (1971)
Expansion Coefficients of Many-Particle Matrix Elements of a Two-Body Interaction in Terms of Two-Particle Matrix Elements for J^n Configurations of Like Nucleons, I. M. Band and Yu. I. Kharitonov NDT **A10**, 107 (1971)
Relativistic Matrix Elements of the Energy Operator in the Case of Complex Electronic Configurations, Z. B. Rudzikas, V. I. Sivec, and I. S. Kičkin **18**, 205 (1976)
Matrix Elements of the Relativistic Electron-Transition Operators, Z. B. Rudzikas, A. A. Slepcev, and I. S. Kičkin **18**, 223 (1976)
Multipole Operators in Semileptonic Weak and Electromagnetic Interactions with Nuclei, T. W. Donnelly and W. C. Haxton **23**, 103 (1979)
Multipole Operators in Semileptonic Weak and Electromagnetic Interactions with Nuclei. II. General Single-Particle Matrix Elements, T. W. Donnelly and W. C. Haxton **25**, 1 (1980)
Single-Particle Glauber Matrix Elements, E. Oset and D. Strottman **28**, 531 (1983)
- Mixing Ratios** (60)
E2, M1 Multipole Mixing Ratios in Even-Even Nuclei, $A \geq 152$, K. S. Krane **16**, 383 (1975)
E2, M1 Multipole Mixing Ratios in Odd-Mass Nuclei, $A > 150$, K. S. Krane **18**, 137 (1976)
E2, M1 Multipole Mixing Ratios in Odd-Mass Nuclei, $59 \leq A \leq 149$, K. S. Krane **19**, 363 (1977)
E2, M1 Multipole Mixing Ratios in Even-Even Nuclei, $58 \leq A \leq 150$, K. S. Krane **20**, 211 (1977)
E2, M1 Multipole Mixing Ratios in Nuclei with $A \leq 57$, K. S. Krane **22**, 269 (1978)
E2, M1 Multipole Mixing Ratios, Supplement and Corrections through December 1979, K. S. Krane **25**, 29 (1980)
- Molecular Data** (61)
See also *Hartree-Fock-Roothaan Values* (45)
Hydrogen Molecule (47)
Reaction Rates (87)
Rotation, Rotation-Vibration (88)
Transport (97)
A Compilation of Measured Lifetimes of Gaseous Diatomic Molecules, R. Anderson AD **3**, 227 (1971)
Analytic cross-sections for electron impact collisions with nitrogen molecules, T. Tabata, T. Shirai, M. Sataka, and H. Kubo **92**, 375 (2006)
Franck-Condon factors, transition probabilities, and radiative lifetimes for hydrogen molecules and their isotopomers, U. Fantz and D. Wunderlich **92**, 852 (2006)
- Muonic (Mesic) Atoms** (62)
See also *Nuclear Charge and Moment Distributions* (67)
Tables of Electron Screening and Higher-Order Vacuum Polarization Potentials in Mesic Atoms, P. Vogel **14**, 599 (1974)
Erratum **16**, 580 (1975)
Higher-Order Corrections to Level Energies of Muonic Atoms, G. A. Rinker and R. M. Steffen **20**, 143 (1977)
Asymmetry and Energy Spectrum of Electrons in Bound-Muon Decay, R. Watanabe, K. Muto, T. Oda, T. Niwa, H. Ohtsubo, R. Morita, and M. Morita **54**, 165 (1993)
Atlas of Cross Sections for Scattering of Muonic Hydrogen Atoms on Hydrogen Isotope Molecules, A. Adamczak, M. P. Faifman, L. I. Ponomarev, V. I. Korobov, V. S. Melezhik, R. T. Siegel, and J. Woźniak **62**, 255 (1996)
Energy Levels and Radiative Transitions in Muonic Hydrogen, E. Milotti **70**, 137 (1998)
- Neutron Cross Sections, Scattering Lengths** (64)
See also *Thermonuclear Data* (96)
Experimental Excitation Functions for (n, p) , (n, t) , (n, α) , $(n, 2n)$, (n, np) , and $(n, n\alpha)$ Reactions, P. Jessen, M. Bormann, F. Dreyer, and H. Neuert NDT **A1**, 103 (1966)
Neutron Cross Sections of Hydrogen in the Energy Range 0.001 eV–20 MeV, A. Horsley NDT **A2**, 243 (1966)
S-Wave Neutron Strength Functions, K. K. Seth NDT **A2**, 299 (1966)
An Extended Table of Calculated $(n, 2n)$ Cross Sections, S. Pearlstein NDT **A3**, 327 (1967)
Neutron Cross Sections of Deuterium in the Energy Range 0.0001 eV to 20 MeV, A. Horsley NDT **A4**, 321 (1968)
The $^1\text{H}(n, n)^1\text{H}$ Scattering Observables Required for High-Precision Fast-Neutron Measurements, J. C. Hopkins and G. Breit NDT **A9**, 137 (1971)
Neutron Activation Cross Sections Measured and Semiempirical, W. E. Alley and R. M. Lessler NDT **A11**, 621 (1973)
An Evaluation of Neutron and Gamma-Ray-Production Cross-Section Data for Lead, C. Y. Fu and F. G. Perey **16**, 409 (1975)
Consistent Calculations of (n, x) and $(n, x\gamma)$ Cross Sections for ^{40}Ca , $E_n = 1-20$ MeV, C. Y. Fu **17**, 127 (1976)
Neutron Scattering Cross Sections of Carbon below 2 MeV Recommended from R-Matrix Fits to Data, C. Y. Fu and F. G. Perey **22**, 249 (1978)
Calculated Differential Secondary-Particle Production Cross Sections after Nonelastic Neutron Interactions with Carbon and Oxygen between 15 and 60 MeV, D. J. Brenner and R. E. Prael **41**, 71 (1989)
Resonance Effects in Neutron Scattering Lengths of Rare-Earth Nuclides, J. E. Lynn and P. A. Seeger **44**, 191 (1990)
Neutron Scattering Lengths: A Survey of Experimental Data and Methods, L. Koester, H. Rauch, and E. Seymann **49**, 65 (1991)
Calculated Differential Elastic and Inelastic Neutron Scattering by ^{12}C and ^{16}O between 30 and 60 MeV, M. S. Islam and R. W. Finlay **58**, 245 (1994)
Experimental Cross Sections for Light Charged Particle Production Induced by Neutrons with Energies between 25 and 65 MeV Incident on Oxygen, S. Benck, I. Slypen, J. P. Meulders, and V. Corcalciuc **72**, 1 (1999)

- Experimental Cross Sections for Light Charged Particle Production Induced by Neutrons with Energies Between 25 and 75 MeV Incident on Carbon, *I. Slypen, S. Benck, J. P. Meulders, and V. Corcalciuc* **78**, 26 (2000)
- Experimental Cross Sections for Light-Charged Particle Production Induced by Neutrons with Energies between 25 and 65 MeV Incident on Aluminum, *S. Benck, I. Slypen, J. P. Meulders, and V. Corcalciuc* **78**, 161 (2001)
- Recommended nuclear data for use in the k_0 standardization of neutron activation analysis, *F. De Corte and A. Simonits* **85**, 47 (2003)
- Experimental cross-sections for light charged particle emission induced by neutrons with energies between 25 and 65 MeV incident on ^{nat}Fe , ^{59}Co , ^{209}Bi , and ^{nat}U , *E. Raeymackers, I. Slypen, S. Benck, J.P. Meulders, N. Nica, and V. Corcalciuc* **87**, 231 (2004)
- Maxwellian-averaged neutron-induced reaction cross sections and astrophysical reaction rates for $kT = 1$ keV to 1 MeV calculated from microscopic neutron cross section library JENDL-3.3, *T. Nakagawa, S. Chiba, T. Hayakawa, and T. Kajino* **91**, 77 (2005)
- Neutron-Producing Reactions** (65)
- Peak Cross Sections for (HI, xn) Reactions, *W. Neubert* NDT **A11**, 531 (1973)
- Neutron Production Cross Sections and Energies for the Reactions $T(p, n)^3\text{He}$, $D(d, n)^3\text{He}$, and $T(d, n)^4\text{He}$, *H. Liskien and A. Paulsen* NDT **A11**, 569 (1973)
- Neutron Production Cross Sections and Energies for the Reactions $^7\text{Li}(p, n)^7\text{Be}$ and $^7\text{Li}(p, n)^7\text{Be}^*$, *H. Liskien and A. Paulsen* **15**, 57 (1975)
- Atlas of Photoneutron Cross Sections Obtained with Monoenergetic Photons, *B. L. Berman* **15**, 319 (1975)
- Annotated References on Neutron and Photon Production from Thick Targets Bombarded by Charged Particles, *T. Nakamura, Y. Uwamino, K. Sato, Y. Furuta, S. Tanaka, S. Ban, H. Hirayama, T. Kosako, K. Kawachi, and Y. Nishihara* **32**, 471 (1985)
- Atlas of Photoneutron Cross Sections Obtained with Monoenergetic Photons, *S. S. Dietrich and B. L. Berman* **38**, 199 (1988)
- Nuclear Bands** (66)
- See also *Nuclear Models, Optical Model* (70)
- Comparative Study of Two-Parameter Models for Predicting Rotational Energies in Even-Even Nuclei, *P. C. Sood* NDT **A4**, 281 (1968)
- Quasi-Ground, Quasi-Beta, and Quasi-Gamma Bands, *M. Sakai* NDT **A8**, 323 (1970)
- Quasi-Ground, Quasi-Beta, and Quasi-Gamma Bands—1972, *M. Sakai* NDT **A10**, 511 (1972)
- Rotational and Quasirotoational Bands in Even-Even Nuclei, *R. O. Sayer, J. S. Smith III, and W. T. Milner* **15**, 85 (1975)
- Quasi-Ground, Quasi-Beta, and Quasi-Gamma Bands—1974, *M. Sakai* **15**, 513 (1975)
- Quasi-Ground, Quasi-Beta, and Quasi-Gamma Bands, *M. Sakai and A. C. Rester* **20**, 441 (1977)
- Energies of Ground-State Bands of Even Nuclei from Generalized Variable Moment of Inertia Models, *D. Bonatsos and A. Klein* **30**, 27 (1984)
- Quasi-Bands in Even-Even Nuclei, *M. Sakai* **31**, 399 (1984)
- Intrinsic Structures and Associated Rotational Bands in Deformed Even-Even Nuclei with $60 \leq Z \leq 76$ and $90 \leq N \leq 114$, *P. C. Sood, D. M. Headly, and R. K. Sheline* **47**, 89 (1991)
- Rotational Bands in Deformed Odd-A Nuclei in the Actinide Region, *K. Jain and A. K. Jain* **50**, 269 (1992)
- Intrinsic Structures and Associated Rotational Bands in Deformed Even-Even Nuclei of the Actinide Region, *P. C. Sood, D. M. Headly, and R. K. Sheline* **51**, 273 (1992)
- Nuclear Superdeformation Data Tables, *X.-L. Han and C.-L. Wu* **52**, 43 (1992)
- Intrinsic and Rotational Level Structures in Odd-Odd Actinides, *P. C. Sood, D. M. Headly, R. K. Sheline, and R. W. Hoff* **58**, 167 (1994)
- Nuclear Superdeformation Data Tables, *X.-L. Han and C.-L. Wu* **63**, 117 (1996)
- Intrinsic Structures and Associated Rotational Bands in Medium-Heavy Deformed Odd-Odd Nuclei, I, *D. M. Headly, R. K. Sheline, P. C. Sood, R. W. Hoff, I. Hrvnacova, J. Kvasil, D. Nosek, A. K. Jain, and D. G. Burke* **69**, 239 (1998)
- Intrinsic Structures and Associated Rotational Bands in Medium-Heavy Deformed Odd-Odd Nuclei, II: Update Supplement, *B. Singh, P. C. Sood, and A. K. Jain* **69**, 349 (1998)
- Nuclear Superdeformation Data Tables, *X.-L. Han and C.-L. Wu* **73**, 43 (1999)
- Table of Magnetic Dipole Rotational Bands, *Amita, A. K. Jain, and B. Singh* **74**, 283 (2000)
- Table of three-quasiparticle rotational bands in deformed nuclei, $153 \leq A \leq 187$, *S. Singh, S. S. Malik, A. K. Jain, and B. Singh* **92**, 1 (2006)
- Nuclear Charge and Moment Distributions** (67)
- See also *Nuclear Radii* (72)
- Nuclear Charge- and Magnetization-Density-Distribution Parameters from Elastic Electron Scattering, *C. W. de Jager, H. de Vries, and C. de Vries* **14**, 479 (1974)
- Erratum **16**, 580 (1975)
- Charge-Distribution Parameters, Isotope Shifts, Isomer Shifts, and Magnetic Hyperfine Constants from Muonic Atoms, *R. Engfer, H. Schnewly, J. L. Vuilleumier, H. K. Walter, and A. Zehnder* **14**, 509 (1974)
- Erratum **16**, 580 (1975)
- Nuclear Charge-Density-Distribution Parameters from Elastic Electron Scattering, *H. de Vries, C. W. de Jager, and C. de Vries* **36**, 495 (1987)
- Nuclear Decay Schemes** (68)
- Radioactive Atoms: Auger-Electron, α -, β -, γ -, and X-Ray Data, *M. J. Martin and P. H. Blichert-Toft* NDT **A8**, 1 (1970)
- Midstream Evaluation, $A = 88$, *C. D. Goodman, T. A. Hughes, M. W. Johns, and K. Way* NDT **A8**, 345 (1970)
- Midstream Evaluation, $A = 89$, *M. W. Johns, J. Y. Park, S. M. Shafroth, D. M. Van Patter, and K. Way* NDT **A8**, 373 (1970)
- Midstream Evaluation, $A = 90$, *J. B. Ball, M. W. Johns, and K. Way* NDT **A8**, 407 (1970)
- Compilation of giant electric dipole resonances built on excited states, *A. Schiller and M. Thoennessen* **93**, 549 (2007)
- Nuclear Masses** (69)
- See *Masses and Mass Differences* (56)
- Nuclear Models, Optical Model** (70)
- Deuteron Absorption Coefficients and Reaction Cross Sections Calculated with Optical Model Potentials, *M. A. Melkanoff, T. Sawada, and N. Cindro* NDT **A2**, 263 (1966)
- Compilation of Phenomenological Optical-Model Parameters 1969–1970, *C. M. Perey and F. G. Perey* NDT **A10**, 539 (1972)
- Compilation of Phenomenological Optical-Model Parameters 1969–1972, *C. M. Perey and F. G. Perey* **13**, 293 (1974)
- Compilation of Phenomenological Optical-Model Parameters 1954–1975, *C. M. Perey and F. G. Perey* **17**, 1 (1976)
- $^{6,7}\text{Li}$ Optical-Model Parameters, *J. Cook* **26**, 19 (1981)
- Quasiparticle Levels in Rotating Rare Earth Nuclei: A Cranked Shell-Model Dictionary, *R. Bengtsson, S. Frauendorf, and F.-R. May* **35**, 15 (1986)
- Compilation of Triton Optical Model Parameters, 1954–1990, *R. P. Ward and P. R. Hayes* **49**, 315 (1991)
- Shape Coexistence Effects of Super- and Hyperdeformed Configurations in Rotating Nuclei with $58 \leq Z \leq 74$, *T. R. Werner and J. Dudek* **50**, 179 (1992)
- Shape Coexistence Effects of Super- and Hyperdeformed Configurations in Rotating Nuclei. II. Nuclei with $42 \leq Z \leq 56$ and $74 \leq Z \leq 92$, *T. R. Werner and J. Dudek* **59**, 1 (1995)
- Axial and reflection asymmetry of the nuclear ground state, *P. Moller, R. Bengtsson, B. G. Carlsson, P. Olivius, T. Ichikawa, H. Sagawa, and A. Iwamoto* **94**, 758 (2008)

- Nuclear Moments** (71)
 Nuclear Spins and Moments, G. H. Fuller and V. W. Cohen
 NDT **A5**, 433 (1969)
 Nuclear Intrinsic Quadrupole Moments and Deformation Parameters, K. E. G. Löbner, M. Vetter, and V. Höning
 NDT **A7**, 495 (1970)
 Quadrupole Moments of Nuclear Excited States Measured by the Reorientation Effect in Coulomb Excitation, A. Christy and O. Häusser
 NDT **A11**, 281 (1973)
 Table of Nuclear Moments, P. Raghavan
42, 189 (1989)
 Nuclear Charge Radii and Electronic Quadrupole Moments of Even–Even Isotopes, B. Nerlo-Pomorska and B. Mach
60, 287 (1995)
 Ground-State Properties of Even-Even Nuclei in the Relativistic Mean-Field Theory, G. A. Lalazissis, S. Raman, and P. Ring
71, 1 (1999)
 Table of nuclear magnetic dipole and electric quadrupole moments, N. J. Stone
90, 75 (2005)
- Nuclear Radii** (72)
 See also *Nuclear Charge and Moment Distributions* (67)
 Changes of Mean-Square Nuclear Charge Radii from Isotope Shifts of Electronic K X-Rays, F. Boehm and P. L. Lee
14, 605 (1974)
 Erratum **16**, 580 (1975)
 Changes in Mean-Square Nuclear Charge Radii from Optical Isotope Shifts, K. Heilig and A. Steudel
14, 613 (1974)
 Changes in Mean-Square Nuclear Charge Radii from Mössbauer Isomer Shifts, G. M. Kalvius and G. K. Shenoy
14, 639 (1974)
 Changes in Mean-Square Nuclear Charge Radii from Optical Isotope Shifts, P. Aufmuth, K. Heilig, and A. Steudel
37, 455 (1987)
 Systematics of Nuclear Charge Radii, E. G. Nadjakov, K. P. Marinova, and Y. P. Gangrsky
56, 133 (1994)
 Nuclear Ground State Charge Radii from Electromagnetic Interactions, G. Fricke, C. Bernhardt, K. Heilig, L. A. Schaller, L. Schellenberg, E. B. Shera, and C. W. de Jager
60, 177 (1995)
 Nuclear Charge Radii and Electronic Quadrupole Moments of Even–Even Isotopes, B. Nerlo-Pomorska and B. Mach
60, 287 (1995)
 Ground-State Properties of Even-Even Nuclei in the Relativistic Mean-Field Theory, G. A. Lalazissis, S. Raman, and P. Ring
71, 1 (1999)
 A consistent set of nuclear rms charge radii: properties of the radius surface $R(N,Z)$, I. Angeli
87, 185 (2004)
- Nuclear Spectroscopic Factors** (73)
 Spectroscopic Factors for Single-Nucleon Transfer in the $A = 21$ –44 Region, P. M. Endt
19, 23 (1977)
 Compilation of giant electric dipole resonances built on excited states, A. Schiller and M. Thoennessen
93, 549 (2007)
- Nuclear Stiffness** (74)
 Effective Mass B_2 and Stiness Parameter C_2 for Quadrupole Vibration in Even-Even Spherical Nuclei, C. Y. Wong
 NDT **A4**, 271 (1968)
- Nuclear Transition Probabilities** (75)
 See also *B(E2) and B(E3) Data* (12)
E0 and E2 Transitions (27a)
M1 and M2 Transitions (57)
 Compilation of Electromagnetic Transition Rates in Light Nuclei ($A \leq 40$), S. J. Skorka, J. Hertel, and T. W. Retz-Schmidt
 NDT **A2**, 347 (1966)
 Strengths of Gamma-Ray Transitions between Bound States of $A = 21$ –44 Nuclei, P. M. Endt and C. van der Leun
13, 67 (1974)
 Gamma-Ray Transition Probabilities in Deformed Nuclei ($150 < A \leq 190$), W. Andrejtscheff, K. D. Schilling, and P. Manfrass
16, 515 (1975)
 Strengths of Gamma-Ray Transitions in $A = 6$ –44 Nuclei (III), P. M. Endt
23, 3 (1979)
 Strengths of Gamma-Ray Transitions in $A = 45$ –90 Nuclei, P. M. Endt
23, 547 (1979)
 Strengths of Gamma-Ray Transitions in $A = 91$ –150 Nuclei, P. M. Endt
26, 47 (1981)
 Strengths of Gamma-Ray Transitions in $A = 5$ –44 Nuclei, IV, P. M. Endt
55, 171 (1993)
 Elements and their transitions feasible for NEET, S. Sakabe, K. Takahashi, M. Hashida, S. Shimizu, and T. Iida
91, 1 (2005)
- Opacities** (75a)
 A Collection of Los Alamos Opacity Tables for All Temperatures, A. Weiss, J. J. Keady, and N. H. Magee, Jr.
45, 209 (1990)
- Optical Model** (75b)
 See *Nuclear Models, Optical Model* (70)
- Particle–Solid Interactions** (75c)
 See also *Stopping Power and Range* (93)
 Backscattering Coefficients of H, D, and He Ions from Solids, T. Tabata, R. Ito, Y. Itikawa, N. Itoh, and K. Morita
28, 493 (1983)
 Energy Dependence of Ion-Induced Sputtering Yields of Monatomic Solids, N. Matsunami, Y. Yamamura, Y. Itikawa, N. Itoh, Y. Kazumata, S. Miyagawa, K. Morita, R. Shimizu, and H. Tawara
31, 1 (1984)
 Energy Dependence of Ion-Induced Sputtering Yields from Monatomic Solids at Normal Incidence, Y. Yamamura and H. Tawara
62, 149 (1996)
 Erratum **63**, 353 (1996)
- Penetration through Matter** (76)
 See *Photon Cross Sections* (77)
Stopping Power and Range (93)
Transport (97)
- Photon Cross Sections** (77)
 Photon Cross Sections from 1 keV to 100 MeV for Elements $Z = 1$ to $Z = 100$, E. Storm and H. I. Israel
 NDT **A7**, 565 (1970)
 Compilation of Atomic Ultraviolet Photoabsorption Cross Sections for Wavelengths between 3000 and 10 Å, R. D. Hudson and L. J. Kieffer
 AD **2**, 205 (1971)
 Survey of Photon-Attenuation-Coefficient Measurements: 10 eV to 100 GeV, J. H. Hubbell
 AD **3**, 241 (1971)
 Photon Cross Sections from 0.1 keV to 1 MeV for Elements $Z = 1$ to $Z = 94$, W. J. Veigele
 AD **5**, 51 (1973)
 Rayleigh and Raman Cross Sections for the Hydrogen Molecule, A. L. Ford and J. C. Browne
 AD **5**, 305 (1973)
 Differential Cross Sections for Coherent Photon Scattering by Elements $Z = 2$ through $Z = 26$, R. T. Brown
15, 111 (1975)
 Atlas of Photoneutron Cross Sections Obtained with Monoenergetic Photons, B. L. Berman
15, 319 (1975)
 Absolute Photoionization Cross-Section Tables for Helium, Neon, Argon, and Krypton in the VUV Spectral Regions, G. V. Marr and J. B. West
18, 497 (1976)
 Cross Sections for the Photoionization of $H_2(X^1\Sigma_g^+, v_1 = 0$ –14) with the Formation of $H_2^+(X^2\Sigma_g^+, v_f = 0$ –18), and Vibrational Overlaps and R^m -Centroids for the Associated Vibrational Transitions, M. R. Flannery, H. Tai, and D. L. Albritton
20, 563 (1977)
 Absolute Photoionization-Cross Section Tables for Xenon in the VUV and the Soft X-Ray Regions, J. B. West and J. Morton
22, 103 (1978)
 K and L X-Ray Mass Attenuation Coefficients for Low-Z Materials, E. C. Montenegro, G. B. Baptista, and P. W. E. P. Duarte
22, 131 (1978)
 Photoionization and Photoabsorption Cross Sections of He, O, N_2 , and O_2 for Aeronomic Calculations, K. Kirby, E. R. Constantinides, S. Babeu, M. Oppenheimer, and G. A. Victor
23, 63 (1979)
 Photoionization Cross Sections and Photoelectron Angular Distributions for X-Ray Line Energies in the Range 0.132–4.509 keV. Targets: $1 \leq Z \leq 100$, I. M. Band, Yu. I. Kharitonov, and M. B. Trzaskovskaya
23, 443 (1979)
 Photoionization Cross Sections Calculated by the Scaled Thomas–Fermi Method ($h\nu \leq 50$ eV), D. Hofsaess
24, 285 (1979)
 Theoretical Photoionization Parameters for the Noble Gases Argon, Krypton, and Xenon, K.-N. Huang, W. R. Johnson, and K. T. Cheng
26, 33 (1981)
 Low-Energy X-Ray Interaction Coefficients: Photoabsorption, Scattering, and Reflection, $E = 100$ –2000 eV, $Z = 1$ –94, B. L. Henke, P. Lee, T. J. Tanaka, R. L. Shimabukuro, and B. K. Fujikawa
27, 1 (1982)
 Atomic Subshell Photoionization Cross Sections and Asymmetry Parameters: $1 \leq Z \leq 103$, J. J. Yeh and I. Lindau
32, 1 (1985)

- Isoelectronic Sequence Fits to Configuration-Averaged Photoionization Cross Sections and Ionization Energies, R. E. H. Clark, R. D. Cowan, and F. W. Bobrowicz **34**, 415 (1986)
- X-Ray Attenuation Cross Sections for Energies 100 eV to 100 keV and Elements $Z = 1$ to $Z = 92$, E. B. Saloman, J. H. Hubbell, and J. H. Scofield **38**, 1 (1988)
- Atlas of Photoneutron Cross Sections Obtained with Monoenergetic Photons, S. S. Dietrich and B. L. Berman **38**, 199 (1988)
- Amplitudes for Delbrück Scattering, H. Falkenberg, A. Hüniger, P. Rullhusen, M. Schumacher, A. I. Milstein, and K. Mork **50**, 1 (1992)
- Photoionization of Excited States of Neutral Atomic Carbon and Singly Ionized Nitrogen, V. Escalante and G. A. Victor **51**, 1 (1992)
- Photoionization and Photoabsorption Cross Sections of O, N₂, O₂, and N for Aeronomic Calculations, J. A. Fennelly and D. G. Torr **51**, 321 (1992)
- X-Ray Elastic and Inelastic Scattering Factors for Neutral Atoms $Z = 2$ –92, Jiahu Wang, Robin P. Sagar, Hartmut Schmider, and Vedene H. Smith, Jr. **53**, 233 (1993)
- X-ray Interactions: Photoabsorption, Scattering, Transmission, and Reflection at $E = 50$ –30,000 eV, $Z = 1$ –92, B. L. Henke, E. M. Gullikson, and J. C. Davis **54**, 181 (1993)
Erratum **55**, 349 (1993)
- Subshell Photoionization Cross Sections and Ionization Energies of Atoms and Ions from He to Zn, D. A. Verner, D. G. Yakovlev, I. M. Band, and M. B. Trzhaskovskaya **55**, 233 (1993)
- Transition Probabilities and Photoionization of Neutral Atomic Oxygen, V. Escalante, and G. A. Victor **56**, 213 (1994)
- Relativistic Dirac–Hartree–Fock Photon Incoherent Scattering Functions, S. Kahane **68**, 323 (1998)
- Dissociative Photoionization Cross Sections of N₂ and O₂ from 100 to 800 eV, W. C. Stolte, Z. X. He, J. N. Cutler, Y. Lu, and J. A. R. Samson **69**, 171 (1998)
- Non-dipole Effects in Photoelectron Angular Distributions for Rare Gas Atoms, A. Derevianko, W. R. Johnson, and K. T. Cheng **73**, 153 (1999)
- Cross Sections for Radiative Recombination and the Photoelectric Effect in the K , L , and M Shells of One-Electron Systems with $1 \leq Z \leq 112$ Calculated within an Exact Relativistic Description, A. Ichihara and J. Eichler **74**, 1 (2000)
- Photoelectron Angular Distribution Parameters for Elements $Z = 1$ to $Z = 54$ in the Photoelectron Energy Range 100–5000 eV, M. B. Trzhaskovskaya, V. I. Nefedov, and V. G. Yarzhevsky **77**, 97 (2001)
- Angle-Differential Cross Sections for Radiative Recombination and the Photoelectric Effect in the K , L , and M Shells of One-Electron Systems Calculated within an Exact Relativistic Description, A. Ichihara and J. Eichler **79**, 187 (2001)
- Photoelectron Angular Distribution Parameters for Elements $Z = 50$ to $Z = 100$ in the Photoelectron Energy Range 100–5000 eV, M. B. Trzhaskovskaya, V. I. Nefedov, and V. G. Yarzhevsky **82**, 257 (2002)
- Predicted cross-sections for photon-induced particle emission, T. Rauscher and F.-K. Thielemann **88**, 1 (2004)
- Non-dipole second order parameters of the photoelectron angular distribution for elements $Z = 1$ –100 in the photoelectron energy range 1–10 keV, M. B. Trzhaskovskaya, V. K. Nikulin, V. I. Nefedov, and V. G. Yarzhevsky **92**, 245 (2006)
- Incoherent scattering cross sections for some ions of solar abundance, S. Kahane **93**, 183 (2007)
- Radiative recombination and photoionization cross sections for heavy element impurities in plasmas, M. B. Trzhaskovskaya, V. K. Nikulin, and R. E. H. Clark **94**, 71 (2008)
- 1–10 keV, M. B. Trzhaskovskaya, V. K. Nikulin, V. I. Nefedov, and V. G. Yarzhevsky **92**, 245 (2006)
- Plasmas** (79)
- Steady-State Radiative Cooling Rates for Low-Density, High-Temperature Plasmas, D. E. Post, R. V. Jensen, C. B. Tarter, W. H. Grasberger, and W. A. Lokke **20**, 397 (1977)
- Ionization State Distribution and Radiative Cooling Rate for Argon in a Low Density Plasma, K. B. Fournier, M. Cohen, M. J. May, and W. H. Goldstein **70**, 231 (1998)
Erratum **74**, 333 (2000)
- Ionization Balance for Optically Thin Plasmas: Rate Coefficients for Cu, Zn, Ga, and Ge Ions, G. Mazzitelli and M. Mattioli **82**, 313 (2002)
- Polarizabilities** (80)
- The Static Dipole Polarizabilities of All the Neutral Atoms in Their Ground States, R. R. Teachout and R. T. Pack **AD 3**, 195 (1971)
- Refractive Indices, Verdet Constants, and Polarizabilities of the Inert Gases, P. J. Leonard **14**, 21 (1974)
- Electric-Dipole, Quadrupole, and Magnetic-Dipole Susceptibilities and Shielding Factors for Closed-Shell Ions of the He, Ne, Ar, Ni(Cu⁺), Kr, Pd, and Xe Isoelectronic Sequences, W. R. Johnson, D. Kolb, and K.-N. Huang **28**, 333 (1983)
- Thomas–Fermi Model Electron Density with Correct Boundary Conditions: Applications to Atoms and Ions, S. H. Patil **71**, 41 (1999)
- Positron Annihilation and Scattering** (81)
- The Probability of Positron Annihilation-in-Flight for Allowed Beta Decay, G. Azuelos and J. E. Kitching **17**, 103 (1976)
- Positron-Annihilation Data Tables, R. M. Singru, K. B. Lal, and S. J. Tao **17**, 271 (1976)
- Positron-Annihilation Data Tables, R. M. Singru, K. B. Lal, S. J. Tao, and R. M. Lambrecht **20**, 475 (1977)
- Differential, Total, and Transport Cross Sections for Elastic Scattering of Low Energy Positrons by Neutral Atoms ($Z = 1$ –92, $E = 500$ –4000 eV), M. Dapor and A. Miotello **69**, 1 (1998)
- Proton and Pion Beams** (82)
- Target Thickness-Angular Spread Tables for Proton and Pion Beams, E. V. Hungerford and B. W. Mayes **15**, 477 (1975)
- Proton Cross Sections** (83)
- See *Charged-Particle Cross Sections and Reactions* (20)
- Protons on Helium** (84)
- See also *Shore and Fano Parameters* (91)
- Differential Cross Sections for Ejection of Electrons from Helium by Protons, M. E. Rudd, L. H. Toburen, and N. Stolterfoht **18**, 413 (1976)
- Spin-lattice relaxation attenuation coefficients for on-line nuclear orientation experiments, D. Vénos, D. Zákoucký, and N. Severijns **83**, 1 (2003)
- Q-Values** (85)
- See *Masses and Mass Differences* (56)
- Radioactivity** (85a)
- See also *Nuclear Decay Schemes* (68)
- Radioactivities Produced in Commonly Used Materials by Proton and Deuteron Beams up to 10 MeV, F. C. Young and D. V. Rose **64**, 223 (1996)
- Nuclear half-lives for α -radioactivity of elements with $100 \leq Z \leq 130$, P. R. Chowdhury, C. Samanta, and D. N. Basu **94**, 781 (2008)
- Range** (86)
- See *Stopping Power and Range* (93)
- Photon-Producing Reactions** (77a)
- Annotated References on Neutron and Photon Production from Thick Targets Bombarded by Charged Particles, T. Nakamura, Y. Uwamino, K. Sato, Y. Furuta, S. Tanaka, S. Ban, H. Hirayama, T. Kosako, K. Kawachi, and Y. Nishihara **32**, 471 (1985)
- Photoionization** (77b)
- Non-dipole second order parameters of the photoelectron angular distribution for elements $Z = 1$ –100 in the photoelectron energy range

- Reaction Rates** (87)
 See also *Thermonuclear Data* (96)
 Rate Constants of Thermal Energy Binary Ion-Molecule Reactions of Aeronomic Interest, *E. E. Ferguson* **12**, 159 (1973)
 Ion-Neutral Reaction-Rate Constants Measured in Flow Reactors through 1977, *D. L. Albritton* **22**, 1 (1978)
 Compilation and R-matrix analysis of Big Bang nuclear reaction rates, *P. Descouvemont, A. Adahchour, C. Angulo, A. Coc, and E. Vangioni-Flam* **88**, 203 (2004)
 Maxwellian-averaged neutron-induced reaction cross sections and astrophysical reaction rates for $kT = 1$ keV to 1 MeV calculated from microscopic neutron cross section library JENDL-3.3, *T. Nakagawa, S. Chiba, T. Hayakawa, and T. Kajino* **91**, 77 (2005)
- Roothaan–Hartree–Fock Values** (87a)
 See *Hartree–Fock–Roothaan Values* (45)
- Rotation, Rotation–Vibration** (88)
 See also *Hydrogen Molecule* (47)
Nuclear Bands (66)
 Tables of Rotational Wavefunctions d_{MK}^I , $I \leq 13$ and $I \leq 25/2$, *A. N. Behkani* NDT **A10**, 1 (1971)
 The Reduced Rotation Matrix: Plots and Zeros, *J. G. Cramer and W. J. Braithwaite* NDT **A10**, 469 (1972)
 Polynomial Approximations to the Stark Perturbed Rotational Energy Levels of the Rigid Symmetric Top Rotor, *I. Røeggen* AD **4**, 289 (1972)
 Rotational and Hyperfine Structure Constants for Groups IA and IIIA Monohalide and Monohydride Molecules, *C. E. Miller, A. A. Finney, and F. W. Inman* AD **5**, 1 (1973)
- Satellites** (88a)
 See also *Isoelectronic Sequences* (53a)
 Wavelengths and Transition Probabilities of Satellites to Resonance Lines of H- and He-like Ions, *L. A. Vainshtein and U. I. Safronova* **21**, 49 (1978)
 Atomic Constants of Autoionization States of Ions with $Z = 6, 8, 10–42$ in the Be Isoelectronic Sequence, *U. I. Safronova and T. G. Lisina* **24**, 49 (1979)
 Dielectronic Satellite Spectra for Highly Charged H-like Ions ($2l'3l''-1s2l, 2l'3l''-1s3l$) and He-like Ions ($1s2l'3l''-1s^22l, 1s2l'3l''-1s^23l$) with $Z = 6–33$, *L. A. Vainshtein and U. I. Safronova* **25**, 311 (1980)
 Simulated Lyman-Alpha and Dielectronic Satellite Spectra, $Z = 6–20$, *J. F. Seely* **26**, 137 (1981)
 L X-Ray Satellite Energies, *F. Parente, M. H. Chen, B. Crasemann, and H. Mark* **26**, 383 (1981)
 Dirac–Fock Energies for Multiple K- Plus L-Shell Vacancy States of Ions with $Z = 9$ to 18, *R. J. Maurer and R. L. Watson* **34**, 185 (1986)
 Energy Shifts of L X-Rays from $70 \leq Z \leq 90$ Elements Due to Multiple M Vacancies, *W. Uchai, C. W. Nestor, Jr., S. Raman, and C. R. Vane* **34**, 201 (1986)
 Dielectronic Satellite Spectra for He-like Ions, *M. H. Chen* **34**, 301 (1986)
 Dielectronic Satellite Spectra for Hydrogen-like Ions, *J. Nilsen* **37**, 191 (1987)
 Dielectronic Satellite Spectra of Li-like Ions, *M. H. Chen and B. Crasemann* **37**, 419 (1987)
 Dielectronic Satellite Spectra for Helium-like Ions, *J. Nilsen* **38**, 339 (1988)
 K-Shell Auger and Radiative Transitions in the Boron Isoelectronic Sequence, *M. H. Chen and B. Crasemann* **38**, 381 (1988)
 Dielectronic Satellite Spectra for Neon-like Ions, *J. Nilsen* **41**, 131 (1989)
 Dielectronic Spectra for Ne-like Titanium from F-like Low-Lying States, *Y.-H. Qiu, S.-C. Li, and Y.-S. Sun* **55**, 1 (1993)
 K-Shell Auger and Radiative Transitions in the Carbon Isoelectronic Sequence, $6 \leq Z \leq 54$, *M. H. Chen, K. J. Reed, D. M. McWilliams, D. S. Guo, L. Barlow, M. Lee, and V. Walker* **65**, 289 (1997)
 Comparison of Satellite Spectra for H-like Fe and He-like Fe, Ca and S Calculated by Three Different Methods, *T. Kato, U. Safronova, A. Shlyaptseva, M. Cornille, J. Dubau, and J. Nilsen* **67**, 225 (1997)
- Scattering** (88b)
 See also *Electron Scattering* (32)
Neutron Cross Sections, Scattering Lengths (64)
Photon Cross Sections (77)
Proton and Pion Beams (82)
Stopping Power and Range (93)
 Scattering of Protons by Hydrogen Atoms at Low Energies: Phase Shifts and Differential Cross Sections, *G. Hunter and M. Kuriyan* **25**, 287 (1980)
 Single-Particle Glauber Matrix Elements, *E. Oset and D. Strottman* **28**, 531 (1983)
- Screening Constants** (89)
 Screening Constants for the Helium and Lithium Isoelectronic Sequences, *K.-N. Huang* **20**, 161 (1977)
- S-Function Plethysms** (90)
 Tables of Outer S-Function Plethysms, *P. H. Butler and B. G. Wybourne* AD **3**, 133 (1971)
 Symmetric and Antisymmetric Outer Plethysms of Schur Functions, *Ö. Egecioglu and J. B. Rummel* **32**, 157 (1985)
- Shore and Fano Parameters** (91)
 Tables of Shore and Fano Parameters for the Helium Resonances $2s^2\ ^1S, 2p^2\ ^1D$, and $2s2p\ ^1P$ Excited in *p*-He Collisions, $E_p = 33–150$ keV, *A. Bordenave-Montesquieu, P. Benoit-Cattin, A. Gleizes, and H. Merchez* **17**, 157 (1976)
- Slater Radial Integrals** (92)
 Tables of Hydrogenic Slater Radial Integrals, *P. H. Butler, P. E. H. Minchin, and B. G. Wybourne* AD **3**, 153 (1971), Erratum **27**, 145 (1982)
- Sputtering** (92a)
 See *Particle–Solid Interactions* (75c)
- Statistical Spectroscopy** (92b)
 The First Four Moments of the Spectral Density Distribution of an N-electron Hamiltonian Matrix Defined in an Antisymmetric and Spin-Adapted Model Space, *J. Karwowski, R. Rajadell, J. Planelles, and V. Mas* **61**, 177 (1995)
- Stark Effect** (92c)
 Stark Broadening of V V and V XIII Spectral Lines, *M. S. Dimitrijević and S. Sahal-Bréchet* **68**, 241 (1998)
 Electron-Impact Stark Broadening Parameters for Ti II and Ti III Spectral Lines, *D. Tankosić, L. Č. Popović, and M. S. Dimitrijević* **77**, 277 (2001)
 Stark broadening of AgI spectral lines, *M. S. Dimitrijević and S. Sahal-Bréchet* **85**, 269 (2003)
- Stopping Power and Range** (93)
 See also *Bremsstrahlung* (17)
Electron Scattering (32)
 A Range-Energy Table for Heavy Particles in Silicon, *H. Bichsel and C. Tschalaer* NDT **A3**, 343 (1967)
 Range and Stopping-Power Tables for Heavy Ions, *L. C. Northcliffe and R. F. Schilling* NDT **A7**, 233 (1970)
 Energy Loss, Range, and Bremsstrahlung Yield for 10-keV to 100-MeV Electrons in Various Elements and Chemical Compounds, *L. Pages, E. Bertel, H. Joffre, and L. Sklavenitis* AD **4**, 1 (1972)
 Stopping Cross Sections and Backscattering Factors for ^4He Ions in Matter, $Z = 1–92$, $E(^4\text{He}) = 400–4000$ keV, *J. F. Ziegler and W. K. Chu* **13**, 463 (1974)
 Ranges of Projectiles with $8 \leq Z \leq 20$ in Ti, Fe, Ni, Cu, Ag, and Au for Energies of 0.0125 to 12.0 MeV/Nucleon, *L. Winsberg* **20**, 389 (1977)
 Electronic Stopping Power of Low-Velocity Ions, Ions: C–Xe, Targets: H–Xe, *D. J. Land and J. G. Brennan* **22**, 235 (1978)

- Proton Range-Energy Tables, 1 keV–10 GeV, Energy Loss, Range, Path Length, Time-of-Flight, Straggling, Multiple Scattering, and Nuclear Interaction Probability. Part I. For 63 Compounds, *J. F. Janni* **27**, 147 (1982)
- Proton Range-Energy Tables, 1 keV–10 GeV, Energy Loss, Range, Path Length, Time-of-Flight, Straggling, Multiple Scattering, and Nuclear Interaction Probability. Part II. For 92 Elements, *J. F. Janni* **27**, 341 (1982)
- Density Effect for the Ionization Loss of Charged Particles in Various Substances, *R. M. Sternheimer, M. J. Berger, and S. M. Seltzer* **30**, 261 (1984)
- Orbital and Whole-Atom Proton Stopping Power and Shell Corrections for Atoms with $Z \leq 36$, *J. Oddershede and J. R. Sabin* **31**, 275 (1984)
- Range and Stopping Power Tables for 2.5–500 MeV/Nucleon Heavy Ions in Solids, *F. Hubert, R. Bimbot, and H. Gauvin* **46**, 1 (1990)
- Partial and Total Electronic Stopping Cross Sections of Atoms and Solids for Protons, *Toshiaki Kaneko* **53**, 271 (1993)
- Muon Stopping Power and Range Tables 10 MeV–100 TeV, *D. E. Groom, N. V. Mokhov, and S. I. Striganov* **78**, 183 (2001)
- Empirical stopping power tables for ions from ${}^3\text{Li}$ to ${}^{18}\text{Ar}$ and from 0.001 to 1000 MeV/nucleon in solids and gases, *H. Paul and A. Schinner* **85**, 377 (2003)
- Structure Amplitudes* (94)
- Tables of Nuclear Structure Amplitudes for Two-Nucleon Transfer Involving Light Projectiles ($A \leq 4$), *N. K. Glendenning* **16**, 1 (1975)
- SU₃* (95)
- Tables of the *SU₃* Fractional-Parentage and Clebsch–Gordon Coefficients in the 2s-1d Shell (I), *Y. Akiyama* NDT **A2**, 403 (1966)
- Reduction of *U₆* Representations into *SU₃* Irreducible Components, *R. Pérez and J. Flores* NDT **A4**, 265 (1968)
- Reduction of *U₁₅* Representations into *SU₃* Irreducible Components, *K. V. Krishna Brahmam and R. D. Ratna Raju* **16**, 165 (1975), Erratum **23**, 589 (1979)
- Note: Classification of the *SU₃*-States in Heavy Deformed Nuclei, *L. Sabaiauskas* **25**, 387 (1980)
- Tables of *SU(3)* Isoscalar Factors, *T. A. Kaeding* **61**, 233 (1995)
- Synchrotron Radiation* (95a)
- Synchrotron Radiation Intensity for 50-MeV to 50-GeV Electrons, *W. B. Westerveld, A. McPherson, and J. S. Risley* **28**, 21 (1983), Erratum **28**, 597 (1983)
- Thermonuclear Data* (96)
- Tables of Thermonuclear-Reaction-Rate Data for Neutron-Induced Reactions on Heavy Nuclei, *J. A. Holmes, S. E. Woosley, W. A. Fowler, and B. A. Zimmerman* **18**, 305 (1976)
- Semiempirical Thermonuclear Reaction-Rate Data for Intermediate-Mass Nuclei, *S. E. Woosley, W. A. Fowler, J. A. Holmes, and B. A. Zimmerman* **22**, 371 (1978)
- Thick-Target Measurements and Astrophysical Thermonuclear Reaction Rates: Proton-Induced Reactions, *N. A. Roughton, M. R. Fritts, R. J. Peterson, C. S. Zaidins, and C. J. Hansen* **23**, 177 (1979)
- Thick-Target Measurements and Astrophysical Thermonuclear Reaction Rates: Alpha-Induced Reactions, *N. A. Roughton, T. P. Intrator, R. J. Peterson, C. S. Zaidins, and C. J. Hansen* **28**, 341 (1983)
- Tables of Thermonuclear Reaction Rates for Low-Mass Nuclei ($1 \leq Z \leq 14$), *G. R. Caughlan, W. A. Fowler, M. J. Harris, and B. A. Zimmerman* **32**, 197 (1985)
- Beta-Decay Rates of Highly Ionized Heavy Atoms in Stellar Interiors, *K. Takahashi and K. Yokoi* **36**, 375 (1987)
- Neutron Capture Cross Sections for s-Process Studies, *Z. Y. Bao and F. Käppeler* **36**, 411 (1987)
- Thermonuclear Reaction Rates V, *G. R. Caughlan and W. A. Fowler* **40**, 283 (1988)
- Rate Tables for the Weak Processes of sd-Shell Nuclei in Stellar Matter, *T. Oda, M. Hino, K. Muto, M. Takahara, and K. Sato* **56**, 231 (1994)
- Weak Interaction Rates of sd-Shell Nuclei in Stellar Environments Calculated in the Proton–Neutron Quasiparticle Random-Phase Approximation, *J.-U. Nabi and H. V. Klapdor-Kleingrothaus* **71**, 149 (1999)
- Astrophysical Reaction Rates from Statistical Model Calculations, *T. Rauscher and F.-K. Thielemann* **75**, 1 (2000)
- Neutron Cross Sections for Nucleosynthesis Studies, *Z. Y. Bao, H. Beer, F. Käppeler, F. Voss, K. Wisshak and T. Rauscher* **76**, 70 (2000)
- Rate Tables for the Weak Processes of pf-Shell Nuclei in Stellar Environments, *K. Langanke and G. Martínez-Pinedo* **79**, 1 (2001)
- Tables of Nuclear Cross Sections and Reaction Rates: An Addendum to the Paper "Astrophysical Reaction Rates from Statistical Model Calculations," *T. Rauscher and F.-K. Thielemann* **79**, 47 (2001)
- Shell Model Based Reaction Rates for rp-Process Nuclei in the Mass Range $A = 44\text{--}63$, *J. L. Fisker, V. Barnard, J. Görres, K. Langanke, G. Martínez-Pinedo, and M. C. Wiescher* **79**, 241 (2001)
- Neutrino-Induced Charged-Current Reaction Rates for r-Process Nuclei, *K. Langanke and E. Kolbe* **79**, 293 (2001)
- Neutrino-Induced Neutral-Current Reaction Rates for r-Process Nuclei, *K. Langanke and E. Kolbe* **82**, 191 (2002)
- Predicted cross-sections for photon-induced particle emission, *T. Rauscher and F.-K. Thielemann* **88**, 1 (2004)
- Microscopic calculations of stellar weak interaction rates and energy losses for fp- and fpg-shell nuclei, *J.-U. Nabi and H. V. Klapdor-Kleingrothaus* **88**, 237 (2004)
- Transport* (97)
- Transport Properties of Atomic Hydrogen, *A. C. Allison and F. J. Smith* AD **3**, 317 (1971)
- Tables of Transport Collision Integrals for (n, 6, 4) Ion-Neutral Potentials, *L. A. Viehland, E. A. Mason, W. F. Morrison, and M. R. Flannery* **16**, 495 (1975)
- Transport Properties of Gaseous Ions over a Wide Energy Range, *H. W. Ellis, R. Y. Pai, E. W. McDaniel, E. A. Mason, and L. A. Viehland* **17**, 177 (1976)
- Transport Properties of Gaseous Ions over a Wide Energy Range. Part II, *H. W. Ellis, E. W. McDaniel, D. L. Albritton, L. A. Viehland, S. L. Lin, and E. A. Mason* **22**, 179 (1978)
- Transport Properties of Gaseous Ions over a Wide Energy Range. Part III, *H. W. Ellis, M. G. Thackston, E. W. McDaniel, and E. A. Mason* **31**, 113 (1984)
- Transport Properties of Gaseous Ions over a Wide Energy Range. Part IV, *L. A. Viehland and E. A. Mason* **60**, 37 (1995)
- Velocity Parameters* (99)
- See also *Compton Profiles* (22)
- Velocity Parameters of Atomic Wavefunctions, *V. H. Ponce* **19**, 63 (1977)
- Wavelengths* (99a)
- See *Atomic Spectra* (8)
- Xenon⁻ Ion* (100)
- A Compound Atom State in Xenon: Parameters for the Xe⁻ Ion, *C. Foglia* AD **1**, 361 (1970)
- X Rays* (101)
- See also *Binding Energies, Atomic* (15)
- Inner-Shell Ionization* (50)
- Photon Cross Sections* (77)
- K X-Ray Transition Probabilities, *G. C. Nelson, B. G. Saunders, and S. I. Salem* AD **1**, 377 (1970)
- L X-Ray Transition Probabilities, *S. I. Salem and C. W. Schultz* AD **3**, 215 (1971)
- Experimental K and L Relative X-Ray Emission Rates, *S. I. Salem, S. L. Pannossian, and R. A. Krause* **14**, 91 (1974)
- X-Ray Emission Rates in the Hartree–Slater Approximation, *S. T. Manson and D. J. Kennedy* **14**, 111 (1974)

- Relativistic Hartree–Slater Values for K and L X-Ray Emission Rates, *J. H. Scofield* **14**, 121 (1974)
- Calculated K Auger-Electron and K X-Ray Transition Energies for the Multiply Ionized Neon Atom, *D. L. Matthews, B. M. Johnson, and C. F. Moore* **15**, 41 (1975)
- Experimental Widths of K and L X-Ray Lines, *S. I. Salem and P. L. Lee* **18**, 233 (1976)
- Calculation of K and L X-Rays for Elements of $Z = 95$ to 130, *T. A. Carlson and C. W. Nestor, Jr.* **19**, 153 (1977)
- Atomic Data Related to X and XUV Radiation, *K. Way* **22**, 125 (1978)
- Sine θ Settings for X-Ray Spectrometers, *B. L. Doyle, W. F. Chambers, T. M. Christensen, J. M. Hall, and G. H. Pepper* **24**, 373 (1979)
- L X-Ray Satellite Energies, *F. Parente, M. H. Chen, B. Crasemann, and H. Mark* **26**, 383 (1981)
- Dirac–Fock Energies for Multiple K - Plus L -Shell Vacancy States of Ions with $Z = 9$ to 18, *R. J. Maurer and R. L. Watson* **34**, 185 (1986)
- Energy Shifts of L X-Rays from $70 \leq Z \leq 90$ Elements Due to Multiple M Vacancies, *W. Uchai, C. W. Nestor, Jr., S. Raman, and C. R. Vane* **34**, 201 (1986)
- Calculated L -Shell X-Ray Line Intensities for Proton and Helium Ion Impact, *D. D. Cohen and M. Harrigan* **34**, 393 (1986)
- Interpolated Dirac–Fock Values of L -Subshell X-Ray Emission Rates Including Overlap and Exchange Effects, *J. L. Campbell and J.-X. Wang* **43**, 281 (1989)
- K and L Shell X-ray Fluorescence Cross Sections, *S. Puri, B. Chand, D. Mehta, M. L. Garg, N. Singh, and P. N. Trehan* **61**, 289 (1995)
- Semiempirical Approximation to Cross Sections for L X-Ray Production by Proton Impact, *M. A. Reis and A. P. Jesus* **63**, 1 (1996)
- Relative intensities for L_i ($i = 1-3$) and M_i ($i = 1-5$) subshell X-rays, *S. Puri* **93**, 730 (2007)
- Miscellaneous (102)
- World-Wide News of Compilations in Nuclear Physics
NDT **A1**, 487 (1966)
NDT **A2**, 333 (1966)
- World-Wide News of Compilations in Nuclear Physics
NDT **A3**, 361 (1967)
- World-Wide News
AD **1**, 457 (1970)
NDT **A8**, 437 (1970)
- How to Make a Table, *K. Way and L. W. Rose* **12**, No. 2, i (1973)
- New Atomic Tables in 1973, *K. Way* **14**, No. 1, i (1974)
- New Nuclear Tables in 1973, *K. Way* **14**, No. 1, ii (1974)
- International Compilers' Forum: Basic Compilations, *K. Way* **16**, No. 5, i (1975)
- World-Wide News. International Nuclear Information System
19, 299 (1977)
- In Memoriam of Katharine Way, *A. Li-Scholz, S. Raman, and W. Scholz* **64**, v (1996)
- In Memoriam of Subramanian Raman, *D. R. Schultz and A. Li-Scholz* **86**, 1 (2004)
- Editorials (103)
- "International" Tables, *K. Way* **23**, 1 (1979)
- History of a Compilation Journal, *K. Way* **27**, 531 (1982)
- Data Journal Articles in the Electronic Publishing Environment, *A. Li-Scholz* **79**, 185 (2001)